

---

# ANESTHESIA — & — ANALGESIA

*Journal of the International Anesthesia Research Society, the Society of Cardiovascular Anesthesiologists,  
the Society for Pediatric Anesthesia, the Society for Ambulatory Anesthesia,  
and the Society for Intravenous Anesthesia*

Index  
Volume 90, 2000

## EDITORIAL BOARD

### Anesthesia & Analgesia

*Editor-in-Chief, Economics and Health Systems Research*  
Ronald D. Miller, MD

*Associate Editor-in-Chief, Cardiovascular Anesthesia*  
Kenneth J. Tuman, MD

#### *Editors*

David J. Birnbach, MD, *Obstetric Anesthesia*

James G. Bovill, MD, PhD, *Intravenous Anesthesia*

John Butterworth, MD

Pierre Coriat, MD

Michael J. Cousins, MD

Peter G. Duncan, MD

Thomas J. Gal, MD

Simon Gelman, MD, PhD

William J. Greeley, MD, MBA, *Pediatric Anesthesia*

Judy R. Kersten, MD

Sten Lindahl, MD

Hans-Joachim Priebe, MD, FRCA

Michael F. Roizen, MD

John C. Rowlingson, MD

Koh Shingu, MD

Graham Smith, BSc, MD, FRCA

Christoph Stein, MD

Peter M. Suter, MD, *Critical Care and Trauma*

David S. Warner, MD, *Neurosurgical Anesthesia*

Denise J. Wedel, MD, *Regional Anesthesia and Pain Medicine*

Paul F. White, MD, PhD, *Ambulatory Anesthesia*

*Book and Multimedia Review Editor*

Norig Ellison, MD

## Author Index

- Ababou A, see Kinirons BP
- Abram SE. A simple technique to reduce preservative/excipient related neurotoxicity of intrathecal (spinal) drugs (letter, reply), 90:768
- Abu Khabar H, see El-Gamal N
- Achleitner U, Wenzel V, Strohmenger H-U, Krümer AC, Lurie KG, Lindner KH, Amann A. The effects of repeated doses of vasopressin or epinephrine on ventricular fibrillation in a porcine model of prolonged cardiopulmonary resuscitation, 90:1067
- Adam F. Preemptive analgesia with ketamine (letter, reply), 90:765
- Adriaenssens HA, see Vercauteren MP
- Agarwal A, see Pandey CK
- Aggarwal A, see Talke P
- Agrò F, see Keller C
- Aguila CM, see Urtubia RM
- Ahmad M, see Munir MA
- Ahonen J, Olkkola KT, Verkkala K, Heikkinen L, Järvinen A, Salmenperä M. A comparison of remifentanyl and alfentanil for use with propofol in patients undergoing minimally invasive coronary artery bypass surgery, 90:1269
- Aitkenhead AR, see Hardman JG
- Akkaş N, see Ateş Y
- Albes JM, see Scheule AM
- Aldebert A, see Bernard J-M
- Allen HW, see Kopacz DJ
- Allison CE, De Lange JJ, Koole FD, Zuurmond WWA, Ros HH, van Schagen NT. A comparison of the incidence of the oculocardiac and oculorespiratory reflexes during sevoflurane or halothane anesthesia for strabismus surgery in children, 90:306
- Allouchiche B, see Tournadre JP
- Aloy A, see Bacher A
- Alves DM, see Palmer CM
- Amann A, see Achleitner U
- Amar R, see El-Gamal N
- Ambesh SP, Kumar V, Srivastava K. Tracheo-innominate artery fistula (letter), 90:231
- Amit S, see Babita G
- Ammar R, see El-Rahmany HK
- Ammatuna M, see Sacerdote P
- Amsler F, see Kindler CH
- Anderson DM, Mantler CB. Anesthesia and Hypertension. Vol. 17, No. 3 of Anesthesia Clinics of North America (book review), 90:1252
- Andres LA, see Bennett-Guerrero E
- Andropoulos DB, Ayres NA, Stayer SA, Bent ST, Campos CJ, Fraser CD. The effect of transesophageal echocardiography on ventilation in small infants undergoing cardiac surgery, 90:47
- see Stayer SA
- Andruetto P, see De Kock M
- Annala P, see Viitanen H
- Aoyama K, Takenaka I, Nagaoka E, Kadoya T. Jaw thrust maneuver for endotracheal intubation using a fiberoptic stylet (letter), 90:1457
- Apfel CC, see Kranke P
- Apostolakis JT. Cardiac, Vascular, and Thoracic Anesthesia (book review), 90:1253
- Apsner R, see Laczika K
- Araim SR, see Hall JE
- Arnold S, see Scheule AM
- Asai T, Shingu K. One-lung ventilation in the patient with laryngeal or tracheal stenosis (letter), 90:1000
- see Murao K
- Asano T, Dohi S, Iida H. Antinociceptive action of epidural  $K^{+}$  ATP channel openers via interaction with morphine and an  $\alpha_2$ -adrenergic agonist in rats, 90:1146
- Dohi S, Ohta S, Shimonaka H, Iida H. Antinociception by epidural and systemic  $\alpha_2$ -adrenoceptor agonists and their binding affinity in rat spinal cord and brain, 90:400
- Asher MJ, see Buggy DJ
- Ateş Y, Yücesoy CA, Ünlü MA, Saygin B, Akkaş N. The mechanical properties of intact and traumatized epidural catheters, 90:393
- Atlee JL, Dhamee MS, Olund TL, George V. The use of esmolol, nicardipine, or their combination to blunt hemodynamic changes after laryngoscopy and tracheal intubation, 90:280
- Auden SM. Additional techniques for managing the difficult pediatric airway, 90:878
- Sobczyk WL, Solinger RE, Goldsmith LJ. Oral ketamine/midazolam is superior to intramuscular meperidine, promethazine, and chlorpromazine for pediatric cardiac catheterization, 90:299
- Avramov MN, see Badrinath S
- Axelrod JK, see Rosenberg H
- Ayres NA, see Andropoulos DB
- Aznar J, see García-Aguado R
- Baba T, see Matsuyama K
- Babita G, Jayalakshmi TS, Amit S. Air embolism: a complication during transcervical resection of the endometrium, 90:763
- Bacher A, Pichler K, Aloy A. Supraglottic combined frequency jet ventilation versus subglottic monofrequent jet ventilation in patients undergoing microlaryngeal surgery, 90:460
- Backman SB. Anticholinesterases and the transplanted heart (letter), 90:1001
- Badrinath S, Avramov MN, Shadrack M, Witt TR, Ivankovich AD. The use of a ketamine-propofol combination during monitored anesthesia care, 90:858
- Bahar M, see Evron S
- Bailey JM, see Lu W
- Bailey MK, see Haynes GR
- Baird MS, see Nielsen VG
- Ballester JA, see Olmos M
- Barberá J, see García-Aguado R
- Barcia JA, see García-Aguado R
- Barclay GR, see Bennett-Guerrero E
- Bardenheuer HJ, see Weigand MA
- Bardoczky GI, Szegedi LL, d'Hollander AA, Moures J-M, de Francquen P, Yernault J-C. Two-lung and one-lung ventilation in patients with chronic obstructive pulmonary disease: the effects of position and  $FiO_2$ , 90:35
- Barnes SD, see Elfar A
- Barnett RA. Anesthesia and Transplantation (book review), 90:1253
- Barney JA, see Hall JE
- Baronia A, see Pandey CK
- Barthe A, see Bernard J-M
- Barwise JA, see Durrani M
- Bashour CA, see Nguyen ST
- Baur CP, Bellon L, Felleiter P, Fiege M, Fricker R, Glahn K, Heffron JJA, Herrmann-Frank A, Jurkat-Rott K, Klingler W, Lehane M, Ørding H, Tegazzin V, Wappler F, Georgieff M, Lehmann-Horn F. A multicenter study of 4-chloro-m-cresol for diagnosing malignant hyperthermia

- susceptibility, 90:200
- Beck DH, Schenk MR, Hagemann K, Doepfmer UR, Kox WJ. The pharmacokinetics and analgesic efficacy of larger dose rectal acetaminophen (40 mg/kg) in adults: a double-blinded, randomized study, 90:431
- Becker BF  
\*see Heindl B  
see Szekely A
- Bedford RF, Ives HE. The renal safety of sevoflurane (editorial), 90:505
- Beierlein W, see Scheule AM
- Beikirch C, see Welters ID
- Beilin Y. Postdural puncture headache (PDPH) and combined spinal-epidural (CSE) (letter, reply), 90:1249
- Bellon L, see Baur CP
- Benani RM, see Bernard J-M
- Benhamou D  
see Bouaziz H  
see Kinirons BP  
see Lentschener C
- Bennett-Guerrero E, Barclay GR, Youssef ME, Hossain S, Vela-Cantos F, Andres LA, Poxton IR. Exposure to *Bacteroides fragilis* endotoxin during cardiac surgery, 90:819  
see Gan TJ
- Benraad B, see Slappendel R
- Bent ST  
see Andropoulos DB  
see Stayer SA
- Benzer A, see Lorenz IH
- Berger K, see Meier T
- Bergh A, see Klein SM
- Bergler WF, see Petroianu GA
- Berkow L. Handbook of Neuroanesthesia (book review), 90:1009
- Bernard J-M, Le Roux D, Vizquel L, Barthe A, Gonnet J-M, Aldebert A, Benani RM, Fossat C, Frouin J. Patient-controlled epidural analgesia during labor: the effects of the increase in bolus and lockout interval, 90:328
- Bevan DR. Introduction, S90:1  
Recovery from neuromuscular block and its assessment, S90:7
- Bianchi M, see Sacerdote P
- Biban P, Rugolotto S, Zoppi G. Fiberoptic endotracheal intubation through an ultra-thin bronchoscope with suction channel in a newborn with difficult airway (letter), 90:1007
- Bigatello LM, see Ceccarelli P
- Bigham M, see Saleem R
- Bird DJ, see Markey JR
- Birnbach DJ. Obstetric anesthesiology in the new millennium, 90:1241  
see Crowhurst JA  
see Segal BS
- Bito H, see Sato S
- Bjoraker DG. Handbook of Difficult Airway Management (book review), 90:1254
- Block RI, see Ghoneim MM
- Bodian CA, see Reich DL
- Body SC, Taylor K, Philip JH. Dual-plateau capnogram caused by cracked sample filter (letter), 90:233
- Bolastig M, see Shore-Lesserson L
- Boldt J, see Piper SN
- Bond BR, see Dorman BH
- Booke M. Cell salvage in the Jehovah's Witness patient (letter, reply), 90:230
- Borel C, see King KP
- Borgeat A, see Ruetsch YA
- Bosnjak ZJ, see Stadnicka A
- Bouaziz H, Kinirons BP, Macalou D, Heck M, Dap F, Benhamou D, Laxenaire M-C. Sufentanil does not prolong the duration of analgesia in a mepivacaine brachial plexus block: a dose response study, 90:383  
see Kinirons BP
- Bouhassira D, see Guirimand F
- Bouillier H, see Samain E
- Bouleau D, see Combes X
- Bourke DL, Sprung J. The difficult neuraxial block: predictors or self-fulfilling prophecy? (letter, reply), 90:768  
see Sprung J
- Bourke M, Hayes A, Doyle M, McCarroll M. A comparison of regularly administered sustained release oral morphine with intramuscular morphine for control of postoperative pain, 90:427
- Bowbrick VA, Mikhailidis DP, Stansby G. The use of citrated whole blood in thromboelastography, 90:1086
- Brandom BW. Neuromuscular blocking drugs in pediatric patients, S90:14
- Brasseur L, see Guirimand F
- Braun GG, see Hemmerling TM
- Brechtelsbauer H, see Rehm M
- Brimacombe J, Keller C. Curling the tip anteriorly does not facilitate laryngeal mask insertion (letter), 90:1247  
see Keller C
- Brinquin L, see Villeveille T
- Brodner G, Mertes N, Van Aken H, Möllhoff T, Zahl M, Wirtz S, Marcus MAE, Buerkle H. What concentration of sufentanil should be combined with ropivacaine 0.2% wt/vol for postoperative patient-controlled epidural analgesia?, 90:649
- Brohorov T, see Evron S
- Broka SM, Dubois PE, Joucken KL. A structural deficiency of TCI syringes (letter), 90:1002  
see Dubois PE
- Brown R, see Stabernack CR
- Brustia L, see De Amici D
- Buerkle H, see Brodner G
- Bufler J, see Klaus K
- Buggy DJ, Asher MJ, Lambert DG. Nimodipine premedication and induction dose of propofol, 90:445  
see Powell RM
- Bur M-L, see Kinirons BP
- Burkhead D, see Pollock JE
- Butterworth JF, see Prielipp RC
- Cabral RE, see Nguyen ST
- Caldwell JE, see Heier T
- Callan CM, see Mazze RI
- Campbell DC, Zwack RM, Crone L-AL, Yip RW. Ambulatory labor epidural analgesia: bupivacaine versus ropivacaine, 90:1384
- Campos CJ  
see Andropoulos DB  
see Stayer SA
- Campos JH, Massa FC, Kernstine KH. The incidence of right upper-lobe collapse when comparing a right-sided double-lumen tube versus a modified left double-lumen tube for left-sided thoracic surgery, 90:535
- Canal MI, see Sanjoaquin MT
- Cao MM, see Kinirons BP
- Cao Y-J, see Dreixler JC
- Carli F, see Schricker T
- Carr RD, Maxwell LG, Yaster M. Conscious Sedation. Vol. 37, No. 4 of International Anesthesiology Clinics (book review), 90:1461
- Cassinello F, Rodrigo FJ, Muñoz-Alameda L, Perez-Tejerizo G, Vallejo D. Postoperative pulmonary aspiration of gastric contents in an infant after general anesthesia with laryngeal mask airway (LMA) (letter), 90:1457
- Cassorla L. Atlas of Cardiovascular Monitoring (book review), 90:773  
Video Atlas of Perioperative Transesophageal Echocardiography (book review), 90:1460
- Cattaneo CG, Frank SM, Hesel TW, El-Rahmany HK, Kim LJ, Tran KM. The accuracy and precision of body



- temperature monitoring methods during regional and general anesthesia, 90:938
- Ceccarelli P, Bigatello LM, Hess D, Kwo J, Melendez L, Hurford WE. Inhaled nitric oxide delivery by anesthesia machines, 90:482
- Cenic A, Craen RA, Howard-Lech VL, Lee T-Y, Gelb AW. Cerebral blood volume and blood flow at varying arterial carbon dioxide tension levels in rabbits during propofol anesthesia, 90:1376
- Cerf C, see Combes X
- Chan VWS, Peng P, Chinyanga H, Lazarou S, Weinbren J, Kaszas Z. Determining minimum effective anesthetic concentration of hyperbaric bupivacaine for spinal anesthesia, 90:1135
- see Murphy DB
- Chandler WL, see Cuignet OY
- Chantigian RC, see Hebl JR
- Chassard D, see Tournadre JP
- Chauvin M
- see Fletcher D
- see Guignard B
- see Guirimand F
- see Menigaux C
- Chelly JE, see Szmuk P
- Chen L, see Schellenberg AG
- Chen R, see Talke P
- Cheng DCH, see Djaiani GN
- Cheung A, see Talke P
- Cheung AK, see Kozek-Langenecker SA
- Chi OZ, Lee DI, Liu X, Weiss HR. The effects of morphine on blood-brain barrier disruption caused by intracarotid injection of hyperosmolar mannitol in rats, 90:603
- Chinyanga H, see Chan VWS
- Chiu JW, White PF. The pharmacoeconomics of neuromuscular blocking drugs, 90:19
- see Zhou TJ
- Cho S, see Sakai K
- Choi Y, see Hwang J-H
- Chojnowska E. Which intravenous sodium channel blocker for neuropathic pain? (letter), 90:1007
- Chong Z-K, see Fung S-T
- Clark AG, see Jacka MJ
- Clark JD, see Li X
- Clements F, see East CJ
- Clyti N, see Fletcher D
- Coetzee JF, le Roux PJ, Genade S, Lochner A. Reduction of postischemic contractile dysfunction of the isolated rat heart by sevoflurane: comparison with halothane, 90:1089
- Cohen DE, Keon TP. Factitious arterial blood pressure measurements from automated oscillotonometer, 90:1341
- Cole DJ, see Schell RM
- Coloma M, White PF, Huber PJ Jr, Tongier WK, Dullye KK, Duffy LL. The effect of ketorolac on recovery after anorectal surgery: intravenous versus local administration, 90:1107
- Colson P, see Mann C
- Combes X, Cerf C, Bouleau D, Duvaldestin P, Dhonneur G. The effects of residual pain on oxygenation and breathing pattern during morphine analgesia, 90:156
- Comunale ME, see Park KW
- Connelly NR, see Dunn SM
- Connors PD, see Denman WT
- Conzen PF, see Szekely A
- Cook DR. Can succinylcholine be abandoned?, 90:24
- Cook-Sather SD, see Davis L
- Coppejans HC, see Vercauteren MP
- Cornelius AS, see Jones DH
- Cousins MJ, see Lin Y
- Craen RA, see Cenic A
- Crone L-AL, see Campbell DC
- Crowhurst JA, Birnbach DJ. Small-dose neuraxial block: heading toward the new millennium (editorial), 90:241
- Crystal GJ
- see Koster A
- see Mertzluft F
- Cuignet OY, Wood BL, Chandler WL, Spiess BD. A second-generation blood substitute (perfluorodichlorooctane emulsion) generates spurious elevations in platelet counts from automated hematology analyzers, 90:517
- Cumsille MA, see Urtubia RM
- Dagher G, see Samain E
- Dahl JB, see Moeniche S
- Dahl V, Ernoe PE, Steen T, Raeder JC, White PF. Does ketamine have preemptive effects in women undergoing abdominal hysterectomy procedures?, 90:1419
- Dai HB, see Park KW
- D'Angelo R, see Meister GC
- Danou F, Paraskeva A, Vassilakopoulou T, Fassoulaki A. The analgesic efficacy of intravenous tenoxicam as an adjunct to patient-controlled analgesia in total abdominal hysterectomy, 90:672
- Dap F, see Bouaziz H
- Dasen KR, Niswander DG, Schlenker RE. Autologous and allogenic blood products for unanticipated massive blood loss in a Jehovah's Witness, 90:553
- Davidson BA, see Nader ND
- Davis CS, see Ghoneim MM
- Davis L, Cook-Sather SD, Schreiner MS. Lighted stylet tracheal intubation: a review, 90:745
- Davis PJ. Pediatric Procedural Sedation and Analgesia (book review), 90:1462
- Finkel JC, Orr RJ, Fazi L, Mulroy JJ, Woelfel SK, Hannallah RS, Lynn AM, Kurth CD, Moro M, Henson LG, Goodman DK, Decker MD. A randomized, double-blinded study of remifentanyl versus fentanyl for tonsillectomy and adenoidectomy surgery in pediatric ambulatory surgical patients, 90:863
- De Amici D, Klersy C, Ramajoli F, Brustia L. The awareness of being observed changes the patient's psychological well-being in anesthesia, 90:739
- deBruijn NP, see Sharma AD
- DeCampi WM, see Peterson KJ
- Decker MD, see Davis PJ
- De Deyne C, De Jongh R, Heylen R, Struys M. Jugular bulb desaturations during propofol anesthesia in neurosurgical procedures (letter), 90:769
- Deering JA, see Knutson JE
- de Francquen P, see Bardoczky GI
- De Jongh R, see De Deyne C
- De Kock M, Laterre P-F, Andruetto P, Vanderessen L, Dekrom S, Vanderick B, Lavand'homme P. Ornipressin (Por 8): an efficient alternative to counteract hypotension during combined general/epidural anesthesia, 90:1301
- Dekrom S, see De Kock M
- De Lange JJ, see Allison CE
- Delgado-Herrera L, see Mazze RI
- Denman WT, Swanson EL, Rosow D, Ezbicki K, Connors PD, Rosow CE. Pediatric evaluation of the bispectral index (BIS) monitor and correlation of BIS with end-tidal sevoflurane concentration in infants and children, 90:872
- DePerio M, see Shore-Lesserson L
- Dern S, see Hemmerling TM
- DeSouza GJ
- see Jacobs JS

- see Ter Riet MF
- Despotis GJ, see Saleem R
- Dexter F. Math made simple (letter, reply), 90:502
- Macario A. What is the relative frequency of uncommon ambulatory surgery procedures performed in the United States with an anesthesia provider?, 90:1343
- Macario A, O'Neill L. Scheduling surgical cases into overflow block time—computer simulation of the effects of scheduling strategies on operating room labor costs, 90:980
- Traub RD. Sequencing cases in the operating room: predicting whether one surgical case will last longer than another, 90:975
- Dhamee MS, see Atlee JL
- d'Hollander AA, see Bardoczky GI
- Dhonneur G, see Combes X
- Diehm S, see Hautmann H
- Diemunsch AM, see Diemunsch PA
- Diemunsch PA, Torp KD, Van Dorselaer T, Mutter D, Diemunsch AM, Schaeffer R, Teller G, Van Dorselaer A. Nitrous oxide fraction in the carbon dioxide pneumoperitoneum during laparoscopy under general inhaled anesthesia in pigs, 90:951
- Diraison Y, see Villeveuille T
- Dirksen R, see Slappendel R
- Djaiani GN, Cheng DCH. Clinical guidelines (letter, reply), 90:503
- Doepfmer UR, see Beck DH
- Dohi S  
see Asano T  
see Hamaya Y
- Dominguez JJ, see Morrison SG
- Donati F. Neuromuscular blocking drugs for the new millennium: current practice, future trends—comparative pharmacology of neuromuscular blocking drugs, 90:2
- Dörge V, Ocker H, Wenzel V, Schmucker P. The laryngeal tube: a new simple airway device, 90:1220
- Dorman BH, New RB, Bond BR, Mukherjee R, Mukhin YV, McElmurray JH, Spinale FG. Myocyte endothelin exposure during cardioplegic arrest exacerbates contractile dysfunction after reperfusion, 90:1080
- Doyle M, see Bourke M
- Dreixler JC, Jenkins A, Cao Y-J, Roizen JD, Houamed KM. Patch-clamp analysis of anesthetic interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, 90:727
- Drolet P, Girard M, Poirier J, Grenier Y. Facilitating submental endotracheal intubation with an endotracheal tube exchanger, 90:222
- Drummond PD. The effect of peripheral opioid block and body cooling on sensitivity to heat in capsaicin-treated skin, 90:923
- Dubey PK, see Pandey JC
- Dubois PE, Broka SM, Jousken KL. TOF-tube (letter), 90:232  
see Broka SM
- Dudzick R, see Stabernack CR
- Duffy LL, see Coloma M
- Dullye KK, see Coloma M
- Dunn SM, Connolly NR, Parker RK. Postdural puncture headache (PDPH) and combined spinal-epidural (CSE) (letter), 90:1249
- Dupont X  
see Guignard B  
see Guirimand F  
see Menigaux C
- Durrani M, Barwise JA, Johnson RF, Kambam JR, Janicki PK. Intravenous chloroprocaine attenuates hemodynamic changes associated with direct laryngoscopy and tracheal intubation, 90:1208
- Barwise JA. Difficult endotracheal intubation associated with torus mandibularis, 90:757
- Dutton RC, Rampil IJ, Eger EI II. Inhaled nonimmobilizers do not alter the middle latency auditory-evoked response of rats, 90:213
- Duvaldestin P. N<sub>2</sub>O and endotracheal cuff pressure (letter, reply), 90:231  
see Combes X
- East CJ, Clements F, Mathew J, Slaughter TF. Antiphospholipid syndrome and cardiac surgery: management of anticoagulation in two patients, 90:1098
- Ebert TJ, see Hall JE
- Eckstein FS, see Scheule AM
- Egan TD, see Miner JE
- Eger EI II  
see Dutton RC  
see Stabernack CR
- Elfar A, Barnes SD. A real eye-opener! (letter), 90:1003
- El-Gamal N, El-Kassabany N, Frank SM, Amar R, Abu Khabab H, El-Rahmany HK, Okasha AS. Age-related thermoregulatory differences in a warm operating room environment (approximately 26°C), 90:694  
see El-Rahmany HK
- Elizalde JL, see Olmos M
- El-Kassabany N, see El-Gamal N
- Ellison N. Careers in Anesthesiology: Autobiographical Memoirs. Vol 3 in the Wood Library-Museum of Anesthesiology Series (book review), 90:1009
- Stedman's Medical Dictionary. 27th edition (book review), 90:1460
- El-Rahmany HK, Frank SM, Schneider GM, El-Gamal NA, Vannier CA, Ammar R, Okasha AS. Forced-air warming decreases vasodilator requirement after coronary artery bypass surgery, 90:286  
see Cattaneo CG  
see El-Gamal N  
see Tran KM
- Elwell CE, see Lovell AT
- Elwood T, Martin LD. Thirteenth annual meeting of the Society for Pediatric Anesthesia, Dallas, Texas, October 8, 1999, 90:995
- Enneking FK, Wedel DJ. The art and science of peripheral nerve blocks (editorial), 90:1
- Erb T, see Sharma AD
- Ernoe PE, see Dahl V
- Errando CL. Spinal toxicity of drugs: some specifications about ketamine (letter), 90:227
- Escobar A, see Olmos M
- Everett LL, Spottswood SE. Intraoperative desaturation and unilateral breath sounds during Nissen fundoplication, 90:62
- Evron S, Krumholtz S, Wiener Y, Brohorov T, Bahar M. Prolonged coma and quadriplegia after accidental subarachnoid injection of a local anesthetic with an opiate, 90:116
- Ezbicki K, see Denman WT
- Ezri T, see Szmuk P
- Faerber G, see Lau WC
- Faryniak B, see Marhofer P
- Fassoulaki A, see Danou F
- Fazi L, see Davis PJ
- Felber S, see Lorenz IH
- Felleiter P, see Baur CP
- Fender C, Fujinaga M, Maze M. Strain differences in the antinociceptive effect of nitrous oxide on the tail flick test in rats, 90:195
- Fiege M, see Baur CP
- Finkel JC, see Davis PJ

- Finsterer U  
  see Rehm M  
  see Scheingraber S
- Fischer LG, Hollmann MW, Horstman DJ,  
  Rich GF. Cyclooxygenase inhibitors  
  attenuate bradykinin-induced  
  vasoconstriction in septic isolated  
  rat lungs, 90:625
- Fisher A, see Fragneto RY
- Fitzgerald PC, see Fragen RJ
- Fitzgerald RD, see Oczeni W
- Fleisher LA, see Mantha S
- Fletcher D, Pinaud M, Scherpereel P, Clyti  
  N, Chauvin M. The efficacy of  
  intravenous 0.15 versus 0.25 mg/kg  
  intraoperative morphine for  
  immediate postoperative analgesia  
  after remifentanyl-based anesthesia  
  for major surgery, 90:666  
  see Guignard B  
  see Menigaux C
- Fletcher R, see Smith RPR
- Fleyfel M, see Ousmane ML
- Foss J, see Mantha S
- Fossat C, see Bernard J-M
- Fournier R, Van Gessel E, Weber A,  
  Gamulin Z. A comparison of  
  intrathecal analgesia with fentanyl  
  or sufentanil after total hip  
  replacement, 90:918
- Fox JL, see Stewart JT
- Fragen RJ, Fitzgerald PC. Is an infusion  
  pump necessary to safely  
  administer remifentanyl?, 90:713
- Fragneto RY, Fisher A. Mental status  
  change and aphasia after labor  
  analgesia with intrathecal  
  sufentanil/bupivacaine, 90:1175
- Frailie JR, see Sanjoaquin MT
- Frank SM  
  see Cattaneo CG  
  see El-Gamal N  
  see El-Rahmany HK  
  see Tran KM
- Franke C, see Neumahr S
- Frascarolo P, see Morrison SG
- Fraser CD, see Andropoulos DB
- Frass M, see Laczika K
- Freye E, Schmidhammer H, Latsch L. 14-  
  Methoxymetopon, a potent opioid,  
  induces no respiratory depression,  
  less sedation, and less bradycardia  
  than sufentanil in the dog, 90:1359
- Fricker R, see Baur CP
- Friedman A, see Pollock JE
- Friedrich S, see Klaus K
- Frouin J, see Bernard J-M
- Fu E, see Miguel R
- Fujii Y. Reported data on ganisetron and  
  postoperative nausea and vomiting  
  by Fujii et al. are incredibly nice!  
  (letter, reply), 90:1006
- Saitoh Y, Tanaka H, Toyooka H.  
  Ramosetron for preventing  
  postoperative nausea and vomiting  
  in women undergoing gynecological  
  surgery, 90:472
- Fujimura N, see Nakayama Y
- Fujinaga M, see Fender C
- Fujita A, Higuchi J, Nagai T, Tokudome S,  
  Sakio H. A simple method for  
  detecting plasma propofol, 90:1452
- Fujita H, Maru E, Shimada M, Suzuki H,  
  Ogiuchi H. A decrease in seizure  
  susceptibility to lidocaine in kindled  
  epileptic rats, 90:1129
- Fujita S, see Nakae Y
- Fukusaki M, see Sakai K
- Fung S-T, Poon Y-Y, Chong Z-K, Jawan B,  
  Lee J-H. Removal of an aspirated  
  prosthetic tooth by tracheal  
  backflow air, 90:993
- Furman EB. Anesthesia and Pain  
  Management for the Pediatrician  
  (book review), 90:1463
- Furuya H, see Inoue S
- Gadalla F, see Mack PF
- Gaitini LA, Somri M, Vaida SJ, Yanovski  
  B, Mogilner G, Sabo E, Lischinsky S,  
  Greenberg A, Levy N, Zinder O.  
  Does the addition of fentanyl to  
  bupivacaine in caudal epidural  
  block have an effect on the plasma  
  level of catecholamines in children?,  
  90:1029
- Gal TJ. Nunn's Applied Respiratory  
  Physiology. 5th ed. (book review),  
  90:1010
- Galvez ST, see Mazze RI
- Gamarra F, see Hautmann H
- Gamulin Z, see Fournier R
- Gan TJ, Bennett-Guerrero E, Mythen MG.  
  Plasma volume expanders (letter),  
  90:1456
- García-Aguado R, Gil F, Barcia JA, Azner  
  J, Hostalet F, Barberá J, Grau F.  
  Prophylactic percutaneous sealing  
  of lumbar postdural puncture hole  
  with fibrin glue to prevent  
  cerebrospinal fluid leakage in  
  swine, 90:894
- García-Pérez ML, see Llau JV
- Garfield JM. Decision Making in  
  Anesthesiology: An Algorithmic  
  Approach. 3rd ed. (book review),  
  90:772
- Gaspani L, see Sacerdote P
- Gassner M, see Loecckinger A
- Geary BT, see Nielsen VG
- Geisser W, see Schrick T
- Gelb AW, see Cenic A
- Genade S, see Coetzee JF
- George V, see Atlee JL
- Georgiade GS, see Klein SM
- Georgieff M  
  see Baur CP  
  see Schrick T
- Gerber HR, see Konrad CJ
- Gesztes Z, Sa Rego MM, White PF. The  
  comparative effectiveness of  
  fentanyl and its newer analogs  
  during extracorporeal shock wave  
  lithotripsy under monitored  
  anesthesia care, 90:567
- Ghoneim MM, Block RI, Sarasin DS, Davis  
  CS, Marchman JN. Tape-recorded  
  hypnosis instructions as adjuvant in  
  the care of patients scheduled for  
  third molar surgery, 90:64
- Gielen MJM, see Slappendel R
- Gil F, see García-Aguado R
- Gilbert TB. Bronchial injury: an avoidable  
  complication during bronchial  
  intubation (letter, reply), 90:1458  
  see Mares P
- Gin T, Ngan-Kee WD, Siu YK, Stuart JC,  
  Tan PE, Lam KK. Alfentanil given  
  immediately before the induction of  
  anesthesia for elective cesarean  
  delivery, 90:1167  
  see Ngan Kee WD
- Girard M, see Drolet P
- Glahn K, see Baur CP
- Glance LG. The cost effectiveness of  
  anesthesia workforce models: a  
  simulation approach using decision-  
  analysis modeling, 90:584
- Goldsmith LJ, see Auden SM
- Goldstone JC, see Lovell AT
- Golembiewski JA, see Lau WC
- Gombar S, see Sen I
- Gonçalves ZR, see Horta ML
- Gonnet J-M, see Bernard J-M
- Goodman DK, see Davis PJ
- Gordo WM, see Tanus-Santos JE
- Gordon MA, see Urban MK
- Goto T, see Matsuyama K
- Gottlieb A  
  see Sprung J  
  see Talke P
- Gouverneur J-M, see Roelants F
- Gozal D, Gozal Y. Nonpharmacologic  
  sedation in a deaf child (letter),  
  90:1007
- Gozal Y, see Gozal D
- Grabewöger M, see Rajek A
- Grady RE. Neurologic complications of

- cerebrospinal fluid drainage catheters (letter, reply), 90:229
- Gräf M, see Welters ID
- Grass JA. Spinal Drug Delivery (book review), 90:772
- Grau F, see García-Aguado R
- Gray AW Jr, see Valade DR
- Greeley W. Pediatric anesthesia: where do we go from here?, 90:1232
- Pediatric Critical Care: The Essentials (book review), 90:504
- Green CR, see Lau WC
- Green W, see Kozek-Langenecker SA
- Greenberg A, see Gaitini LA
- Greengrass RA, see Klein SM
- Grenier Y, see Drolet P
- Gribomont B-F, see Roelants F
- Grocott HP, see Sharma AD
- Grubhofer G, see Rajek A
- Guignard B, Menigaux C, Dupont X, Fletcher D, Chauvin M. The effect of remifentanyl on the bispectral index change and hemodynamic responses after orotracheal intubation, 90:161
- see Menigaux C
- Guirmand F, Dupont X, Brasseur L, Chauvin M, Bouhassira D. The effects of ketamine on the temporal summation (wind-up) of the  $R_{III}$  nociceptive flexion reflex and pain in humans, 90:408
- see Menigaux C
- Gurman GM, see Sheiner E
- Gurvitch DL, see Mack PF
- Gustafson RA, see Rosen DA
- Gutiérrez A, see Sanjaquín MT
- Gutsche BB. What a Blessing She Had Chloroform (book review), 90:236
- Guzzetta NA, see Miller BE
- Hagemann K, see Beck DH
- Hahn TH, see Kim MH
- Haider W, see Mares P
- Hall DB, Kushins LG. Curling the tip anteriorly does not facilitate laryngeal mask insertion (letter, reply), 90:1248
- Hall FW, see Knutson JE
- Hall JE, Uhrich TD, Barney JA, Arain SR, Ebert TJ. Sedative, amnestic, and analgesic properties of small-dose dexmedetomidine infusions, 90:699
- Haller M, see Rehm M
- Hamada N, see Watanabe S
- Hamaya Y, Dohi S, Takenaka-Hamaya C. Localized airway anesthesia with lidocaine partially suppresses cardiovascular responses to lung inflation, 90:847
- Takeda T, Dohi S, Nakashima S, Nozawa Y. The effects of pentobarbital, isoflurane, and propofol on immediate-early gene expression in the vital organs of the rat, 90:1177
- Hammer GB, Ngo K, Macario A. A retrospective examination of regional plus general anesthesia in children undergoing open heart surgery, 90:1020
- Han S-M, see Hwang J-H
- Han TH, Kim DW, Kil HY, Inagaki Y. The effects of plasma fentanyl concentrations on propofol requirement, emergence from anesthesia, and postoperative analgesia in propofol-nitrous oxide anesthesia, 90:1365
- Hannallah RS, see Davis PJ
- Hapfelmeier G, see Neumähr S
- Hara K, Minami K, Takamoto K, Shiraishi M, Sata T. The prolonged effect of a muscle relaxant in a patient with chronic inflammatory demyelinating polyradiculoneuropathy, 90:224
- see Miyamoto H
- see Sakura S
- Hardman JG, Wills JS, Aitkenhead AR. Factors determining the onset and course of hypoxemia during apnea: an investigation using physiological modelling, 90:619
- Wills JS, Aitkenhead AR. Investigating hypoxemia during apnea: validation of a set of physiological models, 90:614
- Harms C, see Kindler CH
- Harper DD, see Talke PO
- Harrington D, see Shore-Lesserson L
- Harris EA. Tension pneumothorax in a parturient undergoing cesarean delivery, 90:1173
- Hashiba E, Hirota K, Yoshioka H, Hashimoto Y, Kudo T, Sato T, Matsuki A. Milrinone attenuates serotonin-induced pulmonary hypertension and bronchoconstriction in dogs, 90:790
- Hashimoto H, see Kotani N
- Hashimoto Y, see Hashiba E
- Hautmann H, Gamarra F, Henke M, Diehm S, Huber RM. High frequency jet ventilation in interventional fiberoptic bronchoscopy, 90:1436
- Hayashi Y, see Kita T
- Hayes A, see Bourke M
- Haynes GR, Bailey MK. Excessive use of hetastarch an iatrogenic cause of bleeding and hypocalcemia? (letter), 90:1455
- Heard S, see Talke P
- Hebl JR, Horlocker TT, Chantigian RC. Epidural analgesia after dural puncture (letter, reply), 90:502
- Heck M, see Bouaziz H
- Heffron JJA, see Baur CP
- Heier T, Caldwell JE. Rapid tracheal intubation with large-dose rocuronium: a probability-based approach, 90:175
- Heikkinen L, see Ahonen J
- Heindl B, Becker BF. Sevoflurane and isoflurane do not enhance the pre- and postischemic eicosanoid production in guinea pig hearts, 90:17
- see Szekely A
- Heine J, see Marx G
- Heitmann L, see Scheingraber S
- Hemmerling TM, Schurr C, Walter S, Dorn S, Schmidt J, Braun GG. A new method of monitoring the effect of muscle relaxants on laryngeal muscles using surface laryngeal electromyography, 90:494
- Hempelmann G, see Welters ID
- Henke M, see Hautmann H
- Henson LG, see Davis PJ
- Henzi I, Walder B, Tramèr MR. Dexamethasone for the prevention of postoperative nausea and vomiting: a quantitative systematic review, 90:186
- Hernández-Borges AA. Quality of medical information on the Internet (letter, reply), 90:1246
- Herneth A, see Mares P
- Herrmann-Frank A, see Baur CP
- Hesel TW, see Cattaneo CG
- Hess D, see Ceccarelli P
- Hess PE, Pratt SD, Soni AK, Sarna MC, Oriol NE. An association between severe labor pain and cesarean delivery, 90:881
- Heylen R, see De Deyne C
- Hiesmayr M
- see Mares P
- see Rajek A
- Higuchi J, see Fujita A
- Hillyer CD, see Levy JH
- Hippeläinen M, see Pölonen P
- Hirota K, see Hashiba E
- Hirsch NP, see Mcleod ADM
- Ho KM. Femoral nerve palsy after femoral vein cannulation (letter, reply), 90:1247

- Hodgson PS, Liu SS. Perineural concentration of lidocaine is more relevant to spinal neurotoxicity than the concentration administered (letter, reply), 90:767
- Liu SS. Spinal toxicity of drugs: some specifications about ketamine (letter, reply), 90:227
- Hoermann C  
see Kleinsasser A  
see Loecinger A
- Hoffmann VH, see Vercauteren MP
- Hollmann MW, see Fischer LG
- Honma Y, see Yamakage M
- Hood PA, see Stover EP
- Horlocker TT. Clinical Pharmacology of Local Anesthetics (book review), 90:1464  
see Hebl JR
- Hörmann C, see Lorenz IH
- Horstmann DJ, see Fischer LG
- Horta ML, Ramos L, Gonçalves ZR. The inhibition of epidural morphine-induced pruritus by epidural droperidol, 90:638
- Hossain S, see Bennett-Guerrero E
- Hostalet F, see García-Aguado R
- Houamed KM, see Dreixler JC
- Howard-Lech VL, see Cenic A
- Huber PJ Jr, see Coloma M
- Huber RM, see Hautmann H
- Hund W, see Krismer AC
- Hurford WE, see Ceccarelli P
- Hussein S, see Münte S
- Hwang J-H, Hwang K-S, Choi Y, Park P-H, Han S-M, Lee D-M. An analysis of drug interaction between morphine and neostigmine in rats with nerve-ligation injury, 90:421
- Hwang K-S, see Hwang J-H
- Hwang N-C, see Ng J-M
- Ihde-Scholl T, see Kindler CH
- Iida H, see Asano T
- Ikeda S, see Murao K
- Inada Y, see Takeda S
- Inagaki Y, see Han T-H
- Inoue S, Ninaga H, Furuya H. A new clinical application of nitroglycerin as an aid to venipuncture in nitroglycerin tape users (letter), 90:499
- Ishii S, see Ochiai R
- Ivankovich AD  
see Badrinath S  
see Kroin JS
- Ives HE, see Bedford RF
- Iwamoto T, see Sato S
- Iwasaki H, see Nakayama Y
- Jacka MJ, Clark AG. Cardiovascular instability requiring treatment after intravenous heparin for cardiopulmonary bypass, 90:42
- Jacobs JS, Vallejo R, DeSouza GJ, Ter Riet MF. Severe hypoglycemia after labor epidural analgesia, 90:892  
see TerRiet MF
- James CF, see Langevin PB
- Jandard C, see Kinirons BP
- Janicki PK, see Durrani M
- Jansen G, Kedaria M, Odoom J, van Praagh B. Jugular bulb desaturations during propofol anesthesia in neurosurgical procedures (letter, reply), 90:769
- Järvinen A, see Ahonen J
- Jawan B, see Fung S-T
- Jayalakshmi TS, see Babita G
- Jenkins A, see Dreixler JC
- Johnson ME. Perineural concentration of lidocaine is more relevant to spinal neurotoxicity than the concentration administered (letter), 90:766
- Johnson RF, see Durrani M
- Jolly DT, Young J. Suspected malfunction of the SAF-T-Fill valve assembly of the Suprane (desflurane, USP) refill bottle, 90:742
- Jonas K, see Kozek-Langenecker SA
- Jones DH, Schlatter MG, Cornelius AS, Neirotti RA. A massive pulmonary tumor embolism after surgical manipulation and biopsy of a pelvic mass, 90:322
- Jørgensen H, see Moïniche S
- Joshi GP, see Zhou TJ
- Joshi W, Reuben SS, Kilaru PR, Sklar J, Maciolek H. Postoperative analgesia for outpatient arthroscopic knee surgery with intraarticular clonidine and morphine, 90:1102
- Joucken KL  
see Broka SM  
see Dubois PE
- Jungmann K, see Paulsen FP
- Jurkat-Rott K, see Baur CP
- Kadoya T, see Aoyama K
- Kagawa K, see Kita T
- Kain ZN, see Wang S-M
- Kallio A, see Talke P
- Kamada Y, see Yamakage M
- Kambam JR, see Durrani M
- Kamerath C, see Kozek-Langenecker SA
- Kampine JP, see Stadnicka A
- Kanai Y, Katsuki H, Takasaki M. Comparisons of the anesthetic potency and intracellular concentrations of S(-) and R(+) bupivacaine and ropivacaine in crayfish giant axon *in vitro*, 90:415
- Kannan S. Femoral nerve palsy after femoral vein cannulation (letter), 90:1246
- Kano T, see Watanabe S
- Kapral S, see Marhofer P
- Kapural L, see Sprung J
- Kariya N, see Toyoyama H
- Karkouti K. Intraoperative variables and morbidity and mortality after coronary artery bypass surgery (letter), 90:1247
- Kastner J, see Rajek A
- Kaszas Z, see Chan VWS
- Katovich MJ, see Langevin PB
- Katsuki H, see Kanai Y
- Katz J, see Szmuk P
- Katz M, see Sheiner E
- Katz MS, see Rose JB
- Katz RI, Lagasse RS. Factors influencing the reporting of adverse perioperative outcomes to a quality management program, 90:344
- Kawamura T, see Sato K
- Kawana S, see Nishikawa K
- Kedaria M, see Jansen G
- Keller C, Brimacombe J, Agrò F, Margreiter J. A pilot study of pharyngeal pulse oximetry with the laryngeal mask airway: a comparison with finger oximetry and arterial saturation measurements in healthy anesthetized patients, 90:440  
see Brimacombe J  
see Kleinsasser A  
see Loecinger A
- Kempen PM, O'Donnell J, Lawler R, Mantha V. Acute respiratory insufficiency during interscalene plexus block, 90:1415
- Keon TP, see Cohen DE
- Kernstine KH, see Campos JH
- Kersten JR, Montgomery MW, Pagel PS, Warltier DC. Levosimendan, a new positive inotropic drug, decreases myocardial infarct size via activation of  $K_{ATP}$  channels, 90:5
- Kettler RE. The difficult neuraxial block: predictors or self-fulfilling prophecy? (letter), 90:768
- Khaw KS, see Ngan Kee WD
- Kil H-Y, see Han T-H
- Kilaru PR, see Joshi W
- Kim D-W, see Han T-H
- Kim LJ  
see Cattaneo CG  
see Tran KM
- Kim MH, Hahn TH. The effect of



- clonidine pretreatment on the perioperative proinflammatory cytokines, cortisol, and ACTH responses in patients undergoing total abdominal hysterectomy, 90:1441
- Kindler CH, Harms C, Amsler F, Ihde-Scholl T, Scheidegger D. The visual analog scale allows effective measurement of preoperative anxiety and detection of patients' anesthetic concerns, 90:706
- King KP, Stolp B, Borel C. Hidden damage to a reinforced LMA-Fastrach endotracheal tube (letter, reply), 90:1251
- Kinirons BP, Bouaziz H, Paqueron X, Ababou A, Jandard C, Cao MM, Bur M-L, Laxenaire M-C, Benhamou D. Sedation with sufentanil and midazolam decreases pain felt by patients undergoing upper limb surgery under multiple nerve block, 90:1118
- see Bouaziz H
- Kirihara Y, see Miyamoto H
- Kishi Y, see Kita T
- Kissin I. Depth of anesthesia and bispectral index monitoring, 90:1114
- Kita T, Kagawa K, Mammoto T, Takada K, Hayashi Y, Mashimo T, Kishi Y. Supraspinal, not spinal,  $\alpha_2$  adrenoceptors are involved in the anesthetic-sparing and hemodynamic-stabilizing effects of systemic clonidine in rats, 90:722
- Klafta JM, see Ovassapian A
- Klein KW, see Zarate E
- Klein SM, Bergh A, Steele SM, Georgiade GS, Greengrass RA. Thoracic paravertebral block for breast surgery, 90:1402
- Kleinsasser A, Kuenszberg E, Loeckinger A, Keller C, Hoermann C, Lindner KH, Puehringer F. Sevoflurane, but not propofol, significantly prolongs the Q-T interval, 90:25
- see Loeckinger A
- Klepetsko W, see Mares P
- Klersy C, see De Amici D
- Klewica MM, see Kopman AF
- Kligfield P, see Urban MK
- Klingler W, see Baur CP
- Klotz KF, see Meier T
- Knight PR, see Nader ND
- Knight W, see Warters D
- Knutson JE, Deering JA, Hall FW, Nuttall GA, Schroeder DR, White RD, Mullany CJ. Does intraoperative hetastarch administration increase blood loss and transfusion requirements after cardiac surgery?, 90:801
- Kochs E, see Neumahr S
- Koch SM, see Warters D
- Kofler J, see Laczika K
- Koh SCL, see Liu EHC
- Kolbitsch C, see Lorenz IH
- Konrad CJ, Markl TJ, Schuepfer GK, Schneck J, Gerber HR. *In vitro* effects of different medium molecular hydroxyethyl starch solutions and lactated Ringer's solution on coagulation using SONOCLOT, 90:274
- Koole FD, see Allison CE
- Kopacz DJ, Allen HW, Thompson GE. A comparison of epidural levobupivacaine 0.75% with racemic bupivacaine for lower abdominal surgery, 90:642
- Kopman AF, Klewicka MM, Neuman GG. An alternate method for estimating the dose-response relationships of neuromuscular blocking drugs, 90:1191
- Kornberger R, see Krismer AC
- Kosaka Y, see Miyamoto H
- Koster A, Kuppe H, Crystal GJ, Mertzluft F. Cardiovascular surgery without cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II using anticoagulation with recombinant hirudin, 90:292
- see Mertzluft F
- Kostopanagiotou G. Anticholinesterases and the transplanted heart (letter, reply), 90:1001
- Kotani N, Hashimoto H, Sessler DI, Muraoka M, Wang J-S, O'Connor MF, Matsuki A. Cardiopulmonary bypass produces greater pulmonary than systemic proinflammatory cytokines, 90:1039
- Hashimoto H, Sessler DI, Muraoka M, Wang J-S, O'Connor MF, Matsuki A. Neutrophil number and interleukin-8 and elastase concentrations in bronchoalveolar lavage fluid correlate with decreased arterial oxygenation after cardiopulmonary bypass, 90:1046
- Koulmann P, see Villeveille T
- Kox WJ, see Beck DH
- Kozek-Langenecker SA, Marhofer P, Jonas K, Macik T, Urak G, Semsroth M. Cardiovascular criteria for epidural test dosing in sevoflurane- and halothane-anesthetized children, 90:579
- Mohammad SF, Masaki T, Green W, Kamerath C, Cheung AK. The effects of aprotinin on platelets *in vitro* using whole blood flow cytometry, 90:12
- Mohammad SF, Masaki T, Kamerath C, Cheung AK. The effects of heparin, protamine, and heparinase I on platelets *in vitro* using whole blood flow cytometry, 90:808
- Krampf K, Schlesinger F, Dengler R, Bufler J. Pentobarbital has curare-like effects on adult-type nicotinic acetylcholine receptor channel currents, 90:970
- Krane E. Defining the anatomy of freudian psychiatry (letter), 90:499
- Kranke P, Apfel CC, Roewer N. Reported data on granisetron and postoperative nausea and vomiting by Fujii et al. are incredibly nice! (letter), 90:1004
- Kreimeier U, see Rehm M
- Krishnan S, see Munir MA
- Krismer AC, Lindner KH, Kornberger R, Wenzel V, Mueller G, Hund W, Oroszy S, Lurie KG, Mair P. Cardiopulmonary resuscitation during severe hypothermia in pigs: does epinephrine or vasopressin increase coronary perfusion pressure?, 90:69
- see Achleitner U
- see Loeckinger A
- Kroin JS, McCarthy RJ, Von Roenn N, Schwab B, Tuman KJ, Ivankovich AD. Magnesium sulfate potentiates morphine antinociception at the spinal level, 90:913
- Krumholtz S, see Evron S
- Kudo T, see Hashiba E
- Kuenszberg E, see Kleinsasser A
- Kumar SS. Premedication with midazolam in pediatric anesthesia (letter), 90:498
- Kumar V, see Ambesh SP
- Kuppe H, see Koster A
- Kurth CD, see Davis PJ
- Kushins LG, see Hall DB
- Kwo J, see Ceccarelli P
- Kwok W-M, see Stadnicka A
- Laczika K, Thalhammer F, Locker G, Apsner R, Losert H, Kofler J, Rabitsch W, Mares P, Frass M, Sunder-Plassmann G, Muhm M. Safe and efficient emergency

- transvenous ventricular pacing via the right supraclavicular route, 90:784
- Lagasse RS, see Katz RI
- Lam AM, see Vavilala MS
- Lam KK, see Gin T
- Lambert DG, see Buggy DJ
- Lang I, see Mares P
- Langevin PB, Katovich MJ, Wood CE, James CF, Langevin SO. The effect of nitroglycerin on the gravid uterus in sheep and rabbits, 90:337
- Langevin SO, see Langevin PB
- Larach MG. Anesthesia for Genetic, Metabolic, and Dysmorphic Syndromes of Childhood (book review), 90:1462
- Larsen B, Seitz A, Larsen R. Recovery of cognitive function after remifentanyl-propofol anesthesia: a comparison with desflurane and sevoflurane anesthesia, 90:168
- Larsen R, see Larsen B
- Laster MJ, see Stabernack CR
- Latasch L, see Freye E
- Laterre P-F, see De Kock M
- Lattermann R, see Schricker T
- Lau TK, see Ngan Kee WD
- Lau WC, Green CR, Faerber G, Tait AR, Golembiewski JA. Propofol and analgesia (letter, reply), 90:1455
- Lavand'homme P, see De Kock M
- Lawler R, see Kempen PM
- Laxenaire M-C  
see Bouaziz H  
see Kinirons BP
- Lazarou S, see Chan VWS
- Lee BB, see Ngan Kee WD
- Lee DI, see Chi OZ
- Lee D-M, see Hwang J-H
- Lee J-H, see Fung S-T
- Lee T-L, see Liu EHC
- Lee T-Y, see Cenic A
- Legulluche Y, see Villeveille T
- Lehane M, see Baur CP
- Lehmann-Horn F, see Baur CP
- Leibecke T, see Meier T
- Lentschener C, Benhamou D. Is laparoscopic surgery associated with specific hemodynamic changes? (letter), 90:769
- Le Roux D, see Bernard J-M
- le Roux PJ, see Coetzee JF
- Leuwer M, see Münte S
- Levy JH, Montes F, Szlam F, Hillyer CD. The *in vitro* effects of antithrombin III on the activated coagulation time in patients on heparin therapy, 90:1076
- see Lu W
- see Miller BE
- Levy N, see Gaitini LA
- Lewis MC, see Ter Riet MF
- Li S-T, see Liu B-G
- Li X, Clark JD. The role of heme oxygenase in neuropathic and incisional pain, 90:677
- Lin Y, Mather LE, Power I, Cousins MJ. The effect of diclofenac on the expression of spinal cord *c-fos*-like immunoreactivity after ischemia-reperfusion-induced acute hyperalgesia in the rat tail, 90:1141
- Lindahl S. Anesthesia. 5th ed. Vol. 1 and 2 (book review), 90:1254
- Lindner KH  
see Achleitner U  
see Kleinsasser A  
see Krismer AC  
see Loeckinger A
- Lischinsky S, see Gaitini LA
- Liu B-G, Zhuang X-L, Li S-T, Xu G-H. The effects of ropivacaine on sodium currents in dorsal horn neurons of neonatal rats, 90:1034
- Liu EHC, Shailaja S, Koh SCL, Lee T-L. An assessment of the effects on coagulation of midtrimester and final-trimester amniotic fluid on whole blood by Thrombelastograph analysis, 90:333
- Liu J, see Petroianu GA
- Liu SS  
see Hodgson PS  
see Pollock JE
- Liu X, see Chi OZ
- Llao JV, García-Pérez ML. Increased safety in the administration of aprotinin: need for a test-dose (letter), 90:770
- Loberg KW, see Pandit SK
- Lochner A, see Coetzee JF
- Locker G, see Laczika K
- Loeckinger A, Kleinsasser A, Hoermann C, Krismer A, Gassner M, Keller C, Puehringer F, Lindner KH. Inert gas exchange during pneumoperitoneum at incremental values of positive end-expiratory pressure, 90:466
- see Kleinsasser A
- Lorenz IH, Kolbitsch C, Hörmann C, Schocke M, Zschiegner F, Felber S, Benzer A. The effects of remifentanyl on cerebral capacity in awake volunteers, 90:609
- Losert H, see Laczika K
- Lovell AT, Marshall AC, Elwell CE, Smith M, Goldstone JC. Changes in cerebral blood volume with changes in position in awake and anesthetized subjects, 90:372
- Lu W, Mant TGK, Levy JH, Bailey JM. Pharmacokinetics of recombinant transgenic antithrombin in volunteers, 90:531
- Luehr S, see Warters D
- Lüllwitz E, see Münte S
- Lurie KG  
see Achleitner U  
see Krismer AC
- Lynn AM, see Davis PJ
- Macalou D, see Bouaziz H
- Macario A  
see Dexter F  
see Hammer GB
- Macik T, see Kozek-Langenecker SA
- Maciolek H, see Joshi W
- Mack PF, Gurvitch DL, Gadalla F. Transient paraplegia after epidural anesthesia in a parturient, 90:114
- Maddox FC, see Stewart JT
- Madsen PL, Skak C, Rasmussen A, Secher NH. Interference of cerebral near-infrared oximetry in patients with icterus, 90:489
- Maekawa N, see Nishina K
- Magnuson SK, see Quang-Cantagrel ND
- Mair P, see Krismer AC
- Malbert CH, see Tournadre JP
- Maleck WH  
see Petroianu GA  
see Piper SN
- Malviya S, Reynolds PI, Voepel-Lewis T, Siewert M, Watson D, Tait AR, Tremper K. False alarms and sensitivity of conventional pulse oximetry versus the Masimo SET technology in the pediatric postanesthesia care unit, 90:1336
- Mammoto T, see Kita T
- Mancini E, see Stix MS
- Manfredi B, see Sacerdote P
- Mann C, Colson, P. Is laparoscopic surgery associated with specific hemodynamic changes? (letter, reply), 90:770
- Manspeizer HE, see Shore-Lesserson L
- Mant TGK, see Lu W
- Mantha S, Roizen MF, Fleisher LA, Thisted R, Foss J. Comparing methods of clinical measurement: reporting standards for Bland and Altman analysis, 90:593
- Mantha V, see Kempen PM
- Mantler CB, see Anderson DM
- Manullang TR, Viscomi CM, Pace NL. Intrathecal fentanyl is superior to



- intravenous ondansetron for the prevention of perioperative nausea during cesarean delivery with spinal anesthesia, 90:1162
- Marchman JN, see Ghoneim MM
- Marcus MAE, see Brodner G
- Mares P, Gilbert TB, Tschernko EM, Hiesmayr M, Muhm M, Herneth A, Taghavi S, Klepetko W, Lang I, Haider W. Pulmonary artery thromboendarterectomy: a comparison of two different postoperative treatment strategies, 90:267
- see Laczika K
- see Rajek A
- Margreiter J, see Keller C
- Marhofer P, Našel C, Sitzwohl C, Kapral S. Magnetic resonance imaging of the distribution of local anesthetic during the three-in-one block, 90:119
- Oismüller C, Faryniak B, Sitzwohl C, Mayer N, Kapral S. Three-in-one blocks with ropivacaine: evaluation of sensory onset time and quality of sensory block, 90:125
- see Kozek-Langenecker SA
- Markey JR, Naseer OB, Bird DJ, Rabito SF, Winnie AP. Transient neurologic symptoms after epidural analgesia, 90:437
- Markl TJ, see Konrad CJ
- Markowitz SM, see Urban MK
- Marshall AC, see Lovell AT
- Martin E, see Weigand MA
- Martin LD, see Elwood T
- Marty J, see Samain E
- Maru E, see Fujita H
- Marx G, Sümpelmann R, Schuerholz T, Thoms E, Heine J, Vangerow B, Rueckoldt H. Cardiac output measurement by arterial thermodilution in piglets, 90:57
- Masaki T, see Kozek-Langenecker SA
- Masaki Y, Tanaka M, Nishikawa T. Changes in propofol concentration in a propofol-lidocaine 9:1 volume mixture, 90:989
- Mascha EJ, see Sprung J
- Mashimo T, see Kita T
- Massa FC, see Campos JH
- Matalon S, see Nielsen VG
- Mather LE, see Lin Y
- Mathew J, see East CJ
- Matsuki A
- see Hashiba E
- see Kotani N
- Matsumoto H, see Murao K
- Matsuyama K, Goto T, Baba T, Shibata Y, Otsuka Y, Sakata R, Terasaki H. Echocardiographic and pathological evaluation of atherosclerosis in the ascending aorta during coronary artery bypass grafting, 90:1262
- Mattinger C, see Petroianu GA
- Maucione A, see Sacerdote P
- Maxwell LG, see Carr RD
- Mayer DB, see Mazze RI
- Mayer N, see Marhofer P
- Maze M, see Fender C
- Mazer CD, see Tousignant CP
- Mazor M, see Sheiner E
- Mazze RI, Callan CM, Galvez ST, Delgado-Herrera L, Mayer DB. The effects of sevoflurane on serum creatinine and blood urea nitrogen concentrations: a retrospective, twenty-two-center, comparative evaluation of renal function in adult surgical patients, 90:683
- McCarroll M, see Bourke M
- McCarthy RJ, see Kroin JS
- McCartney CJL, see Murphy DB
- McCleane G. Which intravenous sodium channel blocker for neuropathic pain? (letter, reply), 90:1008
- McElmurray JH, see Dorman BH
- McGowan FX Jr, see Steven JM
- McKenna TR, see Stover EP
- McLeod ADM, Hirsch NP, Scrutton MJL. Neurologic complications of cerebrospinal fluid drainage catheters (letter), 90:228
- Meier T, Leibecke T, Schumacher J, Berger K, Klotz KF. Detection of a tracheal obstruction caused by a retrosternal goiter by the use of a cuff leak test (letter), 90:1002
- Meister GC, D'Angelo R, Owen M, Nelson KE, Gaver R. A comparison of epidural analgesia with 0.125% ropivacaine with fentanyl versus 0.125% bupivacaine with fentanyl during labor, 90:632
- Melendez L, see Ceccarelli P
- Menges T, see Welters ID
- Menigaux C, Fletcher D, Dupont X, Guignard B, Guirimand F, Chauvin M. The benefits of intraoperative small-dose ketamine on postoperative pain after anterior cruciate ligament repair, 90:129
- see Guignard B
- Menzebach A, see Welters ID
- Mertens E, see Vercauteren MP
- Mertes N, see Brodner G
- Mertzluft F, Koster A, Steinhart H, Schenk JF, Crystal GJ, Fechtner's syndrome: considerations of anesthetic management, 90:1372
- see Koster A
- Mesa A, Miguel R. Hidden damage to a reinforced LMA-Fastrach endotracheal tube (letter), 90:1250
- Michener JA, see Nguyen ST
- Miguel R, Fu E. Preemptive analgesia with ketamine (letter), 90:765
- see Mesa A
- Mikawa K, see Nishina K
- Mikhailidis DP, see Bowbrick VA
- Milas BL, see Schellenberg AG
- Miller BE, Guzzetta NA, Tosone SR, Levy JH. Rapid evaluation of coagulopathies after cardiopulmonary bypass in children using modified thromboelastography, 90:1324
- Miller RD. *Anesthesia & Analgesia* in the new century (editorial), 90:3
- Min KT, Wu CL, Yang J. Nondepolarizing neuromuscular blockers inhibit the serotonin-type 3A receptor expressed in xenopus oocytes, 90:476
- Minami K, see Hara K
- Miner JE, Egan TD. An AIDS-associated cause of the difficult airway: supraglottic Kaposi's sarcoma, 90:1223
- Mitzlaff B, see Münte S
- Miyabe M, see Sato S
- Miyamoto H, Saito Y, Kirihaara Y, Hara K, Sakura S, Kosaka Y. Spinal coadministration of ketamine reduces the development of tolerance to visceral as well as somatic antinociception during spinal morphine infusion, 90:136
- Mizutani K, see Toyoyama H
- Mogilner G, see Gaitini LA
- Mohammad SF, see Kozek-Langenecker SA
- Moiniche S, Jørgensen H, Wetterslev J, Dahl JB. Local anesthetic infiltration for postoperative pain relief after laparoscopy: a qualitative and quantitative systematic review of intraperitoneal, port-site infiltration and mesosalpinx block, 90:899
- Möllhoff T, see Brodner G
- Montes F, see Levy JH
- Montgomery MW, see Kersten JR
- Moreno H Jr, see Tanus-Santos JE
- Moro M, see Davis PJ
- Morris JL, see Rosen DA
- Morrison SG, Dominguez JJ, Frascarolo P,

- Reiz S. A comparison of the electrocardiographic cardiotoxic effects of racemic bupivacaine, levobupivacaine, and ropivacaine in anesthetized swine, 90:1308
- Morrow MJ. The lateral approach to the sciatic nerve (letter), 90:770
- Moures J-M, see Bardoczky GI
- Mueller G, see Krismer AC
- Muhm M  
see Laczika K  
see Mares P
- Mukherjee R, see Dorman BH
- Mukhin YV, see Dorman BH
- Mullany CJ, see Knutson JE
- Mulroy JJ, see Davis PJ
- Munir MA, Krishnan S, Ahmad M. A simple technique to reduce preservative/excipient related neurotoxicity of intrathecal (spinal) drugs (letter), 90:767
- Muñoz-Alameda L, see Cassinello F
- Münste S, Lüllwitz E, Leuwer M, Mitzlaff B, Münste TF, Hussein S, Piepenbrock SA. No implicit memory for stories played during isoflurane/alfentanil/nitrous oxide anesthesia: a reading speed measurement, 90:733
- Münste TF, see Münste S
- Murao K, Shingu K, Tsushima K, Takahira K, Ikeda S, Matsumoto H, Nakao S-i, Asai T. The anticonvulsant effects of volatile anesthetics on penicillin-induced status epilepticus in cats, 90:142
- Shingu K, Tsushima K, Takahira K, Ikeda S, Nakao S-i. The anticonvulsant effects of volatile anesthetics on lidocaine-induced seizures in cats, 90:148
- Muraoka M, see Kotani N
- Murphy DB, McCartney CJL, Chan VWS. Novel analgesic adjuncts for brachial plexus block: a systematic review, 90:1122
- Murphy MT, see Zhou TJ
- Murray PT, Wylam ME, Umans JG. Nitric oxide and septic vascular dysfunction, 90:89
- Mutter D, see Diemunsch PA
- Mythen MG, see Gan TJ
- Nader ND, Knight PR, Davidson BA, Safaei SS, Steinhorn DM. Systemic perfluorocarbons suppress the acute lung inflammation after gastric acid aspiration in rats, 90:356
- Nagai T, see Fujita A
- Nagaoka E, see Aoyama K
- Nakae Y, Fujita S, Namiki A. Propofol inhibits  $Ca^{2+}$  transients but not contraction in intact beating guinea pig hearts, 90:1286
- Nakajima Y, see Sato S
- Nakao S-i, see Murao K
- Nakashima S, see Hamaya Y
- Nakayama Y, Narimatsu E, Sumita S, Fujimura N, Satoh K, Iwasaki H, Namiki A. Propofol enhances a *d*-tubocurarine-induced twitch depression in septic rat diaphragm, 90:80
- Namiki A  
see Nakae Y  
see Nakayama Y  
see Nishikawa K  
see Yamakage M
- Narimatsu E, see Nakayama Y
- Naseer OB, see Markey JR
- Našel C, see Marhofer P
- Navia J, see Sanjoaquin MT
- Nay PG, O'Brien K. Acute vasospastic attack after extradural block in a patient with Raynaud's disease, 90:1417
- Neal JM, see Pollock JE
- Neirotti RA, see Jones DH
- Nelson KE, see Meister GC
- Neumahr S, Hapfelmeier G, Scheller M, Schneck H, Franke C, Kochs E. Dual action of isoflurane on the  $\gamma$ -aminobutyric acid (GABA)-mediated currents through recombinant  $\alpha_1\beta_2\gamma_{2L}$ -GABA $_A$ -receptor channels, 90:1184
- Neuman GG, see Kopman AF
- New RB, see Dorman BH
- Ng J-M, Hwang N-C. Inhaling nitrous oxide reduces the induction dose requirements of propofol, 90:1213
- Ngan Kee WD, Khaw KS, Lee BB, Lau TK, Gin T. A dose-response study of prophylactic intravenous ephedrine for the prevention of hypotension during spinal anesthesia for cesarean delivery, 90:1390  
see Gin T
- Ngo K, see Hammer GB
- Nguyen ST, Cabrales RE, Bashour CA, Rosenberger TE Jr, Michener JA, Yared J-P, Starr NJ. Benzocaine-induced methemoglobinemia, 90:369
- Nielsen VG, Baird MS. Extreme hemodilution in rabbits: an *in vitro* and *in vivo* Thrombelastographic analysis, 90:541
- Baird MS, Geary BT, Matalon S. Halothane does not decrease amiloride-sensitive alveolar fluid clearance in rabbits, 90:1445
- Ninaga H, see Inoue S
- Nishikawa K, Omote K, Kawana S, Namiki A. A comparison of hemodynamic changes after endotracheal intubation by using the lightwand device and the laryngoscope in normotensive and hypertensive patients, 90:1203
- Nishikawa T, see Masaki Y
- Nishina K, Mikawa K, Takao Y, Shiga M, Maekawa N, Obara H. A comparison of rabeprazole, lansoprazole, and ranitidine for improving preoperative gastric fluid property in adults undergoing elective surgery, 90:717
- Niswander DG, see Dasen KR
- Nixon C. How long should an internal jugular catheter be? (letter), 90:500
- Nogami WM, see Palmer CM
- Noguchi E, see Watanabe S
- Noguchi J, see Ochiai R
- Nozawa Y, see Hamaya Y
- Nuttall GA, see Knutson JE
- Obara H, see Nishina K
- O'Brien K, see Nay PG
- Ochiai R, Takeda J, Noguchi J, Ohgami M, Ishii S. Subcutaneous carbon dioxide insufflation does not cause hypercarbia during endoscopic thyroidectomy, 90:760
- Ocker H, see Dörjes V
- O'Connor MF, see Kotani N
- Oczenski W, Fitzgerald RD. Hemodynamic and catecholamine stress responses to insertion of the combitube, laryngeal mask airway or tracheal intubation (letter, reply), 90:232
- O'Donnell J, see Kempen PM
- Odoo J, see Jansen G
- Ogawa R, see Shiga T
- Ogiuchi H, see Fujita H
- Ohgami M, see Ochiai R
- Ohta S, see Asano T
- Oismüller C, see Marhofer P
- Okasha AS  
see El-Gamal N  
see El-Rahmany HK
- Olkkola KT, see Ahonen J
- Olmos M, Ballester JA, Vidarte MA, Elizalde JL, Escobar A. The combined effect of age and premedication of the propofol requirements for induction by target-controlled infusion, 90:1157
- Olund TL, see Atlee JL
- Omote K, see Nishikawa K

- O'Neill L, see Dexter F
- Ong B. Epidural analgesia after dural puncture (letter), 90:502
- Örding H, see Baur CP
- Oriol NE, see Hess PE
- O'Riordan GE, see Stover EP
- Oroszy S, see Krismer AC
- Orr RJ, see Davis PJ
- Orth V, see Rehm M
- Otsuka Y, see Matsuyama K
- Öusmane ML, Fleyfel M, Vallet B. Epidural hematoma after catheter removal (letter), 90:1250
- Ovassapian A, Kilafta JM. Bronchial injury: an avoidable complication during bronchial intubation (letter), 90:1458
- Owen M, see Meister GC
- Oysten J, see Ruskin K
- Pace NL, see Manullang TR
- Pagel PS, see Kersten JR
- Palmer CM, Nogami WM, Van Maren G, Alves DM. Postcesarean epidural morphine: a dose-response study, 90:887
- Pandey CK, Sharma R, Baronia A, Agarwal A, Singh N. An unusual cause of respiratory distress: live leech in the larynx, 90:1227
- Pandey JC, Dubey PK. A method for rapid clinical diagnosis of misplaced subclavian vein catheters (letter), 90:229
- Pandit SK, Loberg KW, Pandit UA. Toast and tea before elective surgery? A national survey on current practice, 90:1348
- Pandit UA, see Pandit SK
- Panerai AE, see Sacerdote P
- Panning B, Sterz F. Hemodynamic and catecholamine stress responses to insertion of the Combitube, laryngeal mask airway or tracheal intubation (letter), 90:231
- Paqueron X, see Kinirons BP
- Paraskeva A, see Danou F
- Park KW, Sato K, Dai HB, Comunale ME, Sellke FW. Epithelium-dependent bronchodilatory activity is preserved in pig bronchioles after normothermic cardiopulmonary bypass, 90:778
- Park P-H, see Hwang J-H
- Parker RK, see Dunn SM
- Paulsen FP, Jungmann K, Tillmann BN. The cricoarytenoid joint capsule and its relevance to endotracheal intubation, 90:180
- Peng P, see Chan VWS
- Perez-Tejerizo G, see Cassinello F
- Pernerstorfer T, see Rajek A
- Peterson KL, DeCampli WM, Pike NA, Robbins RC, Reitz BA. A report of two hundred twenty cases of regional anesthesia in pediatric cardiac surgery, 90:1014
- Petitjeans F, see Villevieille T
- Petroianu GA, Liu J, Maleck WH, Mattinger C, Bergler WF. The effect of *in vitro* hemodilution with gelatin, dextran, hydroxyethyl starch, or Ringer's solution on Thrombelastograph, 90:795
- Philip JH, see Body SC
- Picard P, Tramèr MR. Prevention of pain on injection with propofol: a quantitative systematic review, 90:963
- Pichler K, see Bacher A
- Piepenbrock SA, see Münte S
- Pike NA, see Peterson KL
- Pinaud M, see Fletcher D
- Pinsky MR, see Strum DP
- Piper SN, Maleck WH, Boldt J, Suttner SW, Schmidt CC, Reich DGP. A comparison of urapidil, clonidine, meperidine and placebo in preventing postanesthetic shivering, 90:954
- Plaschke K, see Weigand MA
- Poirier J, see Drolet P
- Polissar NL, see Pollock JE
- Pollock JE, Burkhead D, Neal JM, Liu SS, Friedman A, Stephenson C, Polissar NL. Spinal nerve function in five volunteers experiencing transient neurologic symptoms after lidocaine subarachnoid anesthesia, 90:658
- Pölonen P, Ruokonen E, Hippeläinen M, Pöyhönen M, Takala J. A prospective, randomized study of goal-oriented hemodynamic therapy in cardiac surgical patients, 90:1052
- Poon Y-Y, see Fung S-T
- Potter PS, see Waters JH
- Powell RM, Buggy DJ. Ondansetron given before induction of anesthesia reduces shivering after general anesthesia, 90:1423
- Power I, see Lin Y
- Poxton IR, see Bennett-Guerrero E
- Pöyhönen M, see Pölonen P
- Pratt SD, see Hess PE
- Press F, see Sheiner E
- Priebe H-J. N<sub>2</sub>O and endotracheal cuff pressure (letter), 90:230
- Prielipp RC, Butterworth JF. Clinical guidelines (letter), 90:503
- Puehringer F, see Kleinsasser A
- see Kleinsasser A
- see Loecinger A
- Quang-Cantagrel ND, Wallace MS, Magnuson SK. Opioid substitution to improve the effectiveness of chronic noncancer pain control: a chart review, 90:933
- Rabito SF, see Markey JR
- Rabitsch W, see Laczika K
- Raeder JC, see Dahl V
- Raja SN, see Tran KM
- Rajek A, Pernerstorfer T, Kastner J, Mares P, Grabenwöger M, Sessler DI, Grubhofer G, Hiesmayr M. Inhaled nitric oxide reduces pulmonary vascular resistance more than prostaglandin E<sub>1</sub> during heart transplantation, 90:523
- Ramajoli F, see De Amici D
- Ramos L, see Horta ML
- Rampil IJ, see Dutton RC
- Rasch DK, see Wells LT
- Rasmussen A, see Madsen PL
- Rattan AK, see Tejwani GA
- Rehfeldt KH, Sanders MS. Digital gangrene after radial artery catheterization in a patient with thrombocytosis, 90:45
- Rehm M, Orth V, Kreimeier U, Thiel M, Haller M, Brechtelsbauer H, Finsterer U. Four cases of radical hysterectomy with acute normovolemic hemodilution despite low preoperative hematocrit values, 90:852
- Reich DGP, see Piper SN
- Reich DL, Bodian CA. Intraoperative variables and morbidity and mortality after coronary artery bypass surgery (letter, reply), 90:1247
- Reinhardt D, see Klaus K
- Reitz BA, see Peterson KL
- Reiz S, see Morrison SG
- Reuben SS, see Joshi W
- Reynolds PI, see Malviya S
- Rich GF, see Fischer LG
- Richardson CA, see Talke PO
- Robbins RC, see Peterson KL
- Rodrigo FJ, see Cassinello F
- Roelants F, Veyckemans F, Van Obbergh L, Singelyn F, Waterloos H, Gouverneur J-M, Gribomont B-F. Loss of resistance to saline with a bubble of air to identify the epidural space in infants and children: a prospective study, 90:59
- Roewer N, see Kranke P

- Roizen JD, see Dreixler JC  
 Roizen MF, see Mantha S  
 Ros HH, see Allison CE  
 Rose JB, Theroux MC, Katz MS. The potency of succinylcholine in obese adolescents, 90:576  
 Rosen DA, Morris JL, Rosen KR, Valenzuela RC, Vidulich MG, Steelman RJ, Gustafson RA. Analgesia for pediatric thoracostomy tube removal, 90:1025  
 Rosen KR, see Rosen DA  
 Rosenberg H, Axelrod JK. Ernst Trier Mörch: inventor, medical pioneer, heroic freedom fighter, 90:218  
 Rosenberger TE Jr, see Nguyen ST  
 Rosow CE, see Denman WT  
 Rosow D, see Denman WT  
 Rousseau J-M, see Villeveille T  
 Rueckoldt H, see Marx G  
 Ruetsch YA, Borgeat A. Withdrawal movements associated with the injection of rocuronium (letter), 90:227  
 Rugolotto S, see Biban P  
 Ruokonen E, see Pölönen P  
 Ruskin K, Oysten J. Quality of medical information on the Internet (letter), 90:1246  
 Ruskin KJ. MEDLINE: A Guide to Effective Searching (book review), 90:1460  
 Sabo E, see Gaitini LA  
 Sacerdote P, Bianchi M, Gaspani L, Manfredi B, Maucione A, Terno G, Ammatuna M, Panerai AE. The effects of tramadol and morphine on immune responses and pain after surgery in cancer patients, 90:1411  
 Safae SS, see Nader ND  
 Safar M, see Samain E  
 Saidman LJ. Inappropriate statements can lead to misleading conclusions (letter), 90:765  
 Saito S, see Saruki N  
 Saito Y  
 see Miyamoto H  
 see Sakura S  
 Saitoh Y, see Fujii Y  
 Sakaguchi Y, see Sakura S  
 Sakai K, Cho S, Fukusaki M, Shibata O, Sumikawa K. The effects of propofol with and without ketamine on human cerebral blood flow velocity and CO<sub>2</sub> response, 90:377  
 Sakata R, see Matsuyama K  
 Sakimura K, see Yamakura T  
 Sakio H, see Fujita A  
 Sakura S, Sakaguchi Y, Shinzawa M, Hara K, Saito Y. The assessment of dermatomal level of surgical anesthesia after spinal tetracaine, 90:1406  
 see Miyamoto H  
 Saleem R, Bigham M, Spitznagel E, Despotis GJ. The effect of epsilon-aminocaproic acid on HemoSTATUS and kaolin-activated clotting time measurements, 90:1281  
 Salmenperä M, see Ahonen J  
 Samain E, Bouillier H, Marty J, Safar M, Dagher G. The effect of propofol on angiotensin II-induced Ca<sup>2+</sup> mobilization in aortic smooth muscle cells from normotensive and hypertensive rats, 90:546  
 Sanders MS, see Rehfeldt KH  
 Sanjoaquin MT, Fraile JR, Gutiérrez A, Canal MI, Navia J. Hypertensive crisis during a transurethral resection of the bladder: nondiagnosed bladder paraganglioma, 90:556  
 Sarasin DS, see Ghoneim MM  
 Sa Rego MM  
 see Gesztes Z  
 see Zarate E  
 Sarna MC, see Hess PE  
 Saruki N, Saito S. Jaw thrust maneuver for endotracheal intubation using a fiberoptic stylet (letter, reply), 90:1458  
 Sata T, see Hara K  
 Sato K, Kawamura T, Wakusawa R. Hepatic blood flow and function in elderly patients undergoing laparoscopic cholecystectomy, 90:1198  
 see Park KW  
 Sato S, Suzuki A, Nakajima Y, Iwamoto T, Bito H, Miyabe M. S-nitroso-N-acetylpenicillamine (SNAP) during hemorrhagic shock improves mortality as a result of recovery from vascular hyporeactivity, 90:362  
 Sato T, see Hashiba E  
 Satoh K, see Nakayama Y  
 Saygin B, see Ateş Y  
 Schaeffer R, see Diemunsch PA  
 Scheidegger D, see Kindler CH  
 Scheingraber S, Heitmann L, Weber W, Finsterer U. Are there acid base changes during transurethral resection of the prostate (TURP)?, 90:946  
 Schell RM, Cole DJ. Cerebral monitoring: jugular venous oximetry, 90:559  
 Schellenberg AG, Milas BL, Chen L. Atrioventricular dissociation (letter), 90:1004  
 Scheller M, see Neumahr S  
 Schenk JF, see Mertzluft F  
 Schenk MR, see Beck DH  
 Scherpereel P, see Fletcher D  
 Scheule AM, Beierlein W, Arnold S, Eckstein FS, Albes JM, Ziemer G. The significance of preformed aprotinin-specific antibodies in cardiosurgical patients, 90:262  
 Schlatter MG, see Jones DH  
 Schlenker RE, see Dasen KR  
 Schmeck J, see Konrad CJ  
 Schmidhammer H, see Freye E  
 Schmidt CC, see Piper SN  
 Schmidt H, see Weigand MA  
 Schmidt J, see Hemmerling TM  
 Schmucker P, see Dörjes V  
 Schneck H, see Neumahr S  
 Schneider GM, see El-Rahmany HK  
 Schocke M, see Lorenz IH  
 Schoenwald PK, see Sprung J  
 Schreiber M, see Schricker T  
 Schreiner MS, see Davis L  
 Schricker T, Carli F, Schreiber M, Wachter U, Geisser W, Lattermann R, Georgieff M. Propofol/sufentanil anesthesia suppresses the metabolic and endocrine response during, not after, lower abdominal surgery, 90:450  
 Schroeder DR, see Knutson JE  
 Schuepfer GK, see Konrad CJ  
 Schuerholz T, see Marx G  
 Schurmacher J, see Meier T  
 Schurr C, see Hemmerling TM  
 Schwab B, see Kroin JS  
 Scrutton MJL, see McLeod ADM  
 Secher NH, see Madsen PL  
 Segal BS, Birnbach DJ. Epidurals and cesarean deliveries: a new look at an old problem (editorial), 90:775  
 Seitz A, see Larsen B  
 Sellke FW, see Park KW  
 Semsroth M, see Kozek-Langenecker SA  
 Sen I, Gombar S. An economical substitute for Ayre's T piece (letter), 90:1249  
 Sessler DI  
 see Kotani N  
 see Rajek A  
 Shadrick M, see Badrinath S  
 Shailaja S, see Liu EHC  
 Shanewise J. Assessment of LV diastolic function (letter, reply), 90:1002  
 Five-grade scoring system is still confusing: does ASE/SCA setup a

- double standard? (letter, reply), 90:1248
- Sharma AD, deBruijn NP. Cannulating the internal jugular vein: two for one technique (letter), 90:501
- Sreeram G, Erb T, Grocott HP, Slaughter TF. Leukocyte-reduced blood transfusions: perioperative indications, adverse effects, and cost analysis, 90:1315
- Sharma R, see Pandey CK
- Sharpe P, Smith G. Cannabis: time for scientific evaluation of this ancient remedy? (editorial), 90:237
- Sheiner E, Sheiner EK, Shoham-Vardi I, Gurman GM, Press F, Mazor M, Katz M. Predictors of recommendation and acceptance of intrapartum epidural analgesia, 90:109
- Sheiner EK, see Sheiner E
- Sherman SV, Wall MH. Assessment of LV diastolic function (letter), 90:1001
- Shevchenko YO. Withdrawal movements associated with the injection of rocuronium (letter, reply), 90:228
- Shibata O, see Sakai K
- Shibata Y, see Matsuyama K
- Shiga M, see Nishina K
- Shiga T, Ogawa R. Five-grade scoring system is still confusing: does ASE/SCA set up a double standard? (letter), 90:1248
- Shimada M, see Fujita H
- Shimoi K, see Yamakura T
- Shimonaka H, see Asano T
- Shingu K  
see Asai T  
see Murao K
- Shinzawa M, see Sakura S
- Shiraishi M, see Hara K
- Shoham-Vardi I, see Sheiner E
- Shore-Lesserson L. Hemostasis in Cardiac Surgery (book review), 90:235
- Manspeizer HE, Bolastig M, Harrington D, Vela-Cantos F, DePerio M. Anticoagulation for cardiac surgery in patients receiving preoperative heparin: use of the high-dose thrombin time, 90:813
- Siegel LC, see Stover EP
- Siewert M, see Malviya S
- Singelyn F, see Roelants F
- Singh N, see Pandey CK
- Sitzwohl C, see Marhofer P
- Siu YK, see Gin T
- Skak C, see Madsen PL
- Skjonsby BS, see Stayer SA
- Sklar J, see Joshi W
- Slappendel R, Benraad B, Dirksen R, Weber EWG, Gielen MJM, van Limbeek J. One drop of morphine added to local anesthetics by means of a 23-gauge injection needle can relieve postoperative pain under spinal anesthesia (letter, reply), 90:1000
- Slaughter TF  
see East CJ  
see Sharma AD
- Smith G, see Sharpe P
- Smith M, see Lovell AT
- Smith RPR, Fletcher R. Positive end-expiratory pressure has little effect on carbon dioxide elimination after cardiac surgery, 90:85
- Smori M, see Gaitini LA
- Sobczyk WL, see Auden SM
- Solinger RE, see Auden SM
- Son SL, see Talke P
- Song D, Whitten CW, White PF. Remifentanyl infusion facilitates early recovery for obese outpatients undergoing laparoscopic cholecystectomy, 90:1111
- Soni AK, see Hess PE
- Spieß BD, see Cuiagnet OY
- Spinale FG, see Dorman BH
- Spitznagel E, see Saleem R
- Spottswood SE, see Everett LL
- Sprung J, Bourke DL, Schoenwald PK, Whalley D, Gottlieb A, Mascha EJ, Kapural L. Small-dose dopamine increases epidural lidocaine requirements during peripheral vascular surgery in elderly patients, 90:388  
see Bourke DL
- Sreeram G, see Sharma AD
- Srivastava K, see Ambesh SP
- Stabernack CR, Brown R, Laster MJ, Dudziak R, Eger EI II. Absorbents differ enormously in their capacity to produce compound A and carbon monoxide, 90:1428
- Stadnicka A, Bosnjak ZJ, Kampine JP, Kwok W-M. Modulation of cardiac inward rectifier K<sup>+</sup> current by halothane and isoflurane, 90:824
- Stansby G, see Bowbrick VA
- Starr NJ, see Nguyen ST
- Stayer SA, Bent ST, Campos CJ, Skjonsby BS, Andropoulos DB. Comparison of NAD 6000 and Servo 900C ventilators in an infant lung model, 90:315  
see Andropoulos DB
- Steele SM, see Klein SM
- Stelman RJ, see Rosen DA
- Steen T, see Dahl V
- Steinhart H, see Mertzluft F
- Steinhorn DM, see Nader ND
- Stephenson C, see Pollock JE
- Sternberg TL. The Pain Clinic Manual. 2nd ed. (book review), 90:1463
- Sterz F, see Panning B
- Steven JM, McGowan FX Jr. Neuraxial blockade for pediatric cardiac surgery: lessons yet to be learned, 90:1011
- Stewart DG, see Zarate E
- Stewart JT, Warren FW, Maddox FC, Viswanathan K, Fox JL. The stability of remifentanyl hydrochloride and propofol mixtures in polypropylene syringes and polyvinylchloride bags at 22-24°C, 90:1450
- Stix MS, Mancini E. How a rigid stylet can make an endotracheal tube move (letter), 90:1008  
see Valade DR
- Stolp B, see King KP
- Stover EP, Siegel LC, Hood PA, O'Riordan GE, McKenna TR. Platelet-rich plasma sequestration, with therapeutic platelet yields, reduces allogeneic transfusion in complex cardiac surgery, 90:509
- Strohmer H-U, see Achleitner U
- Strum DP, Pinsky MR. Esmolol-induced regional wall motion abnormalities do not affect regional ventricular elastances, 90:252
- Pinsky MR. Modeling of asynchronous myocardial contraction by effective stroke volume analysis, 90:243
- Struys M, see De Deyne C
- Stuart JC, see Gin T
- Sumikawa K, see Sakai K
- Sumita S, see Nakayama Y
- Sümpelmann R, see Marx G
- Sun LS. Perinatal cocaine exposure impairs myocardial  $\beta$ -adrenoceptor signaling in the neonatal rat, 90:50
- Sunder-Plassmann G, see Lacizka K
- Suter PM. Intensive care medicine 2000: first signs of maturity?, 90:1236
- Suttner SW, see Piper SN
- Suzuki A, see Sato S
- Suzuki H, see Fujita H
- Swanson EL, see Denman WT
- Szegedi LL, see Bardoczky GI
- Szekely A, Heindl B, Zahler S, Conzen PF, Becker BF. Nonuniform behavior of intravenous anesthetics on postischemic adhesion of



- neutrophils in the guinea pig heart, 90:1293
- Szlam F, see Levy JH
- Szmuk P, Ezri T, Chelly JE, Katz J. The onset time of rocuronium is slowed by esmolol and accelerated by ephedrine, 90:1217
- Taghavi S, see Mares P
- Tait AR  
see Lau WC  
see Malviya S
- Takada K, see Kita T
- Takahira K, see Murao K
- Takala J, see Pölönen P
- Takamoto K, see Hara K
- Takao Y, see Nishina K
- Takasaki M, see Kanai Y
- Takeda J, see Ochiai R
- Takeda S, Tomaru T, Inada Y. Splanchnic organ blood flow during calcitonin gene-related peptide-induced hypotension with or without propranolol in dogs, 90:1275
- Takeda T, see Hamaya Y
- Takenaka I, see Aoyama K
- Takenaka-Hamaya C, see Hamaya Y
- Talke P, Chen R, Thomas B, Aggarwall A, Gottlieb A, Thorborg P, Heard S, Cheung A, Son SL, Kallio A. The hemodynamic and adrenergic effects of perioperative dexmedetomidine infusion after vascular surgery, 90:834
- Traber DL, Richardson CA, Harper DD, Traber LD. The effect of  $\alpha_2$  agonist-induced sedation and its reversal with an  $\alpha_2$  antagonist on organ blood flow in sheep, 90:1060
- Tan PE, see Gin T
- Tanaka H, see Fujii Y
- Tanaka M, see Masaki Y
- Tang J, see Zhou TJ
- Tanus-Santos JE, Gordo WM, Udelsmann A, Moreno H Jr. The hemodynamic effects of endothelin receptor antagonism during a venous air infusion in dogs, 90:102
- Taylor K, see Body SC
- Tegazzin V, see Baur CP
- Tejwani GA, Rattan AK. Antagonism of antinociception produced by intrathecal clonidine by ketorolac in the rat: the role of the opioid system, 90:1152
- Teller G, see Diemunsch PA
- Terasaki H, see Matsuyama K
- Terno G, see Sacerdote P
- Ter Riet MF, Jacobs JS, Lewis MC, DeSouza GJA. Propofol and analgesia (letter), 90:1455
- see Jacobs JS
- Tewari A. Video Seminars on Transesophageal Echocardiography (book review), 90:235
- Thalhammer F, see Laczika K
- Theroux MC, see Rose JB
- Thiel M, see Rehm M
- Thisted R, see Mantha S
- Thomas B, see Talke P
- Thompson GE, see Kopacz DJ
- Thorborg P, see Talke P
- Thorns E, see Marx G
- Tillmann BN, see Paulsen EP
- Tobias JD. Mivacurium administration in children with Duchenne muscular dystrophy (letter), 90:498
- Tokudome S, see Fujita A
- Tom WL, see Wallace AW
- Tomaru T, see Takeda S
- Tongier WK, see Coloma M
- Torp KD, see Diemunsch PA
- Tosone SR, see Miller BE
- Tournadre JP, Allaouchiche B, Malbert CH, Chassard D. Metabolic acidosis and respiratory acidosis impair gastro-pyloric motility in anesthetized pigs, 90:74
- Tousignant CP, Walsh F, Mazer CD. The use of transesophageal echocardiography for preload assessment in critically ill patients, 90:351
- Toyoda Y, see Toyoyama H
- Toyooka H, see Fujii Y
- Toyoyama H, Kariya N, Toyoda Y. Electrocardiographic artifacts during shoulder arthroscopy using a pressure-controlled irrigation pump, 90:856
- Mizutani K, Toyoda Y. One drop of morphine added to local anesthetics by means of a 23-gauge injection needle can relieve postoperative pain under spinal anesthesia (letter), 90:1000
- Traber DL, see Talke PO
- Traber LD, see Talke PO
- Tramèr MR  
see Henzi I  
see Picard P
- Tran KM, Frank SM, Raja SN, El-Rahmany HK, Kim LJ, Vu B. Lumbar sympathetic block for sympathetically maintained pain: changes in cutaneous temperatures and pain perception, 90:1396
- see Cattaneo CG
- Traub RD, see Dexter F
- Tremper K, see Malviya S
- Tschernko EM, see Mares P
- Tsujiguchi N, see Yamakage M
- Tsushima K, see Murao K
- Tuman KJ. Cardiovascular anesthesiology in the 1990s and beyond, 90:1229
- see Kroin JS
- Udelsmann A, see Tanus-Santos JE
- Uhrich TD, see Hall JE
- Umans JG, see Murray PT
- Ünlü MA, see Ateş Y
- Urak G, see Kozek-Langenecker SA
- Urban MK, Markowitz SM, Gordon MA, Urquhart BL, Kligfield P. Postoperative prophylactic administration of  $\beta$ -adrenergic blockers in patients at risk of myocardial ischemia, 90:1257
- Urquhart BL, see Urban MK
- Urtubia RM, Aguila CM, Cumsille MA. Combitube: a study for proper use, 90:958
- Uslu M. Mivacurium administration in children with Duchenne muscular dystrophy (letter, reply), 90:499
- Vaida SJ, see Gaitini LA
- Valade DR, Stix MS, Gray AW Jr. Use of Level 1 warmer for lavage fluid during bilateral pulmonary lavage (letter), 90:501
- Valenzuela RC, see Rosen DA
- Vallejo D, see Cassinello F
- Vallejo R, see Jacobs JS
- Vallet B, see Ousmane ML
- Van Aken H, see Brodner G
- Vanderessen L, see De Kock M
- Vanderick B, see De Kock M
- Van Dorsselaer A, see Diemunsch PA
- Van Dorsselaer T, see Diemunsch PA
- Vangerow B, see Marx G
- Van Gessel E, see Fournier R
- van Limbeek J, see Slappendel R
- Van Maren G, see Palmer CM
- Vannier CA, see El-Rahmany HK
- Van Obbergh L, see Roelants F
- van Praagh B, see Jansen G
- van Schagen NT, see Allison CE
- Vassilakopoulos T, see Danou F
- Vavilala MS, Lam AM. Intraoperative intracranial pressure monitoring in pneumococcal meningitis, 90:107
- Vela-Cantos F  
see Bennett-Guerrero E  
see Shore-Lesserson L
- Vercauteren MP, Coppejans HC, Hoffmann VH, Mertens E, Adriaensen HA. Prevention of hypotension by a single 5-mg dose

- of ephedrine during small-dose spinal anesthesia in prehydrated cesarean delivery patients, 90:324
- Verkkala K, see Ahonen J
- Veyckemans F, see Roelants F
- Vidarte MA, see Olmos M
- Vidulich MG, see Rosen DA
- Viitanen H, Annila P. Premedication with midazolam in pediatric anesthesia (letter, reply), 90:498
- Villevieille T, Vincenti-Rouquette I, Petitjeans F, Koulmann P, Legulluche Y, Rousseau J-M, Diraison Y, Brinquin L. *Streptococcus mitis*-induced meningitis after spinal anesthesia (letter), 90:500
- Vincenti-Rouquette I, see Villevieille T
- Viscomi CM, see Manullang TR
- Viswanathan K, see Stewart JT
- Vizquel L, see Bernard J-M
- Voepel-Lewis T, see Malviya S
- Von Roenn N, see Kroin JS
- Vu B, see Tran KM
- Wachter U, see Schricker T
- Wakusawa R, see Sato K
- Walder B, see Henzi I
- Wall MH, see Sherman SV
- Wallace AW, Tom WL. Interaction of L-arginine and phosphodiesterase inhibitors in vasodilation of the porcine internal mammary artery, 90:840
- Wallace MS, see Quang-Cantagrel ND
- Walsh F, see Tousignant CP
- Walter S, see Hemmerling TM
- Wang J-S, see Kotani N
- Wang S-M, Kain ZN. Preoperative anxiety and postoperative nausea and vomiting in children: is there an association?, 90:571
- Wappler F, see Baur CP
- Wartier DC, see Kersten JR
- Warner DS. Neuroanesthesia 2000, 90:1238
- Warren FW, see Stewart JT
- Warters D, Knight W, Koch SM, Luehr S. Thoracic epidurals in coronary artery bypass surgery (letter), 90:767
- Watanabe S, Noguchi E, Yamada S, Hamada N, Kano T. Sequential changes of arterial oxygen tension in the supine position during one-lung ventilation, 90:28
- Watcha MF, White PF. Inappropriate statements can lead to misleading conclusions (letter, reply), 90:766  
see Zarate E
- Waterloos H, see Roelants F
- Waters JH, Potter PS. Cell salvage in the Jehovah's Witness patient (letter), 90:229
- Watson D, see Malviya S
- Webb T, see Zhou TJ
- Weber A, see Fournier R
- Weber EWG, see Slappendel R
- Weber W, see Scheingraber S
- Wedel DJ. Regional anesthesia and pain management: reviewing the past decade and predicting the future, 90:1244  
see Enneking, FK
- Weigand MA, Schmidt H, Zhao Q, Plaschke K, Martin E, Bardenheuer HJ. Ketamine modulates the stimulated adhesion molecule expression on human neutrophils *in vitro*, 90:206
- Weinbren J, see Chan VWS
- Weiss HR, see Chi OZ
- Wells LT, Rasch DK. Defining the anatomy of freudian psychiatry (letter, reply), 90:500
- Welters ID, Menges T, Gräf M, Beikirch C, Menzebach A, Hempelmann G. Reduction of postoperative nausea and vomiting by dimenhydrinate suppositories after strabismus surgery in children, 90:311
- Wender R, see Zhou TJ
- Wenzel V  
see Achleitner U  
see Dörjes V  
see Krismer AC
- Wetterslev J, see Moyniche S
- Whalley D, see Sprung J
- White PF. Ambulatory anesthesia advances into the new millennium, 90:1234  
Anesthesiologist's Manual of Surgical Procedures. 2nd ed. (book review), 90:1252  
see Chiu JW  
see Coloma M  
see Dahl V  
see Gesztosi Z  
see Song D  
see Watcha MF  
see Zarate E  
see Zhou TJ
- White RD, see Knutson JE
- Whitten CW, see Song D
- Wiener Y, see Evron S
- Wills JS, see Hardman JG
- Winnie AP, see Markey JR
- Wirtz S, see Brodner G
- Witt TR, see Badrinath S
- Woelfel SK, see Davis PJ
- Wojtczak JA. The hemodynamic effects of halothane and isoflurane in chick embryo, 90:1331
- Wood BL, see Cuignet OY
- Wood CE, see Langevin PB
- Wu CL, see Min KT
- Wylam ME, see Murray PT
- Xu G-H, see Liu B-G
- Yamada S, see Watanabe S
- Yamakage M, Kamada Y, Honma Y, Tsujiguchi N, Namiki A. Predictive variables of hypothermia in the early phase of general anesthesia, 90:456
- Yamakura T, Sakimura K, Shimoji K. N-methyl-D-aspartate receptor channel block by meperidine is dependent on extracellular pH, 90:928
- Yang J, see Min KT
- Yanovski B, see Gaitini LA
- Yared J-P, see Nguyen ST
- Yaster M, see Carr RD
- Yernault J-C, see Bardoczky GI
- Yip RW, see Campbell DC
- Yoshioka H, see Hashiba E
- Young J, see Jolly DT
- Youngberg JA. Problems in Anesthesia: Vascular Anesthesia. Vol. II, No. 2 (book review), 90:1464
- Youssef ME, see Bennett-Guerrero E
- Yücesoy CA, see Atç Y
- Zahl M, see Brodner G
- Zahler S, see Szekeley A
- Zarate E, Watcha MF, White PF, Klein KW, Sa Rego M, Stewart DG. A comparison of the costs and efficacy of ondansetron versus dolasetron for antiemetic prophylaxis, 90:1352
- Zhao Q, see Weigand MA
- Zhou TJ, Tang J, White PF, Joshi GP, Wender R, Murphy MT, Chiu JW, Webb T. Reversal of rapacuronium block during propofol versus sevoflurane anesthesia, 90:689
- Zhuang X-L, see Liu B-G
- Ziemer G, see Scheule AM
- Zinder O, see Gaitini LA
- Zoppi G, see Biban P
- Zschiegner F, see Lorenz IH
- Zuurmond WWA, see Allison CE
- Zvara DA. Math made simple (letter), 90:502
- Zwack RM, see Campbell DC



## Subject Index

- Abdominal surgery**, see Surgery
- Acetaminophen**, see Analgesics
- Acid-base equilibrium**
- acidosis, respiratory and metabolic, impairment of gastro-pyloric motility, anesthetized pigs, 90:74
  - changes, during transurethral resection of prostate, 90:946
  - pH, extracellular, and meperidine block of NMDA receptor, 90:928
- ACTH**, see Hormones, adrenocorticotrophic hormone
- Activated clotting time**, see Measurement techniques
- Addiction**, cannabis, scientific evaluation (editorial), 90:237
- Adenoidectomy**, see Surgery
- Adrenergic receptors**, see Receptors
- Adrenocorticotrophic hormone**, see Hormones
- Age factors**
- elderly
    - hepatic blood flow and function, patients undergoing laparoscopic cholecystectomy, 90:1198
    - peripheral vascular surgery, epidural lidocaine requirements, effect of small-dose dopamine, 90:388
  - propofol target-controlled infusion, age, and premedication, 90:1157
  - thermoregulatory differences, warm OR environment, 90:694
- AIDS-associated complications**, see Complications, Kaposi's Sarcoma
- Airway**
- anatomy, cricoarytenoid joint capsule, and intubation, 90:180
  - anesthesia and airway-cardiac reflexes, 90:847
  - difficult
    - caused by supraglottic Kaposi's Sarcoma, 90:1223
  - endotracheal intubation using fiberoptic stylet, jaw thrust maneuver (letter), 90:1457
  - fiberoptic endotracheal intubation through ultra-thin bronchoscope with suction channel, newborn (letter), 90:1007
  - pediatric, managing, additional techniques, 90:878
  - foreign body
    - live, leech, in larynx, cause of respiratory distress, 90:1227
    - prosthetic tooth, aspirated, in trachea, removal by tracheal backflow air, 90:993
  - obstruction, live leech in larynx, 90:1227
  - pressure, supraglottic combined frequency jet ventilation vs subglottic monofrequent jet ventilation, 90:460
  - recurrent laryngeal nerve paresis, during interscalene plexus block, 90:1415
  - technique, cuff volume, 90:958
  - ventilation, laryngeal tube, new simple airway device, 90:1210
- Albumin**, see Fluid balance
- Alcohols**
- butanol, interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
  - ethanol, interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
- Alfentanil**, see Analgesics; Anesthetics, intravenous
- Allergy**
- latex, patient with Fechtner's syndrome, 90:1372
  - silicone, patient with Fechtner's syndrome, 90:1372
- Allodynia**, see Pain
- Alveolar fluid clearance**, see Lung
- American Society of Anesthesiologists (ASA)**, preoperative fasting guidelines, current practice, national survey, 90:1348
- American Society of Echocardiography (ASE)**, ASE/SCA guidelines for TEE, five-grade scoring system (letter), 90:1248
- Amniotic fluid**, midtrimester and final-trimester, effects on whole blood coagulation, assessment, use of Thrombelastograph analysis, 90:333
- Amsorb**, see Carbon dioxide, absorbents
- Amygdala**, see Brain
- Analgesics**
- acetaminophen, rectal, larger dose, pharmacokinetics and analgesic efficacy, adults, 90:431
  - alfentanil
    - given immediately before induction of anesthesia, elective cesarean delivery, 90:1167
    - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
  - capsaicin, -treated skin, sensitivity to heat effect of peripheral opioid block and body cooling, 90:923
  - clonidine
    - intraarticular, postoperative analgesia for outpatient arthroscopic knee surgery, 90:1102
    - intrathecal, antagonism of antinociception produced by ketorolac, role of opioid system, rats, 90:1152
    - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
  - diclofenac
    - acute effect on spinal *c-fos*, 90:1141
    - combined with acetaminophen, vs larger dose rectal acetaminophen, pharmacokinetics and analgesic efficacy, adults, 90:431
  - EMLA cream, analgesia for pediatric thoracostomy tube removal, 90:1025
  - fentanyl
    - addition to bupivacaine, in caudal epidural block, effect on plasma level of catecholamines, children, 90:1029
    - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
  - PCA, analgesic efficacy of intravenous tenoxicam as adjunct, total abdominal hysterectomy, 90:672
  - vs sufentanil, intrathecal analgesia, after total hip replacement, 90:918
  - ketamine
    - intraoperative small-dose, benefits on postoperative pain, anterior cruciate ligament repair, 90:129
    - preemptive analgesia (letter), 90:765
    - spinal coadministration, during spinal morphine infusion, effects on development of tolerance to visceral and somatic antinociception, 90:136
  - ketorolac
    - antinociception produced by, antagonism by intrathecal clonidine, role of opioid system, rats, 90:1152
    - intravenous vs local, effect on recovery after anorectal surgery, 90:1107

**Analgesics—continued**

- meperidine, NMDA receptor channel block, dependence on extracellular pH, 90:928
- 14-methoxymetopon, vs sufentanil, respiratory depression, sedation, and bradycardia, dogs, 90:1359
- morphine
  - antinociception of  $K^+_{ATP}$  channel openers, 90:1146
  - effects of residual pain on oxygenation and breathing pattern, 90:156
  - effects on blood-brain barrier disruption caused by intracarotid injection of hyperosmolar mannitol, rats, 90:603
  - effects on immune responses and pain after surgery, cancer patients, 90:1411
  - epidural, -induced pruritus, inhibition by epidural droperidol, 90:50290:638
  - epidural, postcesarean, dose-response study, 90:887
  - infusion, spinal, coadministration of ketamine, effects on development of tolerance to visceral and somatic antinociception, 90:136
  - intraarticular, postoperative analgesia for outpatient arthroscopic knee surgery, 90:1102
  - intramuscular, vs regularly administered sustained release oral morphine, for control of postoperative pain, 90:427
  - intravenous, 0.15 vs 0.25 mg/kg, immediate postoperative analgesia after remifentanyl-based anesthesia, major surgery, 90:666
  - neostigmine and, interaction, nerve-ligation injury, rats, 90:421
  - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
  - one drop, added to local anesthetics by means of 23-gauge injection needle, for relief of postoperative pain under spinal anesthesia (letter), 90:1000
  - oral, sustained release, regularly administered, vs intramuscular morphine, for control of postoperative pain, 90:427
  - pharmacokinetics of rectal acetaminophen, adults, 90:431
  - naloxone, antinociception of  $K^+_{ATP}$  channel openers, 90:1146

- neostigmine, novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
- opioids
  - local anesthetics and, interaction, 90:383
  - rotation, in chronic noncancer pain, 90:933
- remifentanyl
  - based anesthesia, for major surgery, efficacy of intravenous 0.15 vs 0.25 mg/kg intraoperative morphine for immediate postoperative analgesia, 90:666
  - effects on cerebral capacity, awake volunteers, 90:609
  - facilitation of early recovery, obese patients undergoing laparoscopic cholecystectomy, 90:1111
- sufentanil
  - and duration of analgesia in mepivacaine brachial plexus block, dose response study, 90:383
  - combined with ropivacaine 0.2% wt/vol, for postoperative PCEA, 90:649
  - intrathecal sufentanil/bupivacaine, labor analgesia, mental status change and aphasia, 90:1175
  - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
  - vs fentanyl, intrathecal analgesia, after total hip replacement, 90:918
  - vs 14-methoxymetopon, respiratory depression, sedation, and bradycardia, dogs, 90:1359
- tenoxicam, intravenous, analgesic efficacy as adjunct to PCA, total abdominal hysterectomy, 90:672
- tramadol
  - effects on immune responses and pain after surgery, cancer patients, 90:1411
  - novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122
- Anaphylaxis**, aprotinin, significance of antibodies at exposure, 90:262
- Anatomy**, cricoarytenoid joint capsule, and intubation, 90:180
- Anemia**, see Blood
- Anesthesia**
  - ambulatory
    - hypnosis and patient's perioperative well-being, 90:64
    - intraarticular clonidine and morphine, 90:1102
    - intravenous vs locally administered ketorolac, 90:1107

- ondansetron vs dolasetron for antiemetic prophylaxis, 90:1352
- past achievements and future trends, 90:1234
- preoperative fasting, current practice, 90:1348
- propofol-ketamine combination for monitored anesthesia care, 90:858
- remifentanyl and obesity, 90:1111
- remifentanyl vs fentanyl, sufentanil, and alfentanil during propofol sedation, 90:567
- uncommon procedures, relative frequency, 90:1343
- cardiovascular
  - $\alpha_2$  agonist and blood flow, 90:1060
  - acute normovolemic hemodilution and large plasma volumes, 90:852
  - anesthesia and airway-cardiac reflexes, 90:847
  - anti-*bacteroides fragilis* antibodies during surgery, 90:819
  - antiphospholipid syndrome, anticoagulation management, 90:1098
  - antithrombin III and activated clotting time, 90:1076
  - aprotinin, and platelets, 90:5
  - aprotinin, significance of antibodies at exposure, 90:262
  - atherosclerosis in ascending aorta, 90:1262
  - autologous and allogenic blood products, Jehovah's Witness, 90:553
  - $\beta$ -adrenergic blockers and ischemia, 90:1257
  - bleeding and transfusion with hetastarch, 90:801
  - bronchial epithelium and CPB, 90:778
  - citrated whole blood in thromboelastography, 90:1086
  - colloids and coagulation, 90:795
  - colloids and SONOCLOT-measured coagulation, 90:274
  - dexmedetomidine and vascular surgery, 90:834
  - digital gangrene after radial artery catheterization, patient with thrombocytosis, 90:45
  - EACA effect on HemoSTATUS and kaolin-ACT measurements, 90:1281
  - effective stroke volume analysis, 90:243
  - electrocardiographic artifacts, shoulder arthroscopy, pressure-controlled irrigation pump, 90:856
  - electrocardiographic cardiotoxic effects of local anesthetics, 90:1308

esmolol and/or nicardipine and tracheal intubation, 90:280  
hemodilution and Thrombelastograph, 90:541  
hypertensive crisis during transurethral resection of bladder, 90:556  
hypotension, hyperkalemia, and IV heparin, 90:42  
hypoxemia, supine position, one-lung ventilation, 90:28  
intravenous anesthetics and postischemic adhesion of neutrophils, 90:1293  
isoflurane, halothane, and cardiac inward rectifier potassium current, 90:824  
jugular venous oximetry, 90:559  
large-dose thrombin time and heparinization, 90:808  
L-arginine and phosphodiesterase inhibitors, 90:840  
leukocyte-reduced blood transfusions, 90:1315  
levosimendan and myocardial infarction, 90:5  
milrinone and pulmonary hypertension and bronchospasm by serotonin, 90:790  
myocyte endothelin exposure and cardioplegia, 90:1080  
ornipressin to counteract hypotension, 90:1301  
oxygen transport after cardiac surgery, 90:1052  
past achievements and future trends, 90:1229  
pharmacokinetics of antithrombin, 90:531  
platelet measurements and perfluorocarbons, 90:517  
platelets, heparin, and its antidotes, 90:808  
platelet sequestration in complex cardiac surgery, 90:509  
position and fraction of oxygen, one-lung ventilation, 90:35  
post-CPB macrophage functions, 90:1039  
post-CPB pulmonary dysfunction, 90:1046  
postoperative warming and hemodynamics, 90:286  
propofol and angiotensin II, 90:546  
propofol and  $Ca^{2+}$  transients, 90:1286  
pulmonary resistance during heart transplantation, 90:523  
pulmonary thromboendarterectomy and treatment, 90:267

regional ventricular elastances, 90:252  
remifentanyl vs alfentanil, use with propofol, 90:1269  
right supraclavicular route and transvenous ventricular pacing, 90:784  
right vs left double lumens for left-sided thoracic surgery, 90:535  
sevoflurane and postischemic contractile dysfunction, 90:1089  
sevoflurane and Q-T interval, 90:25  
splanchnic organ blood flow and propranolol, 90:1275  
surgery without CPB, heparin-induced thrombocytopenia, 90:286  
ventricular fibrillation analysis during prolonged CPR, 90:1067  
volatile anesthetics and cardiac eicosanoid production, 90:17  
critical care and trauma  
acidosis and gastroduodenal motility, 90:74  
benzocaine-induced methemoglobinemia, 90:369  
cyclooxygenase inhibitors, septic rat lungs, 90:625  
Fechtner's syndrome, anesthetic management, 90:1372  
modeling hypoxemia during apnea, 90:619  
NO and septic vascular dysfunction, 90:89  
past achievements and future trends, 90:1236  
perfluorocarbons decrease neutrophilic infiltration after acid injury, 90:356  
positive end-expiratory pressure and  $CO_2$  elimination, 90:85  
propofol, *d*-tubocurarine, and sepsis, 90:80  
S-nitroso-N-acetylpenicillamine and vascular hyporeactivity, 90:362  
TEE and preload assessment in critically ill patients, 90:351  
validating hypoxemia and apnea models, 90:614  
vasopressors during cardiopulmonary resuscitation in severe hypothermia, 90:69  
intravenous  
effects of plasma fentanyl concentrations, 90:1365  
14-methoxymetopon vs sufentanil, 90:1359  
propofol target-controlled infusion, age, and premedication, 90:1157

neurosurgical  
cerebral blood volume and flow during propofol anesthesia, 90:1376  
changes in cerebral blood volume with position, 90:372  
effects of remifentanyl on cerebral capacity, 90:609  
endothelin antagonists and air infusion, dogs, 90:102  
intraoperative intracranial pressure monitoring in pneumococcal meningitis, 90:107  
jugular bulb desaturations during propofol anesthesia (letter), 90:769  
morphine and blood-brain barrier, 90:603  
past achievements and future trends, 90:1238  
propofol-ketamine and cerebral circulation, 90:377  
obstetric  
alfentanil at induction of anesthesia for cesarean delivery, 90:1167  
ambulatory labor epidural analgesia, 90:1384  
amniotic fluid and Thrombelastograph, 90:333  
effect of nitrogen on gravid uterus, 90:337  
ephedrine, hypotension, and small-dose spinal anesthesia, 90:324  
epidural droperidol and morphine pruritus, 90:638  
epidural morphine dose response, 90:887  
epidurals and cesarean deliveries (editorial), 90:775  
mental status changes after intrathecal sufentanil/bupivacaine analgesia, 90:1175  
nausea and intrathecal fentanyl, 90:1162  
pain and epidural analgesia, 90:109  
past achievements and future trends, 90:1241  
PCEA during labor, 90:328  
prevention of hypotension during spinal anesthesia, 90:1390  
prolonged coma and quadriplegia after accidental subarachnoid injection, 90:116  
ropivacaine/fentanyl vs bupivacaine/fentanyl during labor, 90:625  
severe hypoglycemia after labor epidural analgesia, 90:892  
severe labor pain and cesarean delivery, 90:881  
small-dose neuraxial block (editorial), 90:241

**Anesthesia—continued**

tension pneumothorax, cesarean delivery, 90:1173

transient paraplegia after epidural anesthesia, 90:114

**pediatric**

additional techniques for managing difficult airway, 90:878

automated oscillotonometer, fictitious measurements, 90:1341

bispectral index monitoring, 90:872

cardiac output measurement by arterial thermodilution, 90:57

caudal fentanyl and stress response, 90:1029

comparison of NAD 6000 and Servo 900C, 90:315

conventional pulse oximetry vs

Masimo SET technology, 90:1336

dimenhydrinate for postoperative vomiting, 90:311

EMLA for chest tube removal, 90:1025

epidural, loss of resistance, air and saline, 90:59

evaluation of coagulopathies after CPB, 90:1324

fetal cocaine and myocardial  $\beta$ -adrenoceptor, 90:50

hemodynamic effects of halothane and isoflurane, 90:1331

intraoperative desaturation and unilateral breath sounds, Nissen fundoplication, 90:62

mivacurium administration, Duchenne muscular dystrophy (letter), 90:498

neuraxial blockade, lessons (editorial), 90:1011

neuromuscular blocking drugs, 90:514

past achievements and future trends, 90:1232

potency of succinylcholine, obese adolescents, 90:576

premedication with midazolam (letter), 90:498

preoperative anxiety, PONV, 90:571

pulmonary embolism after surgical manipulation and biopsy of pelvic mass, 90:322

regional anesthesia, open heart surgery, 90:1020

regional anesthesia, report, 90:1014

remifentanyl use, 90:863

ropivacaine, sodium currents, and dorsal horn neurons, 90:1034

sedation for cardiac catheterization, 90:299

sevoflurane, halothane, and the oculocardiac reflex, 90:306

TEE and ventilation, infants, 90:47

test dose criteria in children, 90:579

regional anesthesia and pain management

accuracy and precision/temperature monitoring, 90:938

acute respiratory insufficiency during interscalene plexus block, 90:1415

anesthesia adjuncts and brachial plexus block, 90:1122

antinociception of  $K^+_{ATP}$  channel openers, 90:1146

bupivacaine enantiomers and ropivacaine, electrophysiology, 90:415

dermatomal level of anesthesia after spinal tetracaine, 90:1406

diclofenac acute effect on spinal c-fos, 90:1141

distribution of local anesthetic during three-in-one block, 90:119

dopamine and continuous epidural lidocaine, 90:388

effective concentration and hyperbaric bupivacaine, 90:1135

effects of pain on ventilatory pattern, 90:156

heme oxygenase and pain, 90:677

interactions between clonidine and ketorolac, 90:1152

intraoperative ketamine improves postoperative analgesia, 90:129

intrathecal fentanyl vs sufentanil, 90:918

intrathecal magnesium and morphine, 90:913

ketamine and morphine tolerance, 90:136

ketamine and temporal summation, 90:408

0.75% levobupivacaine vs 0.75% bupivacaine and epidural, 90:642

lidocaine convulsions in epileptic rats, 90:1129

lumbar sympathetic block for sympathetically maintained pain, 90:1396

mechanical properties of epidural catheters, 90:393

multiple nerve blocks and light sedation, 90:1118

nerve conduction studies, EMG and SSEPs, volunteers with TNS, 90:658

opioid rotation in chronic noncancer pain, 90:933

oral morphine vs intramuscular morphine for postoperative pain, 90:427

past achievements and future trends, 90:1244

perioperative morphine to control pain after remifentanyl-based anesthesia, 90:666

peripheral local anesthetics in laparoscopy, 90:899

peripheral opioid hyperalgesia, 90:923

pH and meperidine block of NMDA receptor, 90:928

pharmacokinetics of rectal acetaminophen, adults, 90:431

postoperative epidural analgesia, 90:649

prophylactic sealing of CSF leakage with fibrin glue, 90:894

spinal antinociception by  $\alpha$ -agonists, 90:400

sufentanil and brachial plexus block, 90:383

synergistic interaction between morphine and neostigmine, 90:421

tenoxicam and abdominal hysterectomy, 90:672

thoracic paravertebral block for breast surgery, 90:1402

three-in-one block and ropivacaine, 90:125

transient neurologic symptoms after epidural analgesia, 90:437

vasospastic attack after extradural block, 90:1417

volatile anesthetics and lidocaine seizure, 90:148

volatile anesthetics and penicillin status epilepticus, 90:142

**Anesthesia & Analgesia, see Publications**

**Anesthesia machines**, see Equipment

**Anesthesiologists**, and CRNAs, cost effectiveness of anesthesia workforce models, 90:584

**Anesthesiology**, studies of Ernst Trier Mörch, 90:218

**Anesthetic techniques**

brachial plexus block

mepivacaine, duration of analgesia, and sufentanil, dose response study, 90:383

novel analgesic adjuncts, systematic review, 90:1122

sedation with sufentanil and midazolam, effect on pain, patients undergoing upper limb surgery under multiple nerve block, 90:1118

bronchoscopy, interventional fiberoptic, and high frequency jet ventilation, 90:1436

caudal

addition of fentanyl to bupivacaine, effect on plasma level of catecholamines, children, 90:1029

- regional anesthesia in pediatric cardiac surgery, 90:1014
- combined general/epidural, hypotension during, reversal, efficacy of omipressin, 90:1301
- combined spinal-epidural and postdural puncture headache (letter), 90:1249
- labor analgesia, with sufentanil plus bupivacaine, mental status change and aphasia, 90:1175
- denitrogenation
  - modeling hypoxemia during apnea, 90:619
  - validating hypoxemia and apnea models, 90:614
- epidural
  - accidental subarachnoid injection of local anesthetic with opiate, prolonged coma and quadriplegia, 90:116
  - acute vasospastic attack after extradural block, patient with Raynaud's disease, 90:1417
  - analgesia, after dural puncture, 90:502
  - analgesia, and cesarean deliveries (editorial), 90:775
  - analgesia, labor, ambulatory, ropivacaine vs bupivacaine, 90:1384
  - analgesia, labor, severe hypoglycemia after, 90:881
  - analgesia, severe labor pain and cesarean delivery, 90:881
  - analgesia, transient neurologic symptoms after, 90:437
  - identification of epidural space, loss of resistance to saline with bubble of air, prospective study, infants and children, 90:59
  - intrapartum, recommendation and acceptance, predictors, 90:109
  - levobupivacaine 0.75% vs racemic bupivacaine, for lower abdominal surgery, 90:642
  - lidocaine, requirements during peripheral vascular surgery, effect of small-dose dopamine, elderly patients, 90:388
  - morphine, -induced pruritus, inhibition by epidural droperidol, 90:638
  - morphine, postcesarean, dose-response study, 90:887
  - regional anesthesia, open heart surgery, 90:1020
  - regional anesthesia, pediatric cardiac surgery, 90:1014
  - test dose, cardiovascular criteria, sevoflurane- and halothane-anesthetized children, 90:579
  - transient paraplegia after, parturient, 90:114
  - fiberoptic bronchoscopy, right vs left double-lumen tubes, left-sided thoracic surgery, 90:535
  - general
    - body temperature monitoring, accuracy and precision, 90:938
    - early phase, predictive variables of hypothermia, 90:456
    - shivering after, incidence, effect of ondansetron given before induction of anesthesia, 90:1423
    - with LMA, postoperative pulmonary aspiration of gastric contents, infant (letter), 90:1457
  - hemodilution
    - acute normovolemic, radical hysterectomy, low preoperative hematocrit values, 90:852
    - autologous and allogeneic blood products, for unanticipated massive blood loss, Jehovah's Witness, 90:553
    - extreme, *in vitro* and *in vivo* Thrombelastograph analysis, rabbits, 90:541
  - induced hypotension, calcitonin gene-related peptide-induced, splanchnic organ blood flow with or without propranolol, dogs, 90:1275
  - infiltration, local, peripheral local anesthetics in laparoscopy, 90:899
  - inhaled induction, N<sub>2</sub>O, and induction dose requirements of propofol, 90:1213
  - inhaled NO
    - delivery by anesthesia machines, 90:482
    - vs prostaglandin E<sub>1</sub>, reduction of pulmonary vascular resistance, heart transplantation, 90:523
  - interscalene plexus block, acute respiratory insufficiency, 90:1415
  - intraarticular analgesia, with clonidine and morphine, for postoperative analgesia, outpatient arthroscopic knee surgery, 90:1102
  - intravenous infusion, remifentanyl, 90:713
  - laryngoscopy, hemodynamic changes associated with, attenuation esmolol and/or nicardipine, 90:280
  - intravenous chloroprocaine, 90:1208
  - lumbar sympathetic block, for sympathetically maintained pain, changes in cutaneous temperatures and pain perception, 90:1396
  - midfemoral block, lateral approach to sciatic nerve (letter), 90:770
  - monitored anesthesia care
    - extracorporeal shock wave lithotripsy, comparative effectiveness of fentanyl and its newer analogs, 90:567
    - use of ketamine-propofol combination, 90:858
  - multiple nerve block, sedation with sufentanil and midazolam, effect on pain, patients undergoing upper limb surgery, 90:1118
  - neuraxial blockade
    - difficult, predictors (letter), 90:768
    - pediatric cardiac surgery, lessons (editorial), 90:1011
    - small-dose neuraxial block (editorial), 90:241
  - one-lung ventilation
    - patients with chronic obstructive pulmonary disease, effects of position and Fio<sub>2</sub>, 90:35
    - patient with laryngeal or tracheal stenosis (letter), 90:1000
    - right vs left double-lumen tubes, left-sided thoracic surgery, 90:535
    - supine position, sequential changes of arterial oxygen tension, 90:28
  - opioid substitution, to improve effectiveness of chronic noncancer pain control, chart review, 90:933
  - patient-controlled analgesia (PCA), intravenous tenoxicam as adjunct, analgesic efficacy, total abdominal hysterectomy, 90:672
  - patient-controlled epidural analgesia (PCEA)
    - during labor, effects of increase in bolus and lockout interval, 90:328
    - postoperative, sufentanil combined with ropivacaine 0.2% wt/vol, 90:649
    - ropivacaine/fentanyl vs bupivacaine/fentanyl during labor, 90:632
  - peripheral nerve block, art and science (editorial), 90:1
  - preemptive analgesia
    - effects of ketamine, women undergoing abdominal hysterectomy procedures, 90:1419
    - intraoperative small-dose ketamine, benefits on postoperative pain after anterior cruciate ligament repair, 90:129
    - with ketamine (letter), 90:765



**Anesthetic techniques—continued**

- rapid sequence intubation, with large-dose rocuronium, probability-based approach, 90:175
- regional
  - body temperature monitoring, accuracy and precision, 90:938
  - neuraxial blockade, pediatric cardiac surgery, lessons (editorial), 90:1014
  - open heart surgery, 90:1020
  - pediatric cardiac surgery, 90:1014
- small-dose infusions, dexmedetomidine, sedative, amnestic, and analgesic properties, 90:699
- spinal
  - awareness of being observed in anesthesia, 90:739
  - for cesarean delivery, prevention of hypotension, dose-response study of prophylactic intravenous ephedrine, 90:1390
  - ketamine and morphine tolerance, 90:136
  - lidocaine subarachnoid anesthesia, transient neurological symptoms after, spinal nerve function, volunteers, 90:658
  - minimum effective concentration of hyperbaric bupivacaine, 90:1135
  - opioid, intrathecal fentanyl vs sufentanil, 90:918
  - postoperative pain, relief, one drop of morphine added to local anesthetics by means of 23-gauge injection needle (letter), 90:1000
  - prophylactic sealing of CSF leakage with fibrin glue, 90:894
  - small-dose, prevention of hypotension by single 5-mg dose of ephedrine, prehydrated cesarean delivery patients, 90:324
  - Streptococcus mitis*-induced meningitis after (letter), 90:500
  - tetracaine, assessment of dermatomal level of surgical anesthesia after spinal tetracaine, 90:1406
  - total hip arthroplasty, postoperative pain, oral morphine vs intramuscular morphine, 90:427
  - thoracic epidural, in CABG (letter), 90:767
  - thoracic paravertebral block, for breast surgery, 90:1402
- three-in-one block
  - MRI of distribution of local anesthetic during, 90:119
  - peripheral nerve blocks, art and science (editorial), 90:1
- ropivacaine vs bupivacaine, sensory onset time and quality of sensory block, 90:119
- topical
  - analgesia, pediatric thoracostomy tube removal, 90:1025
  - lidocaine, anesthesia and airway-cardiac reflexes, 90:847
- Anesthetics, gases**, nitrous oxide ( $N_2O$ ) and endotracheal cuff pressure (letter), 90:230
- antinociceptive effect on tail flick test, strain differences, rats, 90:195
- fraction, in  $CO_2$  pneumoperitoneum, laparoscopy under general inhaled anesthesia, pigs, 90:951
- inhaling, effect on induction dose requirements of propofol, 90:1213
- isoflurane/alfentanil/ $N_2O$  anesthesia, implicit memory of stories played during surgery, reading speed measurement, 90:733
- propofol- $N_2O$  anesthesia, effects of plasma fentanyl concentrations, 90:1365
- volatile anesthetics and lidocaine seizure, 90:148
- Anesthetics, intravenous**
  - alfentanil
    - isoflurane/alfentanil/ $N_2O$  anesthesia, implicit memory of stories played during surgery, reading speed measurement, 90:733
    - vs fentanyl, effectiveness during extracorporeal shock wave lithotripsy under monitored anesthesia care, 90:567
    - vs remifentanyl, use with propofol, patients undergoing minimally invasive CABG, 90:1269
  - dexamethasone, for prevention of PONV, quantitative systematic review, 90:186
  - dexmedetomidine
    - infusions, small-dose, sedative, amnestic, and analgesic properties, 90:699
    - perioperative infusion, hemodynamic and adrenergic effects, vascular surgery, 90:834
    - sedation, and its reversal with an  $\alpha_2$  antagonist, effects on organ blood flow, sheep, 90:1060
  - etomidate, effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
  - fentanyl
    - concentrations, plasma, effects on propofol requirement, emergence from anesthesia, and postoperative analgesia, propofol- $N_2O$  anesthesia, 90:1365
    - effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
    - 0.125% ropivacaine with fentanyl vs 0.125% bupivacaine with fentanyl, epidural analgesia during labor, 90:632
    - vs its newer analogs, effectiveness during extracorporeal shock wave lithotripsy under monitored anesthesia care, 90:567
    - vs remifentanyl, for tonsillectomy and adenoidectomy, pediatric ambulatory surgery patients, 90:863
  - ketamine
    - and adhesion molecules, 90:206
    - effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
    - effects on temporal summation of  $R_{III}$  nociceptive flexion reflexes and pain, humans, 90:408
    - interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
    - oral ketamine/midazolam vs intramuscular meperidine, promethazine, and chlorpromazine, for pediatric cardiac catheterization, 90:299
    - preemptive analgesic effects, lack of, women undergoing abdominal hysterectomy procedures, 90:1419
    - propofol combination, use during monitored anesthesia care, 90:858
    - spinal toxicity (letter), 90:227
    - with propofol, effects on human cerebral blood flow velocity and  $CO_2$  response, 90:377
  - medetomidine, sedation, and its reversal with an  $\alpha_2$  antagonist, effects on organ blood flow, sheep, 90:1060
  - methohexital, interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
  - midazolam
    - effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
    - oral ketamine/midazolam vs intramuscular meperidine, promethazine, and chlorpromazine,

- for pediatric cardiac catheterization, 90:299
- sufentanil and, sedation with, effect on pain, patients undergoing upper limb surgery under multiple nerve block, 90:1118
- pentobarbital
  - curare-like effects on adult-type nicotinic acetylcholine receptor channel currents, 90:970
  - effects on immediate-early gene expression, vital organs, rats, 90:1177
- propofol
  - analgesia (letter), 90:1452
  - arterial CO<sub>2</sub> tension levels, cerebral blood volume and blood flow, rabbits, 90:1376
  - concentration, changes, in propofol-lidocaine 9:1 volume mixture, 90:989
  - effect on angiotensin II-induced Ca<sup>2+</sup> mobilization in aortic smooth muscle cells, normotensive and hypertensive rats, 90:546
  - effect on *d*-tubocurarine-induced twitch depression, septic rat diaphragm, 90:80
  - effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
  - effects on immediate-early gene expression, vital organs, rats, 90:1177
  - effects on serum creatinine and blood urea nitrogen concentration, 90:683
  - induction dose, and nimodipine premedication, 90:445
  - induction dose requirements, reduction, effect of inhaling N<sub>2</sub>O, 90:1213
  - inhibition of Ca<sup>2+</sup> transients, intact beating guinea pig hearts, 90:1286
  - injection pain, prevention, quantitative systematic review, 90:963
  - jugular bulb desaturations, neurosurgical procedures (letter), 90:769
  - ketamine-propofol combination, use during monitored anesthesia care, 90:858
  - mixture with remifentanyl, stability in polypropylene syringes and polyvinylchloride bags at 22°-24°C, 90:1450
  - N<sub>2</sub>O anesthesia, effects of plasma fentanyl concentrations, 90:1365
  - plasma, simple method for detecting, 90:1452
  - propofol/sufentanil anesthesia, effect on metabolic and endocrine responses, lower abdominal surgery, 90:450
  - remifentanyl-propofol anesthesia, recovery of cognitive function, comparison with desflurane and sevoflurane anesthesia, 90:168
  - remifentanyl vs alfentanil for use with, patients undergoing minimally invasive CABG, 90:1269
  - target-controlled infusion, requirements for induction, combined effect of age and premedication, 90:1157
  - vs methohexital, cost comparison, misleading statements (letter), 90:765
  - vs sevoflurane, effect on Q-T interval, 90:25
  - vs sevoflurane, reversal of rapacuronium block, 90:689
  - with and without ketamine, effects on human cerebral blood flow velocity and CO<sub>2</sub> response, 90:377
- remifentanyl
  - administration, safety, use of infusion pump, 90:713
  - effect on bispectral index changes and hemodynamic responses after orotracheal intubation, 90:161
  - mixture with propofol, stability in polypropylene syringes and polyvinylchloride bags at 22°-24°C, 90:1450
  - remifentanyl-propofol anesthesia, recovery of cognitive function, comparison with desflurane and sevoflurane anesthesia, 90:168
  - vs alfentanil, use with propofol, patients undergoing minimally invasive CABG, 90:1269
  - vs fentanyl, effectiveness during extracorporeal shock wave lithotripsy under monitored anesthesia care, 90:567
  - vs fentanyl, for tonsillectomy and adenoidectomy, pediatric ambulatory surgery patients, 90:863
- sufentanil
  - midazolam and, sedation with, effect on pain, patients undergoing upper limb surgery under multiple nerve block, 90:1118
  - propofol/sufentanil anesthesia, effect on metabolic and endocrine responses, lower abdominal surgery, 90:450
  - vs fentanyl, effectiveness, during extracorporeal shock wave lithotripsy under monitored anesthesia care, 90:567
  - thiopental, effect on postschismic adhesion of neutrophils, guinea pig hearts, 90:1293
- Anesthetics, local**
  - benzocaine, -induced methemoglobinemia, 90:369
  - bupivacaine
    - addition of fentanyl, in caudal epidural block, effect on plasma level of catecholamines, children, 90:1029
    - distribution, during three-in-one block, MRI, 90:119
    - hyperbaric, determining minimum effective concentration for spinal anesthesia, 90:1135
    - intrathecal sufentanil/bupivacaine, labor analgesia, mental status change and aphasia, 90:1175
    - peripheral nerve blocks, art and science (editorial), 90:1
    - racemic, electrocardiographic toxic effects, anesthetized swine, 90:1308
    - racemic, vs epidural levobupivacaine 0.75%, for lower abdominal surgery, 90:642
    - 0.125% ropivacaine with fentanyl vs 0.125% bupivacaine with fentanyl, epidural analgesia during labor, 90:632
    - S(-) and R(+) enantiomers, vs ropivacaine, anesthetic potency and intracellular concentrations, crayfish giant axon *in vitro*, 90:415
    - vs ropivacaine, ambulatory labor epidural analgesia, 90:1384
    - vs ropivacaine, three-in-one blocks, evaluation of sensory onset time and quality of sensory block, 90:125
  - chloroprocaine, intravenous, and hemodynamic changes associated with direct laryngoscopy and tracheal intubation, 90:1208
  - cocaine, perinatal exposure, impairment of myocardial  $\beta$ -adrenoceptor signaling, neonatal rats, 90:50
  - levobupivacaine
    - electrocardiographic toxic effects, anesthetized swine, 90:1308
    - 0.75%, epidural, vs racemic bupivacaine, for lower abdominal surgery, 90:642
  - lidocaine
    - analgesia for pediatric thoracostomy tube removal, 90:1025
    - decrease in seizure susceptibility, kindled epileptic rats, 90:1129



**Anesthetics, local—continued**

- epidural, requirements during peripheral vascular surgery, effect of small-dose dopamine, elderly patients, 90:388
- induced seizures, anticonvulsant effects of local anesthetics, cats, 90:148
- intravenous, and hemodynamic changes associated with direct laryngoscopy and tracheal intubation, 90:1208
- local airway anesthesia, partial suppression of cardiovascular responses to lung inflation, 90:847
- perineural concentration, and spinal neurotoxicity (letter), 90:766
- prevention of pain on injection of propofol, 90:963
- propofol-lidocaine 9:1 volume mixture, changes in propofol concentration, 90:989
- subarachnoid anesthesia, transient neurological symptoms after, spinal nerve function, volunteers, 90:658
- mepivacaine, brachial plexus block, duration of analgesia, and sufentanil, dose response study, 90:383
- morphine added to, one drop, by means of 23-gauge injection needle, for relief of postoperative pain under spinal anesthesia (letter), 90:1000
- peripheral, in laparoscopy, 90:899
- prilocaine, analgesia for pediatric thoracostomy tube removal, 90:1025
- ropivacaine
  - effects on sodium currents, dorsal horn neurons, neonatal rats, 90:1034
  - electrocardiographic toxic effects, anesthetized swine, 90:1308
  - 0.125% ropivacaine with fentanyl vs 0.125% bupivacaine with fentanyl, epidural analgesia during labor, 90:632
  - vs bupivacaine, ambulatory labor epidural analgesia, 90:1384
  - vs bupivacaine, S(-) and R(+) enantiomers, anesthetic potency and intracellular concentrations, crayfish giant axon *in vitro*, 90:415
  - vs bupivacaine, three-in-one blocks, evaluation of sensory onset time and quality of sensory block, 90:125
  - 0.2% wt/vol, sufentanil combined with, for postoperative PCEA, 90:649

- tetracaine, spinal, assessment of dermatomal level of surgical anesthesia after, 90:1406

**Anesthetics, volatile**

- desflurane
  - action of CO<sub>2</sub> absorbents, production of Compound A and CO, 90:1428
  - interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
  - SAF-T-FILL valve malfunction, 90:742
  - vs remifentanyl-propofol, recovery of cognitive function, 90:168
- enflurane
  - effects on serum creatinine and blood urea nitrogen concentration, 90:683
  - interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
- halothane
  - anesthetized children, cardiovascular criteria for epidural test dosing, 90:579
  - anticonvulsant effects, lidocaine-induced seizures, cats, 90:148
  - anticonvulsant effects, penicillin-induced status epilepticus, cats, 90:142
  - failure to decrease amiloride-sensitive alveolar fluid clearance, rabbits, 90:1445
  - hemodynamic effects, chick embryo, 90:1331
  - interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
  - modulation of cardiac inward rectifier K<sup>+</sup> current, 90:824
  - remifentanyl use, pediatric patients, 90:863
  - vs sevoflurane; incidence of oculocardiac and oculo-respiratory reflexes, strabismus surgery, children, 90:306
  - vs sevoflurane, reduction of postischemic contractile dysfunction, isolated rat heart, 90:1089
- isoflurane
  - anticonvulsant effects, lidocaine-induced seizures, cats, 90:148
  - anticonvulsant effects, penicillin-induced status epilepticus, cats, 90:142
  - dual action on GABA-mediated currents through recombinant

- $\alpha_1\beta_2\gamma_{2L}$ -GABA<sub>A</sub>-receptor channels, 90:1184
- effects on immediate-early gene expression, vital organs, rats, 90:1177
- effects on serum creatinine and blood urea nitrogen concentration, 90:683
- hemodynamic effects, chick embryo, 90:1331
- interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
- isoflurane/alfentanil/nitrous oxide anesthesia, implicit memory of stories played during surgery, reading speed measurement, 90:733
- modulation of cardiac inward rectifier K<sup>+</sup> current, 90:824
- pre- and postischemic eicosanoid production, guinea pig hearts, 90:17
- predictive variables of hypothermia, 90:456
- sevoflurane
  - action of CO<sub>2</sub> absorbents, production of Compound A and CO, 90:1428
  - anesthetized children, cardiovascular criteria for epidural test dosing, 90:579
  - anticonvulsant effects, lidocaine-induced seizures, cats, 90:148
  - anticonvulsant effects, penicillin-induced status epilepticus, cats, 90:142
  - Compound A, effects on serum creatinine and blood urea nitrogen concentration, 90:683
  - Compound A, production by absorbents, 90:1428
  - concentration, end-tidal, correlation with BIS, infants and children, 90:872
  - effects on serum creatinine and blood urea nitrogen concentration, 90:683
  - interactions with recombinant SK2 subtype neuronal calcium-activated potassium channels, patch-clamp analysis, 90:727
  - pre- and postischemic eicosanoid production, guinea pig hearts, 90:17
  - remifentanyl use, pediatric patients, 90:863
  - renal safety (editorial), 90:505
  - vs halothane, incidence of oculocardiac and oculo-respiratory reflexes, strabismus surgery, children, 90:306
  - vs halothane, reduction of postischemic contractile

- dysfunction, isolated rat heart, 90:1089
- vs propofol, effect on Q-T interval, 90:25
- vs propofol, reversal of rapacuronium block, 90:689
- vs remifentanyl-propofol, recovery of cognitive function, 90:168
- Angiotensin II**, see Pharmacology
- Anorectal surgery**, see Surgery
- Antagonists, neuromuscular relaxants**,
  - edrophonium, reversal of rapacuronium block during propofol vs sevoflurane anesthesia, 90:689
- Antagonists, opioid**, naloxone, peripheral opioid hyperalgesia, 90:923
- Anterior cruciate ligament repair**, see Surgery, knee
- Antibodies**
  - anti-*Bacteroides fragilis*, during cardiac surgery, 90:819
  - aprotinin -specific, preformed, significance, cardiac surgical patients, 90:262
  - phospholipid, -mediated thrombotic disorder, anticoagulation management, cardiac surgery, 90:1098
- Anticholinesterases**, and transplanted heart (letter), 90:1001
- Anticonvulsant action**, volatile anesthetics
  - lidocaine-induced seizures, cats, 90:148
  - penicillin-induced status epilepticus, cats, 90:142
- Antiphospholipid syndrome**, see Complications
- Anxiety**, see Preoperative evaluation
- Aorta**
  - ascending, atherosclerosis, echocardiographic and pathological evaluation during CABG, 90:1262
  - smooth muscle, angiotensin II-induced  $Ca^{2+}$  mobilization, effect of propofol, normotensive and hypertensive rats, 90:546
- Apnea**, see Ventilation
- Aprotinin**, see Pharmacology
- Arrhythmias**, see Complications
- Arterial transcatheter pulmonary arterial thermomodulation**, see Measurement techniques
- Arteries**
  - blood pressure measurements, fictitious, from automated oscillotonometer, 90:1341
  - internal mammary, vasodilation, interaction of L-arginine and phosphodiesterase inhibitors, pigs, 90:840
  - oxygen tension, sequential changes, supine position during one-lung ventilation, 90:28
  - radial, catheterization, followed by digital gangrene, patient with thrombocytosis, 90:45
- Aspiration of gastric contents**, see Complications
- Atherosclerosis**, see Complications
- Atrioventricular dissociation**, see Complications
- Automated hematology analyzers**, see Equipment
- Automated oscillotonometer**, see Equipment
- Ayre's T piece**, see Equipment
- Bacteroides fragilis*, see Endotoxins
- Bags**, see Equipment
- Baralyme**, see Carbon dioxide, absorbents
- Barbiturates**, methohexital, vs propofol, cost comparison, misleading statements (letter), 90:765
- Benzocaine**, see Anesthetics, local
- Bispectral index**, see Monitoring, electroencephalography
- Bland and Altman analysis**, see Statistics
- Bleeding**
  - and transfusion with hetastarch, 90:801
  - hemorrhagic shock, S-nitroso-N-acetylpenicillamine improves vascular hyporeactivity, 90:362
  - iatrogenic cause, excessive use of hetastarch (letter), 90:1455
- Blood**
  - anemia, autologous and allogeneic blood products, for unanticipated massive blood loss, Jehovah's Witness, 90:553
  - brain barrier, disruption caused by intracarotid injection of hyperosmolar mannitol, effects of morphine, rats, 90:603
  - hematocrit, low preoperative values, radical hysterectomy with acute normovolemic hemodilution, 90:852
  - leukocytes, -reduced blood transfusions, perioperative indications, adverse effects, and cost analysis, 90:1315
  - loss
    - after cardiac surgery, effects of intraoperative hetastarch administration, 90:801
    - massive, unanticipated, use of autologous and allogeneic blood products, Jehovah's Witness, 90:553
    - macrothrombocytopenia, patient with Fechtner's syndrome, 90:1372
  - substitutes, perfluorodichlorooctane emulsion, generation of spurious elevations in platelet counts from automated hematology analyzers, 90:517
- transfusions**
  - allogeneic, reduction, platelet-rich plasma sequestration with therapeutic platelet yields, complex cardiac surgery, 90:509
  - autologous and allogeneic blood products, for unanticipated massive blood loss, Jehovah's Witness, 90:553
  - leukocyte-reduced, perioperative indications, adverse effects, and cost analysis, 90:1315
  - radical hysterectomy with acute normovolemic hemodilution despite low preoperative hematocrit values, 90:852
  - requirements, after cardiac surgery, effects of intraoperative hetastarch administration, 90:801
  - white blood cells, adhesion, nonuniform behavior of intravenous anesthetics, guinea pig hearts, 90:1293
  - whole blood
    - citratized, use in thromboelastography, 90:1086
    - effects of midtrimester and final-trimester amniotic fluid, assessment, use of Thrombelastograph analysis, 90:333
- Blood flow**, see Brain; Kidney; Liver; Muscle, skeletal; Pancreas
- Blood pressure**
  - effects of perioperative dexmedetomidine infusion, vascular surgery, 90:834
- hypertension**
  - during transurethral resection of bladder, nondiagnosed bladder paraganglioma, 90:556
  - esmolol and/or nicardipine and tracheal intubation, 90:280
  - hemodynamic changes after endotracheal intubation, lightwand device vs laryngoscope, 90:1203
- hypotension**
  - after intravenous heparin for CPB, 90:42
  - calcitonin gene-related peptide-induced, splanchnic organ blood flow with or without propranolol, dogs, 90:1275
  - during combined general/epidural anesthesia, reversal, efficacy of oripressin, 90:1301

**Blood pressure—continued**

prevention, during spinal anesthesia for cesarean delivery, dose-response study of prophylactic intravenous ephedrine, 90:1390

prevention, use of single 5-mg dose of ephedrine during small-dose spinal anesthesia, prehydrated cesarean delivery patients, 90:324

small-dose neuraxial block (editorial), 90:241

measurements, fictitious, from automated oscillotonometer, 90:1341

morphine and blood-brain barrier, 90:603

**Blood vessels**, septic valvular dysfunction, NO and, 90:89

**Book and multimedia reviews**

Anesthesia. 5th ed. Vol. 1 and 2, 90:1254

Anesthesia and Hypertension, Vol. 17, No. 3 of Anesthesia Clinics of North America, 90:1252

Anesthesia and Pain Management for the Pediatrician, 90:1463

Anesthesia and Transplantation, 90:1253

Anesthesia for Genetic, Metabolic, and Dysmorphic Syndromes of Childhood, 90:1463

Anesthesiologist's Manual of Surgical Procedures. 2nd ed., 90:1252

Atlas of Cardiovascular Monitoring, 90:773

Cardiac, Vascular, and Thoracic Anesthesia, 90:1253

Careers in Anesthesiology: Autobiographical Memoirs. Vol. 3 in the Wood Library-Museum of Anesthesiology Series, 90:1009

Clinical Pharmacology of Local Anesthetics, 90:1464

Conscious Sedation, Vol. 37, No. 4 of International Anesthesiology Clinics, 90:1461

Decision Making in Anesthesiology: An Algorithmic Approach. 3rd ed., 90:772

Handbook of Difficult Airway Management, 90:1254

Handbook of Neuroanesthesia, 90:1009

Hemostasis in Cardiac Surgery, 90:235

MEDLINE: A Guide to Effective Searching, 90:1460

Nunn's Applied Respiratory Physiology. 5th ed., 90:1010

Pediatric Critical Care: The Essentials, 90:504

Pediatric Procedural Sedation and Analgesia, 90:1462

Problems in Anesthesia: Vascular

Anesthesia. Vol II, No. 2, 90:1464

Stedman's Medical Dictionary, 27th ed., 90:1460

The Pain Clinic Manual. 2nd ed., 90:1463

Video Atlas of Perioperative

Transesophageal Echocardiography, 90:1460

Video Seminars on Transesophageal Echocardiography, 90:235

What a Blessing She Had Chloroform, 90:236

**Brachial plexus block**, see Anesthetic techniques

**Bradykinin**, see Receptors

**Brain**

amygdala, kindling, decrease in seizure susceptibility to lidocaine, rats, 90:1129

anesthetics on cloned brain SK channels, 90:727

blood-brain barrier, disruption caused by intracarotid injection of hyperosmolar mannitol, effects of morphine, rats, 90:603

blood flow

at varying arterial CO<sub>2</sub> tension levels during propofol anesthesia, rabbits, 90:1376

velocity, effects of propofol with and without ketamine, 90:377

blood volume

at varying arterial CO<sub>2</sub> tension levels, propofol anesthesia, rabbits, 90:1376

changes, with changes in position, awake and anesthetized subjects, 90:372

cerebral capacity, effects of remifentanyl, awake volunteers, 90:609

cerebral monitoring, jugular venous oximetry, 90:559

epidural and systemic  $\alpha_2$ -adrenoceptor agonists, binding affinity, rats, 90:400

immediate-early gene expression, effects of pentobarbital, isoflurane, and propofol, rats, 90:1177

perfusion, cerebral near-infrared spectrophotometry, icteric patients, 90:489

status epilepticus, penicillin-induced, anticonvulsant effects of volatile anesthetics, cats, 90:142

**Breast surgery**, see Surgery

**Bronchial injury**, see Complications

**Bronchoconstriction**, see Lung

**Bronchopulmonary lavage**, see Lung

**Bronchoscopy**, see Anesthetic techniques

**Bupivacaine**, see Anesthetics, local

**Butanol**, see Alcohols

**CABG**, see Surgery, coronary artery bypass grafting

**Calcium**, see Ions

**Calcium channel antagonists**, nimodipine, and induction dose of propofol, 90:445

**Calculator pump**, see Equipment

**Cannabis**, see Pharmacology

**Capnography**, see Monitoring

**Capsaicin**, see Analgesics

**Carboline**, see Carbon dioxide, absorbents

**Carbon dioxide**

absorbents

Amsorb, capacity to produce

Compound A and CO, 90:1428

Baralyme, capacity to produce

Compound A and CO, 90:1428

Baralyme, sevoflurane and renal function, 90:683

Carboline, capacity to produce

Compound A and CO, 90:1428

soda lime, capacity to produce

Compound A and CO, 90:1428

soda lime, sevoflurane and renal function, 90:683

elimination, after cardiac surgery, and positive end-expiratory pressure, 90:85

hypercapnia, cerebral blood volume and blood flow during propofol anesthesia, rabbits, 90:1376

hypocapnia, cerebral blood volume and blood flow during propofol anesthesia, rabbits, 90:1376

insufflation

inert gas exchange during

pneumoperitoneum at incremental values of PEEP, 90:466

subcutaneous, does not cause hypercarbia during endoscopic thyroidectomy, 90:760

pneumoperitoneum, N<sub>2</sub>O fraction, laparoscopy under general inhaled anesthesia, pigs, 90:951

response, effects of propofol with and without ketamine, 90:377

**Carbon monoxide**

heme oxygenase and pain, 90:677

production by absorbents, 90:1428

**Cardiopulmonary bypass**, see Surgery

**Cardiopulmonary resuscitation**

during severe hypothermia, effects of epinephrine and vasopressin on coronary perfusion pressure, pigs, 90:69

prolonged, effects of repeated doses of vasopressin or epinephrine on ventricular fibrillation, pigs, 90:1067

- Cardiotoxicity**, see Toxicity
- Cardiovascular**, therapy, goal-oriented hemodynamic therapy, 90:1052
- Catecholamines**, see Sympathetic nervous system
- Catheters**, see Equipment
- Central nervous system**, anesthetic sites of  $\alpha_2$  agonist, 90:722
- Cerebral near-infrared oximetry**, see Monitoring
- Cerebrospinal fluid (CSF)**  
drainage catheters, neurologic complications (letters), 90:228  
leakage, prophylactic sealing of CSF leakage with fibrin glue, 90:894
- Certified registered nurse anesthetists (CRNAs)**, cost effectiveness of anesthesia workforce models, 90:584
- Cesarean delivery**, see Surgery
- Channels**  
ligand-gated ion, neuromuscular blockers inhibit 5-HT<sub>3A</sub> receptor, Xenopus oocytes, 90:476  
potassium  
adenosine triphosphate-regulated, antinociception of K<sup>+</sup><sub>ATP</sub> channel openers, 90:1146  
adenosine triphosphate-regulated, levosimendan and myocardial infarction, 90:5  
adenosine triphosphate-regulated, sevoflurane and postischemic contractile dysfunction, 90:1089  
calcium-activated, neuronal, recombinant SK2 subtype, patch-clamp analysis of anesthetic interactions with, 90:727  
sodium, amiloride-sensitive, failure of halothane to decrease alveolar fluid clearance, rabbits, 90:1445
- 4-Chloro-m-cresol**, see Receptors, ryanodine, agonists
- Chloroprocaine**, see Anesthetics, local
- Chlorpromazine**, see Pharmacology
- Clinical guidelines** (letter), 90:503
- Clonidine**, see Analgesics; Pharmacology
- Coagulation**  
anticoagulation  
antithrombin III and activated clotting time, 90:1076  
management, antiphospholipid syndrome, cardiac surgery, 90:1098  
bleeding and transfusion with hetastarch, 90:801  
colloids and, 90:795  
*in vitro* effects of different medium molecular hydroxyethyl starch solutions and lactated Ringer's solution, SONOCLOT analysis, 90:274  
platelet count, spurious elevations from automated hematology analyzers, generation by perfluorodichlorooctane emulsion, 90:517  
platelets  
EACA effect on HemoSTATUS and kaolin-ACT measurements, 90:1281  
effect of aprotinin, *in vitro*, using whole blood flow cytometry, 90:12  
effects of heparin, protamine, and heparinase 1, *in vitro*, using whole blood flow cytometry, 90:808  
heparin, and its antidotes, 90:808  
platelet membrane glycoprotein, aprotinin and platelets, 90:12  
-rich plasma sequestration, with therapeutic platelet yields, reduction of allogeneic transfusion, complex cardiac surgery, 90:509  
protamine, effects on platelets *in vitro* using whole blood flow cytometry, 90:808  
recombinant transgenic antithrombin, pharmacokinetics, volunteers, 90:531  
thrombocytopenia, platelet measurements and perfluorocarbons, 90:517  
thrombosis, antiphospholipid syndrome, anticoagulation management, cardiac surgery, 90:1098  
use of citrated whole blood in thromboelastography, 90:1086  
whole blood, effects of midtrimester and final-trimester amniotic fluid, assessment, use of Thrombelastograph analysis, 90:333
- Coagulopathies**, see Complications
- Cocaine**, see Anesthetics, local
- Colloids**, coagulation and, 90:795
- Coma**, see Complications
- Combitube**, see Equipment
- Complications**  
antiphospholipid syndrome, anticoagulation management, cardiac surgery, 90:1098  
arrhythmias, esmolol and/or nicardipine and tracheal intubation, 90:280  
aspiration of gastric contents  
acidosis and gastroduodenal motility, 90:74  
acute lung inflammation, suppression, use of systemic perfluorocarbons, rats, 90:356  
after general anesthesia with LMA, infant (letter), 90:1457  
laryngeal tube, new simple airway device, 90:1220  
atherosclerosis, in ascending aorta, echocardiographic and pathological evaluation during CABG, 90:1262  
atrioventricular dissociation (letter), 90:1004  
bronchial injury, during bronchial intubation (letter), 90:1458  
coagulopathies, after CPB, rapid evaluation, use of modified thromboelastography, children, 90:1324  
coma, prolonged, after accidental subarachnoid injection of local anesthetic with opiate, 90:116  
deafness, nonpharmacologic sedation, child (letter), 90:1007  
Duchenne muscular dystrophy, mivacurium administration, children (letter), 90:498  
epidural hematoma, after catheter removal (letter), 90:1250  
epilepsy, decrease in seizure susceptibility to lidocaine, kindled epileptic rats, 90:1129  
Fechtner's syndrome, anesthetic management, 90:1372  
femoral nerve palsy, after femoral vein cannulation, 90:1246  
gangrene, digital, after radial artery catheterization, patient with thrombocytosis, 90:45  
gastroparesis, acidosis and gastroduodenal motility, 90:74  
goiter, retrosternal, cause of tracheal obstruction, detection by use of cuff leak test (letter), 90:1002  
headache  
postdural puncture, and combined spinal-epidural (letter), 90:1249  
postdural puncture, neurologic complications of CSF drainage catheters (letter), 90:228  
postdural puncture, prophylactic sealing of CSF leakage with fibrin glue, 90:894  
reported data on granisetron and PONV (letter), 90:1004  
hyperkalemia, after intravenous heparin for CPB, 90:42  
hyperosmolality, blood-brain barrier disruption, effects of morphine, rats, 90:603  
hypocalcemia, iatrogenic cause, excessive use of hetastarch (letter), 90:1455  
hypoglycemia, severe, after labor epidural analgesia, 90:892

**Complications—continued**

- hypoxia, cyanosis, benzocaine-induced methemoglobinemia, 90:369
- icterus, patients with, interference of cerebral near-infrared oximetry, 90:489
- inflammatory demyelinating polyradiculoneuropathy, chronic, patient with, prolonged effect of muscle relaxant, 90:224
- intravascular injection, test dose criteria in children, 90:579
- Jehovah's Witnesses
  - cell salvage (letter), 90:229
  - unanticipated massive blood loss, use of autologous and allogeneic blood products, 90:553
- Kaposi's Sarcoma, supraglottic, cause of difficult airway, 90:1220
- laryngeal stenosis, patient with, one-lung ventilation (letter), 90:1000
- lung collapse
  - right upper-lobe, right vs left double-lumen tubes, left-sided thoracic surgery, 90:531
  - unilateral breath sounds, Nissen fundoplication, 90:62
- meningitis
  - pneumococcal, intraoperative intracranial pressure monitoring, 90:107
  - Streptococcus mitis*-induced, after spinal anesthesia (letter), 90:500
- methemoglobinemia, benzocaine-induced, 90:369
- obesity
  - adolescents, potency of succinylcholine, 90:576
  - patients undergoing laparoscopic cholecystectomy, early recovery, remifentanyl infusion, 90:1111
- ophthalmologic, propulsion of globe and PONV (letter), 90:1003
- paraganglioma, bladder, hypertensive crisis during transurethral resection of bladder, 90:556
- paraplegia, transient, after epidural anesthesia, parturient, 90:114
- pneumothorax, tension, parturient undergoing cesarean delivery, 90:1173
- pruritus, epidural morphine-induced, inhibition by epidural droperidol, 90:638
- quadriplegia, after accidental subarachnoid injection of local anesthetic with opiate, 90:116

- Raynaud's disease, patient with, acute vasospastic attack after extradural block, 90:1417
- respiratory depression, effects of 14-methoxymetopon vs sufentanil, dogs, 90:1359
- respiratory distress
  - during interscalene plexus block, 90:1415
  - unusual cause, live leech in larynx, 90:1227
- seizures
  - decrease in seizure susceptibility to lidocaine, kindled epileptic rats, 90:1129
  - lidocaine-induced, anticonvulsant effects of local anesthetics, cats, 90:148
  - status epilepticus, penicillin-induced, anticonvulsant effects of volatile anesthetics, cats, 90:142
- shivering, postanesthetic
  - incidence, effect of ondansetron given before induction of anesthesia, 90:1423
  - preventing, comparison of urapidil, clonidine, and meperidine, 90:954
- tachycardia, esmolol and/or nicardipine and tracheal intubation, 90:280
- thrombocytopenia, type II, heparin-induced, patients with, cardiovascular surgery without CPB using anticoagulation with recombinant hirudin, 90:292
- thrombocytosis, patient with, digital gangrene after radial artery catheterization, 90:45
- torus mandibularis, difficult endotracheal intubation associated with, 90:757
- tracheal obstruction, caused by retrosternal goiter, detection by use of cuff leak test (letter), 90:1002
- tracheal stenosis, patient with, one-lung ventilation (letter), 90:1000
- tracheo-innominate artery fistula (letter), 90:231
- transient neurologic symptoms
  - after epidural analgesia, 90:437
  - after lidocaine subarachnoid anesthesia, spinal nerve function, volunteers, 90:658
  - of CSF drainage catheters (letters), 90:228
  - withdrawal movements, associated with rocuronium injection (letter), 90:227
- Compound A**, see Anesthetics, volatile, sevoflurane

- Computed tomography**, see Measurement techniques
- Computer**, simulation, effects of scheduling strategies on OR labor costs, 90:980
- Contrast dye**, iohexol, effects on temperature changes and pain relief, 90:1396
- Cooling**, see Temperature
- Coronary artery bypass grafting**, see Surgery
- Cortisol**, see Hormones
- Cost**, see Economics
- CPB**, see Surgery, cardiopulmonary bypass
- Cricoid joint capsule**, see Anatomy
- CRNAs**, see Certified registered nurse anesthetists
- Cyclooxygenase inhibitors**, attenuation of bradykinin-induced vasoconstriction, septic isolated rat lungs, 90:625
- Cytokines**, see Inflammation
- Deafness**, see Complications
- Decision analysis**, cost effectiveness of anesthesia workforce models, 90:584
- Denitrogenation**, see Anesthetic techniques
- Desflurane**, see Anesthetics, volatile
- Dexamethasone**, see Anesthetics, intravenous
- Dexmedetomidine**, see Anesthetics, intravenous; Pharmacology
- Dextran**, see Fluid balance
- Diclofenac**, see Analgesics
- Digit Symbol Substitution Test**, see Measurement techniques
- Dimenhydrinate**, see Pharmacology
- Dolasetron**, see Pharmacology
- Dopamine**, see Pharmacology
- Double-lumen tubes**, see Equipment
- Droperidol**, see Pharmacology
- Duchenne muscular dystrophy**, see Complications
- EACA**, see Pharmacology, epsilon-aminocaproic acid
- Echocardiography**, see Monitoring
- Economics**
  - cost
    - analysis, leukocyte-reduced blood transfusions, 90:1315
    - comparison, methohexital vs propofol, misleading statements (letter), 90:765
    - effectiveness, anesthesia workforce models, simulation approach using decision-analysis modeling, 90:584



- effectiveness, of anesthesia workforce models, 90:584  
effectiveness, ondansetron vs dolasetron, for antiemetic prophylaxis, 90:1352  
health systems research and allocating overflow block time to surgical groups, 90:980  
comparing durations of cases, 90:975  
cost effectiveness of anesthesia workforce models, 90:584  
reporting of adverse outcomes, 90:344  
reporting of measurement comparisons, 90:593  
OR scheduling  
math made simple (letter), 90:502  
relative frequency of uncommon ambulatory surgery procedures, 90:1343  
strategies, effects on labor costs, computer simulation, 90:980  
pharmacoeconomics, neuromuscular blocking drugs, 90:519  
**Edrophonium**, see Antagonists, neuromuscular relaxants  
**Education**, ASA task force, preoperative fasting guidelines, 90:1348  
**Eicosanoids**  
prostacyclin, production, pre- and postischemic, and volatile anesthetics, guinea pig hearts, 90:17  
thromboxane A<sub>2</sub>, production, pre- and postischemic, and volatile anesthetics, guinea pig hearts, 90:17  
**Elderly**, see Age factors  
**Electrocardiography**, see Monitoring  
**Electroencephalography**, see Monitoring  
**Electromyography**, see Measurement techniques  
**Electrophysiology**, action potential, intracellular concentration, bupivacaine enantiomers and ropivacaine, 90:415  
**Embolism**  
air, complication during transcervical resection of endometrium, 90:763  
gas, explosion, N<sub>2</sub>O in CO<sub>2</sub> pneumoperitoneum, pigs, 90:951  
pulmonary tumor, massive, after surgical manipulation and biopsy of pelvic mass, 90:322  
**Embryos**, hemodynamic effects of halothane and isoflurane, chicks, 90:1331  
**Emergency**, transvenous ventricular pacing, right supraclavicular route, safety and efficacy, 90:784  
**EMLA cream**, see Analgesics  
**Endocrine response**, during lower abdominal surgery, effect of propofol/sufentanil anesthesia, 90:450  
**Endoscopic thyroidectomy**, see Surgery  
**Endothelin**, see Heart  
**Endothelin receptors**, see Receptors  
**Endothelium**, function, after normothermic CPB, pig bronchioles, 90:778  
**Endotoxins**, *Bacteroides fragilis*, exposure during cardiac surgery, 90:819  
**Endotracheal tube**, see Equipment  
**Ephedrine**, see Sympathetic nervous system  
**Epidural hematoma**, see Complications  
**Epilepsy**, see Brain, status epilepticus; Complications  
**Epinephrine**, see Sympathetic nervous system  
**Epsilon-aminocaproic acid**, see Pharmacology  
**Equipment**  
airway exchange obturators, managing difficult pediatric airway, 90:878  
anesthesia machines, inhaled NO delivery, 90:482  
automated hematology analyzers, platelet measurements and perfluorocarbons, 90:517  
automated oscillotonometer, fictitious arterial blood pressure measurements, 90:1341  
Ayre's T piece, economical substitute (letter), 90:1249  
bags, polyvinylchloride, stability of remifentanyl hydrochloride and propofol mixtures at 22°-24°C, 90:1450  
bronchoscope, ultra-thin, with suction channel, fiberoptic endotracheal intubation, newborn (letter), 90:1007  
calculator pump, remifentanyl administration, 90:713  
catheters  
central venous, right supraclavicular route and transvenous ventricular pacing, 90:784  
CSF drainage, neurologic complications (letters), 90:228  
epidural, intact and traumatized, mechanical properties, 90:393  
internal jugular, length (letter), 90:500  
removal, epidural hematoma after (letter), 90:1250  
subclavian vein, misplaced, method for rapid clinical diagnosis (letter), 90:229  
Combitube, study for proper use, 90:958  
double-lumen tubes, right-sided, vs modified left double-lumen tube, incidence of right upper-lobe collapse, left-sided thoracic surgery, 90:535  
endotracheal tube  
cuff leak test, detection of tracheal obstruction caused by retrosternal goiter (letter), 90:1002  
cuff pressure, and N<sub>2</sub>O (letter), 90:230  
LMA-Fastrach, reinforced, hidden damage (letter), 90:1250  
movement, rigid stylet (letter), 90:1008  
tracheal backflow air, removal of aspirated prosthetic tooth, 90:993  
fast piezo-driven application system, isoflurane and GABA<sub>A</sub> receptor, 90:1184  
gas analyzer, sample filter, cracked, cause of dual -plateau capnogram (letter), 90:233  
laryngeal mask airway (LMA)  
general anesthesia with, postoperative pulmonary aspiration of gastric contents, infant (letter), 90:1457  
insertion, curling lip anteriorly (letter), 90:1247  
insertion, hemodynamic and catecholamine stress responses (letter), 90:231  
LMA-Fastrach, reinforced, hidden damage (letter), 90:1250  
pharyngeal pulse oximetry with, vs finger oximetry and arterial saturation measurements, healthy anesthetized patients, 90:440  
strabismus surgery, comparison of incidence of oculocardiac and oculorespiratory reflexes during sevoflurane or halothane anesthesia, children, 90:306  
laryngeal tube, new simple airway device, 90:1210  
laryngoscope, vs lightwand device, hemodynamic changes after endotracheal intubation, normotensive and hypertensive patients, 90:1203  
lightwand device, vs laryngoscope, hemodynamic changes after endotracheal intubation, normotensive and hypertensive patients, 90:1203  
needles, injection, 23-gauge, method for adding one drop of morphine to local anesthetics (letter), 90:1000

**Equipment—continued**

- pressure-controlled irrigation pump,
  - electrocardiographic artifacts during shoulder arthroscopy, 90:856
- SAF-T-FILL valve, Suprane refill bottle, malfunction, suspected, 90:742
- stents, interventional fiberoptic bronchoscopy, and high frequency jet ventilation, 90:1436
- stylets
  - fiberoptic, endotracheal intubation, jaw thrust maneuver (letter), 90:1457
  - lighted, tracheal intubation, review, 90:745
  - rigid, movement of endotracheal tube (letter), 90:1008
- syringes
  - polypropylene, stability of remifentanyl hydrochloride and propofol mixtures at 22°–24°C, 90:1450
  - Target Controlled Infusion, structural deficiency (letter), 90:1002
- TOF-tube (letter), 90:232
- ventilators
  - Mörch ventilator, 90:218
  - NAD 6000 vs Servo 900C, infant lung model, 90:315
  - warmers, Level 1 warmer, for lavage fluid during bilateral pulmonary lavage (letter), 90:501
- Esmolol**, see Pharmacology; Sympathetic nervous system
- Ethanol**, see Alcohols
- Etomidate**, see Anesthetics, intravenous
- Evoked potentials**, see Monitoring
- Extracorporeal shock wave lithotripsy**, see Surgery
- Extubation, tracheal**, early, regional anesthesia, pediatric cardiac surgery, 90:1014
- Eye**, PONV, propulsion of globe (letter), 90:1003
- Eye surgery**, see Surgery
- Fast piezo-driven application system**, see Equipment
- Fechtner's syndrome**, see Complications
- Femoral nerve palsy**, see Complications
- Fentanyl**, see Analgesics; Anesthetics, intravenous
- Fiberoptic bronchoscopy**, see Anesthetic techniques
- Flow cytometry**, see Measurement techniques
- Fluid balance**
  - albumin, hemodilution and Thrombelastograph, *in vitro* and *in vivo* studies, rabbits, 90:541

- dextran, effect on Thrombelastograph, 90:795
- gelatin, effect on Thrombelastograph, 90:795
- hetastarch
  - excessive use, as iatrogenic cause of bleeding and hypocalcemia (letter), 90:1455
- hemodilution and Thrombelastograph, *in vitro* and *in vivo* studies, rabbits, 90:541
- intraoperative administration, effects on blood loss and transfusion requirements after cardiac surgery, 90:801
- Hextend, hemodilution and Thrombelastograph, *in vitro* and *in vivo* studies, rabbits, 90:541
- hydroxyethyl starch
  - effect on Thrombelastograph, 90:795
  - solutions, different medium molecular, *in vitro* effects on coagulation, SONOCLOT analysis, 90:274
- lactated Ringer's solution
  - effect on Thrombelastograph, 90:795
  - in vitro* effects on coagulation, SONOCLOT analysis, 90:274
- Pentalyte, hemodilution and Thrombelastograph, *in vitro* and *in vivo* studies, rabbits, 90:541
- Fluoride**, see Ions
- Forced-air warming**, see Temperature, regulation
- Foreign body**, see Airway
- GABA receptors**, see Receptors
- Gangrene**, see Complications
- Gas analyzer**, see Equipment
- Gas chromatography**, see Measurement techniques
- Gases, nonanesthetic**, nitric oxide (NO) and septic vascular dysfunction, 90:89
- donors, S-nitroso-N-acetylpenicillamine, during hemorrhagic shock, improvement of mortality as result of recovery from vascular hyporeactivity, 90:362
- inhaled
  - delivery by anesthesia machines, 90:482
  - vs prostaglandin E<sub>1</sub>, reduction of pulmonary vascular resistance, heart transplantation, 90:523
  - production, substrate, L-arginine, and phosphodiesterase inhibitors, interaction, vasodilation of internal mammary artery, pigs, 90:840

**Gastric contents**, see Complications, aspiration

**Gastrointestinal tract**

- gastric secretion, reduction, use of rabeprazole, 90:717
- gastro-pyloric motility, effect of metabolic and respiratory acidosis, pigs, 90:74

**Gastroparesis**, see Complications

**Gelatin**, see Fluid balance

**Genetics**

- immediate-early gene expression, vital organs, effects of pentobarbital, isoflurane, and propofol, rats, 90:1177
- studies of Ernst Trier Mörch, 90:218

**Glucagon**, see Hormones

**Glutamate**, see Receptors

**Goiter**, see Complications

**Granisetron**, see Pharmacology

**Gynecological surgery**, see Surgery

**Halothane**, see Anesthetics, volatile

**Hawthorne effect**, awareness of being observed in anesthesia, 90:739

**Headache**, see Complications

**Heart**

- blood flow, effect of  $\alpha_2$  agonist-induced sedation and its reversal with  $\alpha_2$  antagonist, sheep, 90:1060
- cardiac output, measurement, arterial thermodilution, piglets, 90:57
- cardioplegic arrest, myocyte endothelin exposure and exacerbation of contractile dysfunction after reperfusion, 90:1080
- contractility
  - asynchronous myocardial contraction, modeling, by effective stroke volume analysis, 90:243
  - dysfunction, postischemic, reduction, effects of sevoflurane vs halothane, isolated rat heart, 90:1089
  - myocyte endothelin exposure and cardioplegia, 90:1080
  - propofol and, intact beating guinea pig hearts, 90:1286
- coronary perfusion pressure
  - effect of epinephrine and vasopressin, cardiopulmonary resuscitation during severe hypothermia, pigs, 90:69
  - prolonged cardiopulmonary resuscitation, effects of repeated doses of vasopressin or epinephrine, pigs, 90:1067
- dysrhythmias, atrioventricular dissociation (letter), 90:1004



- electrocardiographic artifacts, during  
  shoulder arthroscopy, pressure-  
  controlled irrigation pump, 90:856  
endothelin, myocyte endothelin  
  exposure and cardioplegia, 90:1080  
function, regional ventricular elastances,  
  90:252  
immediate-early gene expression, effects  
  of pentobarbital, isoflurane, and  
  propofol, rats, 90:1177  
infarction, size, effect of levosimendan,  
  90:5  
intracellular  $Ca^{2+}$  concentration, effect of  
  propofol, intact beating guinea pig  
  hearts, 90:1286  
ischemia  
  patients at risk of, postoperative  
  prophylactic administration of  $\beta$ -  
  adrenergic blockers, 90:1257  
  reperfusion injury, nonuniform  
  behavior of intravenous anesthetics,  
  guinea pigs, 90:1293  
left ventricle  
  function, diastolic, assessment (letter),  
  90:1001  
  preload, assessment, use of TEE,  
  critically ill patients, 90:351  
myocardial b-adrenoceptor signaling,  
  effect of perinatal cocaine exposure,  
  neonatal rats, 90:50  
myocytes  
  isoflurane, halothane, and cardiac  
  inward rectifier  $K^+$  current, 90:824  
  myocyte endothelin exposure and  
  cardioplegia, 90:1080  
normothermic cardioplegia, sevoflurane  
  and postischemic contractile  
  dysfunction, 90:1089  
prenatal, hemodynamic effects of  
  halothane and isoflurane, chick  
  embryo, 90:1331  
rate, effects of perioperative  
  dexmedetomidine infusion, vascular  
  surgery, 90:834  
regional wall motion abnormalities  
  effective stroke volume analysis,  
  90:243  
  esmolol-induced, and regional  
  ventricular elastances, 90:252  
reperfusion injury, volatile anesthetics  
  and cardiac eicosanoid production,  
  90:17  
transplanted, anticholinesterases and  
  (letter), 90:1001  
ventricular fibrillation, prolonged  
  cardiopulmonary resuscitation,  
  effects of repeated doses of  
  vasopressin or epinephrine, pigs,  
  90:1067
- Heart transplantation**, see Surgery  
**Hematocrit**, see Blood  
**Heme oxygenase**, see Metabolism, iron  
**Hemodilution**, see Anesthetic techniques  
**Heparin**, see Pharmacology  
**Hetastarch**, see Fluid balance  
**Hextend**, see Fluid balance  
**Hirudin**, see Pharmacology  
**Hormones**  
  adrenocorticotrophic hormone (ACTH),  
    effect of clonidine pretreatment,  
    patients undergoing total abdominal  
    hysterectomy, 90:1441  
  cortisol  
    effect of clonidine pretreatment,  
    patients undergoing total abdominal  
    hysterectomy, 90:1441  
    propofol/sufentanil and surgical  
    stress response, 90:450  
  glucagon, propofol/sufentanil and  
  surgical stress response, 90:450  
  insulin, propofol/sufentanil and surgical  
  stress response, 90:450  
**Hospital stay**, regional anesthesia,  
  pediatric cardiac surgery, 90:1014  
**Hydroxyethyl starch**, see Fluid balance  
**Hyperalgesia**, see Pain  
**Hypercapnia**, see Carbon dioxide  
**Hyperkalemia**, see Complications  
**Hyperosmolarity**, see Complications  
**Hypertension**, see Blood pressure; Lung,  
  pulmonary hypertension  
**Hyperthermia**, malignant, susceptibility,  
  diagnosis, multicenter study of 4-  
  chloro-m-cresol, 90:200  
**Hypnosis**, tape-recorded instructions, as  
  adjuvant in care of patients  
  scheduled for third molar surgery,  
  90:64  
**Hypocalcemia**, see Complications  
**Hypocapnia**, see Carbon dioxide  
**Hypoglycemia**, see Complications  
**Hypotension**, see Blood pressure  
**Hypothermia**, see Temperature  
**Hypoventilation**, see Ventilation  
**Hypoxemia**, see Oxygen  
**Hypoxia**, see Oxygen  
**Hysterectomy**, see Surgery  
**Icterus**, see Complications  
**IgE**, aprotinin, significance of antibodies at  
  exposure, 90:262  
**IgG**, aprotinin, significance of antibodies  
  at exposure, 90:262  
**Immunity**  
  exposure to *Bacteroides fragilis* during  
  cardiac surgery, 90:819  
  immune response  
    after surgery, effects of tramadol and  
    morphine, cancer patients, 90:1411  
  leukocyte-reduced blood transfusions,  
  90:1315  
**Incisional pain**, see Pain  
**Infarction**, see Heart  
**Infection**  
  *Bacteroides fragilis*, exposure during  
  cardiac surgery, 90:819  
  postoperative, leukocyte-reduced blood  
  transfusions, 90:1315  
  sepsis  
    COX-inhibitors in septic rat lungs,  
    90:625  
    effect of propofol on *d*-tubocurarine-  
    induced twitch depression, rats,  
    90:80  
    septic valvular dysfunction, NO and,  
    90:89  
**Infiltration, local**, see Anesthetic  
  techniques  
**Inflammation**  
  cytokines  
    interleukin-6, production, effect of  
    ketamine, 90:206  
    post-CPB macrophage functions,  
    90:1039  
    post-CPB pulmonary dysfunction,  
    90:1046  
    proinflammatory, effect of clonidine  
    pretreatment, patients undergoing  
    total abdominal hysterectomy,  
    90:1441  
  lung, acute, after gastric acid aspiration,  
  suppression, use of systemic  
  perfluorocarbons, rats, 90:356  
  macrophage function  
    post-CPB macrophage functions,  
    90:1039  
    post-CPB pulmonary dysfunction,  
    90:1046  
**Inflammatory demyelinating  
  polyradiculoneuropathy**, see  
  Complications  
**Information systems**, OR, sequencing  
  cases, predicting durations of  
  surgical cases, 90:975  
**Inhaled NO**, see Anesthetic techniques  
**Injection pain**, see Pain  
**Insulin**, see Hormones  
**Intensive care medicine**, past  
  achievements and future trends,  
  90:1236  
**Interactions, drug**  
  clonidine and ketorolac, 90:1152  
  fentanyl and propofol, 90:1365  
  ketorolac and clonidine, 90:1152  
  lidocaine and propofol, 90:989  
  local anesthetics and opioids, 90:383  
  morphine and neostigmine, 90:421  
  neostigmine and morphine, 90:421

**Interactions, drug—continued**

- N<sub>2</sub>O and propofol, 90:1213
- opioids and local anesthetics, 90:383
- propofol and
  - fentanyl, 90:1365
  - lidocaine, 90:989
  - N<sub>2</sub>O, 90:1213
  - remifentanyl, 90:1450
  - d-tubocurarine, 90:80
- remifentanyl and propofol, 90:1450
- d-tubocurarine and propofol, 90:80
- Interleukin-6**, see Inflammation, cytokines
- Internal jugular vein**, see Veins
- Internal mammary artery**, see Arteries
- Internet**, quality of medical information (letter), 90:1246
- Interscalene plexus block**, see Anesthetic techniques
- Intraarticular analgesia**, see Anesthetic techniques
- Intracranial pressure**, see Monitoring
- Intravascular injection**, see Complications
- Intravenous infusion**, see Anesthetic techniques
- Intubation**
  - bronchial, bronchial injury as avoidable complication (letter), 90:1458
  - endotracheal
    - and cricoarytenoid joint capsule, 90:180
    - difficult, associated with torus mandibularis, 90:757
    - fiberoptic, through ultra-thin bronchoscope with suction channel, newborn with difficult airway (letter), 90:1007
    - lightwand device vs laryngoscope, hemodynamic changes, normotensive and hypertensive patients, 90:1203
    - submental, use of endotracheal tube exchanger, 90:222
    - using fiberoptic stylet, jaw thrust maneuver (letter), 90:1457
  - oro-tracheal, bispectral index changes and hemodynamic responses, effect of remifentanyl, 90:161
  - tracheal
    - hemodynamic and catecholamine stress responses (letter), 90:231
    - hemodynamic changes associated with, attenuation, effect of intravenous chloroprocaine, 90:1208
    - hemodynamics changes after, blunting, use of esmolol and/or nicardipine, 90:280
    - rapid, with large-dose rocuronium, probability-based approach, 90:175

- retrograde intubation, managing difficult pediatric airway, 90:878
- technique, lighted stylet, review, 90:745

**In vitro contracture test**, see Measurement techniques**Iohexol**, see Contrast dye**Ions**

- calcium
  - Ca<sup>2+</sup> mobilization, angiotensin II-induced, in aortic smooth muscle cells, effect of propofol, normotensive and hypertensive rats, 90:546
- fluoride, sevoflurane and renal toxicity, 90:683
- magnesium, magnesium sulfate, potentiation of morphine antinociception, spinal level, 90:913
- sodium, channel, blocker, intravenous, for neuropathic pain (letter), 90:1007

**Iron**, see Metabolism**Ischemia**, see Heart**Isoflurane**, see Anesthetics, volatile**Jehovah's Witnesses**, see Complications**Jet ventilation**, see Ventilation**Jugular venous oximetry**, see Monitoring**Kaposi's Sarcoma**, see Complications**Ketamine**, see Analgesics; Anesthetics, intravenous**Ketorolac**, see Analgesics**Kidney**

- blood flow
  - during calcitonin gene-related peptide-induced, with or without propranolol, dogs, 90:1275
- effect of  $\alpha_2$  agonist-induced sedation and its reversal with  $\alpha_2$  antagonist, sheep, 90:1060
- function, effects of sevoflurane on serum creatinine and blood urea nitrogen concentrations, 90:683
- immediate-early gene expression, effects of pentobarbital, isoflurane, and propofol, rats, 90:1177
- renal safety of sevoflurane (editorial), 90:505

**Kindling**, see Brain, amygdala**Knee surgery**, see Surgery**Labor**, see Pain**Lactated Ringer's solution**, see Fluid balance**Lansoprazole**, see Pharmacology**Laparoscopic surgery**, see Surgery**Laryngeal mask airway**, see Equipment**Laryngeal stenosis**, see Complications**Laryngeal tube**, see Equipment**Laryngoscope**, see Equipment**Laryngoscopy**, see Anesthetic techniques**Latex**, see Allergy**Levcromakalim**, see Pharmacology**Levosimendan**, see Pharmacology**Lidocaine**, see Anesthetics, local**Lightwand device**, see Equipment**Liver**

- blood flow
  - during calcitonin gene-related peptide-induced, with or without propranolol, dogs, 90:1275
- elderly patients undergoing laparoscopic cholecystectomy, 90:1198
- function, elderly patients undergoing laparoscopic cholecystectomy, 90:1198

**Liver transplantation**, see Surgery**LMA**, see Equipment, laryngeal mask airway**Lumbar sympathetic block**, see Anesthetic techniques**Lung**

- alveolar fluid clearance, amiloride-sensitive, failure of halothane to decrease, rabbits, 90:1445
- bronchoconstriction, serotonin-induced, effects of milrinone, dogs, 90:790
- bronchodilators, bronchial epithelium and CPB, pig bronchioles, 90:778
- bronchopulmonary lavage, use of Level 1 warmer (letter), 90:501
- inflammation, acute, after gastric acid aspiration, suppression, use of systemic perfluorocarbons, rats, 90:356
- inflation, anesthesia and airway-cardiac reflexes, 90:847
- pulmonary hypertension
  - chronic thromboembolic, 90:267
- serotonin-induced, effects of milrinone, dogs, 90:790
- pulmonary vascular resistance, reduction, during heart transplantation, inhaled NO vs prostaglandin E<sub>1</sub>, 90:523
- vasoconstriction, bradykinin-induced, attenuation by cyclooxygenase inhibitors, septic isolated rat lungs, 90:625
- vasodilation, NO and anesthesia machines, 90:482

**Lung collapse**, see Complications**Magnesium**, see Ions; Pharmacology**Magnetic resonance imaging**, see Measurement techniques**Malignant hyperthermia**, see Hyperthermia

**Mannitol**, see Pharmacology

**Maxillofacial injuries**, see Trauma

**Measurement techniques**

activated clotting time

antiphospholipid syndrome,  
anticoagulation management,  
cardiac surgery, 90:1098

high-dose thrombin time and  
heparinization, 90:813

arterial transcardiopulmonary

thermodilution, piglets, 90:57

comparison, reporting standards for

Bland and Altman analysis, 90:593

computed tomography, effects of

propofol on cerebral blood volume  
and blood flow, rabbits, 90:1376

Digit Symbol Substitution Test, recovery

after remifentanyl, desflurane, or  
sevoflurane anesthesia, 90:168

electromyography, laryngeal, effect of

muscle relaxants on laryngeal  
muscles, 90:494

electrophysiologic testing, volunteers

experiencing transient neurologic  
symptoms after lidocaine  
subarachnoid anesthesia, 90:658

flow cytometry

aprotinin and platelets, 90:12

whole blood, effects of heparin,  
protamine, and heparinase 1 *in*  
*vitro*, 90:808

gas chromatography, with solid phase

microextraction, for detecting  
plasma propofol, 90:1452

*in vitro* contracture test, 4-chloro-m-

cresol for malignant hyperthermia  
diagnosis, 90:200

magnetic resonance imaging (MRI)

distribution of local anesthetic during  
three-in-one block, 90:119

peripheral nerve blocks, art and  
science (editorial), 90:1

multiple inert gas elimination technique,  
90:466

near-infrared spectroscopy, changes in

cerebral blood volume with  
position, 90:372

patch-clamp

effects of ropivacaine on sodium  
currents, dorsal horn neurons,  
neonatal rats, 90:1034

isoflurane and GABA<sub>A</sub> receptor,  
90:1184

pentobarbital and nicotinic receptors,  
90:970

whole-cell, modulation of cardiac

inward rectifier K<sup>+</sup> current by  
halothane and isoflurane, 90:824

phase angle analysis, asynchronous

myocardial contraction, 90:243

platelet count, and perfluorocarbons,

90:517

SONOCLOT analysis, *in vitro* effects of

different medium molecular

hydroxyethyl starch solutions and  
lactated Ringer's solution, 90:274

Spielberger test, analysis of preoperative

anxiety, 90:706

systolic CSF peak velocity, effects of

remifentanyl on cerebral capacity,  
90:609

thromboelastography

assessment of effects of midtrimester  
and final-trimester amniotic fluid on

whole blood coagulation, 90:333

effect of *in vitro* hemodilution with  
gelatin, dextran, hydroxyethyl

starch, or Ringer's solution, 90:795  
extreme hemodilution, *in vitro* and *in*  
*vivo* studies, rabbits, 90:541

use of citrated whole blood, 90:1086

transcranial Doppler ultrasonography,

effects of propofol-ketamine  
anesthesia on cerebral circulation,  
90:377

transcutaneous electrical stimulation,

assessment of dermatomal level of  
anesthesia after spinal tetracaine,  
90:1406

Trieger Dot Test, recovery after

remifentanyl, desflurane, or  
sevoflurane anesthesia, 90:168

ultrafast solution exchange,

pentobarbital and nicotinic  
receptors, 90:970

visual analog scale

pain and intrapartum epidural  
analgesia, 90:109

preoperative anxiety and detection of  
patients' anesthetic concerns, 90:706

**Mechanisms of anesthetic action**

inhaled nonimmobilizers, and middle

latency auditory-evoked response,  
rats, 90:213

isoflurane, and GABA<sub>A</sub> receptor, 90:1184

**Memory**

impairment, caused by small-dose

dexmedetomidine infusions, 90:699

implicit, of stories played during

isoflurane/alfentanil/nitrous oxide  
anesthesia, reading speed  
measurement, 90:699

**Meningitis**, see Complications

**Meperidine**, see Analgesics; Pharmacology

**Mepivacaine**, see Anesthetics, local

**Meta-analysis**, see Statistics

**Metabolic response**, during lower

abdominal surgery, effect of  
propofol/sufentanil anesthesia,  
90:450

**Metabolism**

CO<sub>2</sub>, production by absorbents, 90:1428

Compound A, production by  
absorbents, 90:1428

iron, heme oxygenase, role in  
neuropathic and incisional pain,  
90:677

volatile anesthetics and cardiac  
eicosanoid production, 90:17

**Methemoglobinemia**, see Complications

**Methohexital**, see Anesthetics,

intravenous; Barbiturates

**14-Methoxymetopon**, see Analgesics

**Microlaryngeal surgery**, see Surgery

**Midazolam**, see Anesthetics, intravenous;  
Premedication

**Midfemoral block**, see Anesthetic  
techniques

**Milrinone**, see Pharmacology

**Minimum alveolar anesthetic  
concentration**, see Potency,  
anesthetic

**Mivacurium**, see Neuromuscular relaxants

**Monitored anesthesia care**, see Anesthetic  
techniques

**Monitoring**

anticoagulation, EACA effect on

HemoSTATUS and kaolin-ACT  
measurements, 90:1281

capnography, dual-plateau capnogram,  
caused by cracked sample filter  
(letter), 90:233

cerebral near-infrared oximetry,  
interference, icteric patients, 90:489

echocardiography, intraoperative,  
evaluation of atherosclerosis in  
ascending aorta, CABG, 90:1262

electrocardiography

cardiotoxic effects of local anesthetics,  
anesthetized swine, 90:1308

electrocardiographic artifacts during  
shoulder arthroscopy, pressure-

controlled irrigation pump, 90:856  
Q-T interval, prolongation, effects of

sevoflurane vs propofol, 90:25

electroencephalography

bispectral index, and depth of  
anesthesia, 90:1114

bispectral index, change, after  
orotracheal intubation, effect of  
remifentanyl, 90:161

bispectral index, pediatric evaluation,  
and correlation of BIS with end-  
tidal sevoflurane concentration,  
infants and children, 90:872

**Monitoring—continued**

- effects of 14-methoxymetopon vs sufentanil, dogs, 90:1359
- evoked potentials
  - middle-latency auditory-evoked response, and inhaled nonimmobilizers, rats, 90:213
  - somatosensory, effects of 14-methoxymetopon vs sufentanil, dogs, 90:1359
- intracranial pressure, intraoperative, in pneumococcal meningitis, 90:107
- jugular venous oximetry, 90:559
- platelet function, EACA effect on HemoSTATUS and kaolin-ACT measurements, 90:1281
- pulse oximetry
  - conventional vs Masimo SET technology, false alarms and sensitivity, pediatric PACU, 90:1336
  - pharyngeal, with LMA, vs finger oximetry and arterial saturation measurements, healthy anesthetized patients, 90:440
  - radial artery catheterization, followed by digital gangrene, patient with thrombocytosis, 90:45
  - temperature, methods, accuracy and precision, regional and general anesthesia, 90:938
  - thromboelastography, modified, rapid evaluation of coagulopathies after CPB, children, 90:1324
  - transesophageal echocardiography (TEE)
    - ASE/SCA guidelines (letter), 90:1248
    - assessment of left ventricular diastolic function (letter), 90:1001
    - effect on ventilation, small infants undergoing cardiac surgery, 90:47
    - hepatic blood flow and function, elderly patients undergoing laparoscopic cholecystectomy, 90:1198
    - use for preload assessment, critically ill patients, 90:351
- Morphine**, see Analgesics; Pharmacology
- Mortality**, see Outcomes
- Multiple nerve block**, see Anesthetic techniques
- Muscle**
  - skeletal, blood flow, effect of  $\alpha_2$  agonist-induced sedation and its reversal with  $\alpha_2$  antagonist, sheep, 90:1060
  - smooth, aortic, angiotensin II-induced  $\text{Ca}^{2+}$  mobilization, effect of propofol, normotensive and hypertensive rats, 90:546
- Myocytes**, see Heart
- Naloxone**, see Antagonists, opioid; Pharmacology
- Nausea**, see Vomiting
- Near-infrared spectroscopy**, see Measurement techniques
- Neonates**, respiratory depression, and alfentanil at induction of anesthesia for cesarean delivery, 90:1167
- Neostigmine**, see Analgesics; Pharmacology
- Nephrotoxicity**, see Toxicity
- Nerve-ligation injury**, see Pain, neuropathic
- Nerves**, sciatic, lateral approach (letter), 90:770
- Neuraxial blockade**, see Anesthetic techniques
- Neuromuscular relaxants**
  - atracurium, inhibition of serotonin-type 3A receptor, *Xenopus* oocytes, 90:476
  - comparative pharmacology, 90:52
  - mivacurium
    - administration, children with Duchenne muscular dystrophy (letter), 90:498
    - effect on laryngeal muscles, monitoring, use of surface laryngeal electromyography, 90:494
  - pediatric patients, 90:514
  - pharmacoeconomics, 90:519
  - rapacuronium
    - block, reversal, during propofol vs sevoflurane anesthesia, 90:689
    - introduction, 90:51
    - pediatric patients, 90:514
    - pharmacoeconomics, 90:519
    - recovery and reversal, 90:57
    - vs succinylcholine, 90:524
  - recovery from neuromuscular block, 90:57
  - rocuronium
    - dose-response relationships, estimating, alternate method, 90:1191
    - effect on laryngeal muscles, monitoring, use of surface laryngeal electromyography, 90:494
    - injection, withdrawal movements associated with (letter), 90:227
    - large-dose, rapid tracheal intubation, probability-based approach, 90:175
    - onset time, effects of esmolol and ephedrine, 90:1217
  - succinylcholine
    - dose-response relationships, estimating, alternate method, 90:1191
    - features and alternatives, 90:524

- pediatric patients, 90:514
- potency, obese adolescents, 90:576
- d*-tubocurarine
  - induced twitch depression, effect of propofol, septic rat diaphragm, 90:80
  - inhibition of serotonin-type 3A receptor, *Xenopus* oocytes, 90:476
- vecuronium, prolonged effect, patient with chronic inflammatory demyelinating polyradiculoneuropathy, 90:224
- Neuron**
  - diclofenac acute effect on spinal *c-fos*, 90:1141
  - dorsal horn, sodium currents, effects of ropivacaine, neonatal rats, 90:1029
- Neurotoxicity**, see Toxicity
- Neutrophils**
  - adhesion molecules, ketamine and, 90:206
  - postischemic adhesion, intravenous anesthetics, 90:1293
- Nicardipine**, see Pharmacology
- Nimodipine**, see Premedication
- Nissen fundoplication**, see Surgery
- Nitric oxide**, see Gases, nonanesthetic
- Nitroglycerin**, see Pharmacology
- S-nitroso-N-acetylpenicillamine**, see Pharmacology
- Nitrous oxide**, see Anesthetics, gases
- NMDA**, see Receptors, *N*-methyl-D-aspartate
- Nonimmobilizers**, inhaled, and middle latency auditory-evoked response, rats, 90:213
- Norepinephrine**, see Sympathetic nervous system
- Obesity**, see Complications
- Oculocardiac reflex**, see Reflexes
- Ondansetron**, see Pharmacology
- One-lung ventilation**, see Anesthetic techniques
- Operating room (OR)**
  - labor costs, effects of scheduling strategies, computer simulation, 90:980
  - scheduling
    - math made simple (letter), 90:502
    - relative frequency of uncommon ambulatory surgery procedures, 90:1343
    - strategies, effects on labor costs, computer simulation, 90:980
  - sequencing cases, predicting durations of surgical cases, 90:975
  - warm environment, age-related thermoregulatory differences, 90:694
- Opioids**, see Analgesics

**Opioid substitution**, see Anesthetic techniques

**Ornipressin**, see Pharmacology

# **Outcomes**

- adverse perioperative, reporting to quality management program, factors influencing, 90:344
- cost effectiveness of anesthesia workforce models, 90:584
- goal-oriented hemodynamic therapy, cardiac surgical patients, 90:1052
- mortality, after CABG (letter), 90:1247
- neonatal, alfentanil at induction of anesthesia for cesarean delivery, 90:1167
- regional anesthesia
  - open heart surgery, 90:1020
  - pediatric cardiac surgery, 90:1014

# **Oxygen**

- delivery, oxygen transport after cardiac surgery, 90:1052
- desaturation
  - during morphine analgesia, effects of residual pain, 90:156
  - intraoperative, during Nissen fundoplication, 90:62
  - jugular bulb, during propofol anesthesia, neurosurgical procedures (letter), 90:769
- hypoxemia
  - during apnea, factors determining onset and course, investigation using physiological modeling, 90:619
  - during apnea, investigating, validation of set of physiological models, 90:614
  - supine position during one-lung ventilation, 90:28
- hypoxia, during morphine analgesia, effects of residual pain, 90:156
- saturation, during morphine analgesia, effects of residual pain, 90:156
- systemic perfluorocarbons, suppression of acute lung inflammation after gastric acid aspiration, rats, 90:356

# **Pain**

- allodynia
  - intrathecal magnesium and morphine, 90:913
  - nerve-ligation injury, drug interaction between morphine and neostigmine, rats, 90:421
- antinociception
  - by epidural and systemic  $\alpha_2$ -adrenoceptor agonists, and binding affinity, spinal cord and brain, rats, 90:400

- effect of magnesium sulfate, spinal level, 90:913
- interactions between clonidine and ketorolac, 90:1152
- of  $K^+$  ATP channel openers, 90:1146
- strain differences in  $N_2O$  analgesia, rats, 90:195
- central sensitization, ketamine and temporal summation, 90:408
- chronic
  - cannabis, scientific evaluation (editorial), 90:237
  - noncancer, control, opioid substitution, chart review, 90:933
- hyperalgesia
  - diclofenac acute effect on spinal c-fos, 90:1141
  - ketamine and temporal summation, 90:408
  - thermal, capsaicin-treated skin, effect of peripheral opioid block, 90:923
- incisional, role of heme oxygenase, 90:677
- injection, propofol, prevention, quantitative systematic review, 90:963
- labor
  - epidurals and cesarean deliveries (editorial), 90:775
  - severe, and cesarean delivery, association between, 90:881
- neuropathic
  - intravenous sodium channel blocker (letter), 90:1007
  - nerve-ligation injury, drug interaction between morphine and neostigmine, rats, 90:421
  - role of heme oxygenase, 90:677
- nociception, ketamine and temporal summation, 90:408
- obstetric, intrapartum epidural analgesia, recommendation and acceptance, predictors, 90:109
- postoperative
  - analgesic efficacy of rectal acetaminophen, adults, 90:431
  - anorectal surgery, intravenous vs local ketorolac, 90:1107
  - anterior cruciate ligament repair, effect of intraoperative small-dose ketamine, 90:129
  - breast surgery, thoracic paravertebral block, 90:1402
  - control, regularly administered sustained release oral morphine vs intramuscular morphine, 90:427
  - effects of plasma fentanyl concentrations, propofol- $N_2O$  anesthesia, 90:1365

- effects of tramadol and morphine, cancer patients, 90:1411
  - effects on ventilatory pattern, 90:156
  - epidural morphine dose response, 90:887
  - hysterectomy, abdominal, ketamine and preemptive analgesia, 90:1419
  - major surgery, remifentanil-based anesthesia, efficacy of intravenous 0.15 vs 0.25 mg/kg intraoperative morphine, 90:666
  - outpatient arthroscopic knee surgery, intraarticular clonidine and morphine, 90:1102
  - PCEA, sufentanil combined with ropivacaine 0.2% wt/vol, 90:649
  - peripheral local anesthetics in laparoscopy, 90:899
  - remifentanil use, pediatric patients, 90:863
  - under spinal anesthesia, relief, one drop of morphine added to local anesthetics by means of 23-gauge injection needle (letter), 90:1000
  - sympathetically maintained, lumbar sympathetic block, changes in cutaneous temperatures and pain perception, 90:1396
  - thermal, hyperalgesia, capsaicin-treated skin, effect of peripheral opioid block, 90:923
  - thoracostomy tube removal, pediatric, analgesia, 90:1025
- Pancreas**, blood flow, during calcitonin gene-related peptide-induced, with or without propranolol, dogs, 90:1275
- Paracetamol**, see Analgesics, acetaminophen
- Paraganglioma**, see Complications
- Patch-clamp**, see Measurement techniques
- Patient-controlled analgesia**, see Anesthetic techniques
- Patient-controlled epidural analgesia**, see Anesthetic techniques
- PCA**, see Anesthetic techniques, patient-controlled analgesia
- PCEA**, see Anesthetic techniques, patient-controlled epidural analgesia
- PEEP**, see Ventilation, positive end-expiratory pressure
- Penicillin**, see Pharmacology
- PentaLyte**, see Fluid balance
- Pentobarbital**, see Anesthetics, intravenous
- Peptide**, thrombin receptor activator, aprotinin and platelets, 90:12
- Perfluorocarbons**, see Blood, substitutes; Pharmacology



**Perfluorodichlorooctane emulsion, see**

Blood, substitutes

**Peripheral nerve block, see Anesthetic techniques****Peripheral vascular surgery, see Surgery****Personnel, OR**

labor costs, effects of scheduling strategies, computer simulation, 90:980

math made simple (letter), 90:502

sequencing cases, predicting durations of surgical cases, 90:975

**Pharmacodynamics**fentanyl, concentrations, plasma, effects on propofol requirement, emergence from anesthesia, and postoperative analgesia, propofol-N<sub>2</sub>O anesthesia, 90:1365onset time, rocuronium, effects of esmolol and ephedrine, 90:1217  
tolerance, ketamine and morphine tolerance, 90:136**Pharmacoeconomics, neuromuscular**

blocking drugs, 90:519

**Pharmacokinetics**acetaminophen, rectal, adults, 90:431  
recombinant transgenic antithrombin, volunteers, 90:531**Pharmacology**

amrinone, and L-arginine, interaction, vasodilation of internal mammary arteries, pigs, 90:840

angiotensin II, -induced Ca<sup>2+</sup> mobilization, in aortic smooth muscle cells, effect of propofol, normotensive and hypertensive rats, 90:546**aprotinin**administration, increased safety, need for test-dose (letter), 90:770  
effects on platelets *in vitro* using whole blood flow cytometry, 90:12

-specific antibodies, preformed, significance, cardiac surgical patients, 90:262

cannabis, scientific evaluation (editorial), 90:237

chlorpromazine, intramuscular meperidine, promethazine, and chlorpromazine, vs oral ketamine/midazolam, for pediatric cardiac catheterization, 90:299

**clonidine**

pretreatment, effect on perioperative proinflammatory cytokines, cortisol, and ACTH responses, patients undergoing total abdominal hysterectomy, 90:1441

prevention of postanesthetic shivering, 90:954

spinal antinociception by  $\alpha_2$  agonists, 90:400

systemic, anesthetic-sparing and hemodynamic-stabilizing effects, involvement of supraspinal adrenoceptors, rats, 90:722

dexmedetomidine, spinal antinociception by  $\alpha_2$  agonists, 90:400

dimenhydrinate, suppositories, reduction of PONV after strabismus surgery, children, 90:311

dolasetron, vs ondansetron, for antiemetic prophylaxis, costs and efficacy, 90:1352

dopamine, small-dose, effect on epidural lidocaine requirements during peripheral vascular surgery, elderly patients, 90:388

droperidol, epidural, inhibition of epidural morphine-induced pruritus, 90:638

epsilon-aminocaproic acid (EACA), effect on HemoSTATUS and kaolin-ACT measurements, 90:1281

**esmolol**

and/or nicardipine, hemodynamic changes after laryngoscopy and tracheal intubation, 90:280

 $\beta$ -adrenergic blockers and ischemia, 90:1257

-induced regional wall motion abnormalities, and regional ventricular elastances, 90:252

fentanyl, intrathecal, vs intravenous ondansetron, prevention of intraoperative nausea during cesarean delivery with spinal anesthesia, 90:1162

granisetron, and PONV, reported data (letter), 90:1004

**heparin**effects on platelets *in vitro* using whole blood flow cytometry, 90:808

high-dose thrombin time and heparinization, 90:813

-induced thrombocytopenia type II, patients with, cardiovascular surgery without CPB using anticoagulation with recombinant hirudin, 90:292

intravenous, for CPB, followed by cardiovascular instability requiring treatment, 90:42

resistance, EACA effect on HemoSTATUS and kaolin-ACT measurements, 90:1281

therapy, patients on, *in vitro* effects of antithrombin III on activated coagulation time, 90:1076heparinase 1, effects on platelets *in vitro* using whole blood flow cytometry, 90:808

hirudin, recombinant, anticoagulation with, cardiovascular surgery without CPB, patients with heparin-induced thrombocytopenia type II, 90:292

histamine-2 receptor antagonists, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:50

lansoprazole, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:717

levocromakalim, antinociception of K<sup>+</sup><sub>ATP</sub> channel openers, 90:1146levosimendan, effect on myocardial infarct size via activation of K<sub>ATP</sub> channels, 90:5magnesium, isoflurane, halothane, and cardiac inward rectifier K<sup>+</sup> current, 90:824

mannitol, hyperosmolar, intracarotid injection, blood-brain barrier disruption caused by, effects of morphine, rats, 90:603

**meperidine**intramuscular meperidine, promethazine, and chlorpromazine, vs oral ketamine/midazolam, for pediatric cardiac catheterization, 90:299  
prevention of postanesthetic shivering, 90:954**milrinone**

and L-arginine, interaction, vasodilation of internal mammary arteries, pigs, 90:840

attenuation of serotonin-induced pulmonary hypertension and bronchoconstriction, dogs, 90:790

morphine, spinal antinociception by  $\alpha_2$  agonists, 90:400

neostigmine, and morphine, interaction, nerve-ligation injury, rats, 90:421

nicardipine, and/or esmolol, hemodynamic changes after laryngoscopy and tracheal intubation, 90:280

nicorandil, antinociception of K<sup>+</sup><sub>ATP</sub> channel openers, 90:1146**nitroglycerin**

as aid to venipuncture, nitroglycerin tape users (letter), 90:499

- effect on gravid uterus, sheep and rabbits, 90:337
- S-nitroso-N-acetylpenicillamine, during hemorrhagic shock, improvement of mortality as result of recovery from vascular hyporeactivity, 90:362
- ondansetron  
given before induction of anesthesia, effect on incidence of postanesthetic shivering, 90:1423  
intravenous, vs intrathecal fentanyl, prevention of intraoperative nausea during cesarean delivery with spinal anesthesia, 90:1162  
neuromuscular blockers inhibit 5-HT<sub>3A</sub> receptor, 90:477  
vs dolasetron, for antiemetic prophylaxis, costs and efficacy, 90:1352
- ornipressin, as alternative to counteract hypotension during combined general/epidural anesthesia, 90:1301
- penicillin, -induced status epilepticus, anticonvulsant effects of volatile anesthetics, cats, 90:142
- perfluorocarbons, systemic, suppression of acute lung inflammation after gastric acid aspiration, rats, 90:356
- promethazine, intramuscular  
meperidine, promethazine, and chlorpromazine, vs oral ketamine/midazolam, for pediatric cardiac catheterization, 90:299
- propranolol, and splanchnic organ blood flow during calcitonin gene-related peptide-induced hypotension, dogs, 90:1275
- prostaglandin E<sub>1</sub>, vs inhaled NO, reduction of pulmonary vascular resistance, heart transplantation, 90:523
- proton pump inhibitors, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:50
- rabeprazole, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:717
- ramosetron, for preventing PONV, women undergoing gynecological surgery, 90:472
- ranitidine, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:717
- sildenafil, and L-arginine, interaction, vasodilation of internal mammary arteries, pigs, 90:840
- spermine, isoflurane, halothane, and cardiac inward rectifier K<sup>+</sup> current, 90:824
- tizanidine, spinal antinociception by  $\alpha_2$  agonists, 90:400
- urapidil, prevention of postanesthetic shivering, 90:954
- vasopressin, effect on coronary perfusion pressure, cardiopulmonary resuscitation during severe hypothermia, pigs, 90:69
- yohimbine, spinal antinociception by  $\alpha_2$  agonists, 90:400
- zaprinast, and L-arginine, interaction, vasodilation of internal mammary arteries, pigs, 90:840
- Pharyngeal pulse oximetry**, see Monitoring
- Pharynx**, perfusion, pharyngeal pulse oximetry, 90:440
- Phase angle analysis**, see Measurement techniques
- Phosphodiesterase inhibitors**, and L-arginine, interaction, vasodilation of internal mammary arteries, pigs, 90:840
- Plasma substitutes**, effect on Thrombelastograph, 90:795
- Platelets**, see Coagulation
- Pneumothorax**, see Complications
- Position**  
changes, and changes in cerebral blood volume, awake and anesthetized subjects, 90:372  
effects, two-lung and one-lung ventilation, patients with chronic pulmonary obstructive disease, 90:35  
supine, one-lung ventilation, sequential changes of arterial oxygen tension, 90:28
- Positive end-expiratory pressure**, see Ventilation
- Postanesthesia care unit (PACU)**, pediatric, conventional pulse oximetry vs Masimo SET technology, false alarms and sensitivity, 90:1336
- Potency, anesthetic**  
bupivacaine  
enantiomers and ropivacaine, crayfish giant axon *in vitro*, 90:415  
hyperbaric, minimum effective concentration for spinal anesthesia, 90:1135  
depth of anesthesia, and bispectral index monitoring, 90:1114
- dose-response curve, epidural morphine, 90:887
- minimum alveolar anesthetic concentration (MAC)  
clonidine, rats, 90:722  
nimodipine premedication and propofol induction, 90:445
- neuromuscular blocking drugs, dose-response relationships, estimating, alternate method, 90:1191
- remifentanyl and change of bispectral index after intubation, 90:161
- succinylcholine, obese adolescents, 90:576
- Preemptive analgesia**, see Anesthetic techniques
- Premedication**  
midazolam, pediatric anesthesia (letter), 90:498  
nimodipine, and induction dose of propofol, 90:445  
propofol target-controlled infusion, and age, 90:1157
- Preoperative**  
evaluation, anxiety and PONV, children, 90:571  
measurement, visual analog scale, 90:706  
fasting, current practice, national survey, 90:1348  
scheduling, relative frequency of uncommon ambulatory surgery procedures, 90:1343
- Preservatives**, preservative/excipient-related neurotoxicity of intrathecal drugs, reduction, simple technique (letter), 90:767
- Pressure-controlled irrigation pump**, see Equipment
- Promethazine**, see Pharmacology
- Propofol**, see Anesthetics, intravenous
- Propranolol**, see Pharmacology
- Prostacyclin**, see Eicosanoids
- Prostaglandin E<sub>1</sub>**, see Pharmacology
- Protamine**, see Coagulation
- Proton pump inhibitors**, see Pharmacology
- Pruritus**, see Complications
- Psychiatry**, Freudian (letter), 90:499
- Psychology**, awareness of being observed in anesthesia, 90:739
- Publications**  
*Anesthesia & Analgesia*, in new century (editorial), 90:3  
journals, comparing methods of clinical measurement, reporting standards for Bland and Altman analysis, 90:593
- Pulse oximetry**, see Monitoring

- Q-T interval**, see Monitoring, electrocardiography
- Quadruplegia**, see Complications
- Quality management**, program, reporting of adverse perioperative outcomes, factors influencing, 90:334
- Rabeprazole**, see Pharmacology
- Radial artery**, see Arteries
- Ramosectron**, see Pharmacology
- Ranitidine**, see Pharmacology
- Rapacurium**, see Neuromuscular relaxants
- Rapid sequence intubation**, see Anesthetic techniques
- Raynaud's disease**, see Complications
- Reading speed**, measurement, implicit memory of stories played during surgery, 90:733
- Receptors**
- $\alpha_2$ -adrenergic
    - agonists, dexmedetomidine, and vascular surgery, 90:834
    - agonists, dexmedetomidine, antinociception of  $K^+_{ATP}$  channel openers, 90:1146
    - agonists, epidural and systemic, antinociception, and binding affinity, spinal cord and brain, rats, 90:400
    - agonists, -induced sedation, effect on organ blood flow, sheep, 90:1060
    - supraspinal, involvement in anesthetic-sparing and hemodynamic-stabilizing effects of systemic clonidine, rats, 90:400
  - $\beta$ -adrenergic
    - antagonists, postoperative prophylactic administration, patients at risk of myocardial ischemia, 90:1257
    - antagonists, propranolol, and splanchnic organ blood flow during calcitonin gene-related peptide-induced hypotension, dogs, 90:1275
    - blockers, esmolol, -induced regional wall motion abnormalities, and regional ventricular elastances, 90:252
    - blockers, postoperative prophylactic administration, patients at risk of myocardial ischemia, 90:1257
    - myocardial, signaling, effect of perinatal cocaine exposure, neonatal rats, 90:50
    - bradykinin, -induced vasoconstriction, attenuation by cyclooxygenase inhibitors, septic isolated rat lungs, 90:625
  - endothelin, antagonism, during venous air infusion, hemodynamic effects, dogs, 90:102
  - GABA, -mediated currents, dual action of isoflurane through recombinant  $\alpha_1\beta_2\gamma_{2L}$ -GABA<sub>A</sub>-receptor channels, 90:1184
  - glutamate, intrathecal magnesium and morphine, 90:913
  - histamine-2, antagonists, for improving preoperative gastric fluid property, adults undergoing elective surgery, 90:50
  - $\mu$ -opioid, antinociception of  $K^+_{ATP}$  channel openers, 90:1146
  - nicotinic acetylcholine, adult-type, curare-like effects of pentobarbital, 90:970
  - N-methyl-D-aspartate (NMDA) antagonists, ketamine and temporal summation, 90:408
  - channel block by meperidine, dependence on extracellular pH, 90:928
  - ryanodine, agonists, 4-chloro-m-cresol, for malignant hyperthermia diagnosis, 90:200
  - serotonin-type 3A, inhibition by nondepolarizing neuromuscular blockers, *Xenopus* oocytes, 90:476
- Recombinant transgenic antithrombin**, see Pharmacokinetics
- Recovery**
- after anorectal surgery, remifentanyl infusion, obese patients undergoing laparoscopic cholecystectomy, 90:1111
  - minimally invasive CABG, remifentanyl vs alfentanil for use with propofol, 90:1269
  - of cognitive function, after remifentanyl-propofol anesthesia, comparison with desflurane and sevoflurane anesthesia, 90:168
  - shivering, postanesthetic, preventing, comparison of urapidil, clonidine, and meperidine, 90:954
- Reflexes**
- oculocardiac, incidence, sevoflurane vs halothane anesthesia, strabismus surgery, children, 90:306
  - $R_{III}$  nociceptive flexion reflex, ketamine and temporal summation, 90:408
- Remifentanyl**, see Analgesics; Anesthetics, intravenous
- Reperfusion injury**, see Heart
- Respiratory distress**, see Complications
- Respiratory failure**, see Complications
- Rocuronium**, see Neuromuscular relaxants
- Ropivacaine**, see Anesthetics, local
- Ryanodine receptors**, see Receptors
- Safety**
- emergency transvenous ventricular pacing, right supraclavicular route, 90:784
  - increased, administration of aprotinin, need for test-dose (letter), 90:770
  - remifentanyl administration, use of infusion pump, 90:713
  - renal, of sevoflurane (editorial), 90:505
- SAF-T-FILL valve**, see Equipment
- Sciatic nerve**, see Nerves
- Sedation**
- $\alpha_2$  agonist-induced, and its reversal with an  $\alpha_2$  antagonist, effects on organ blood flow, sheep, 90:1060
  - for pediatric cardiac catheterization, oral ketamine/midazolam vs intramuscular meperidine, promethazine, and chlorpromazine, 90:299
  - nonpharmacologic, in deaf child (letter), 90:1007
  - reversible, caused by small-dose dexmedetomidine infusions, 90:699
  - with sufentanil and midazolam, effect on pain felt by patients undergoing upper limb surgery under multiple nerve block, 90:1118
- Seizures**, see Complications
- Sepsis**, see Infection
- Serotonin**, -induced pulmonary hypertension and bronchoconstriction, effects of milrinone, dogs, 90:790
- Serotonin-type 3A**, see Receptors
- Sevoflurane**, see Anesthetics, volatile
- Shivering**, see Complications
- Shock**, hemorrhagic, 5-nitroso-N-acetylpenicillamine improves vascular hyporeactivity, 90:362
- Shoulder surgery**, see Surgery
- Silicone**, see Allergy
- Simulation**
- computer, effects of scheduling strategies on OR labor costs, 90:980
  - modeling hypoxemia during apnea, 90:619
  - validating hypoxemia and apnea models, 90:614
- Society for Pediatric Anesthesia (SPA)**, thirteenth annual meeting (October 8, 1999), 90:995
- Society of Cardiovascular Anesthesiologists (SCA)**, ASE/SCA guidelines for TEE, five-grade scoring system (letter), 90:1248

**Sociodemographic factors, intrapartum**

epidural analgesia, recommendation and acceptance, predictors, 90:109

**Soda lime**, see Carbon dioxide, absorbents

**Sodium**, see Channels; Ions

**SONOCLOT analysis**, see Measurement techniques

**Spermine**, see Pharmacology

**Spielberger test**, see Measurement techniques

**Spinal anesthesia**, see Anesthetic techniques

**Spinal cord**

diclofenac acute effect on spinal c-fos, 90:1141

epidural and systemic  $\alpha_2$ -adrenoceptor agonists, binding affinity, rats, 90:400

ketamine and morphine tolerance, 90:136

**Statistics**

Bland and Altman analysis, reporting standards, 90:593

logistic regression, rocuronium and perfect tracheal intubation, 90:175

math made simple (letter), 90:502

meta-analysis

dexamethasone and PONV, 90:186

peripheral local anesthetics in laparoscopy, 90:899

prevention of pain on injection with propofol, 90:963

novel analgesic adjuncts for brachial plexus block, systematic review, 90:1122

resampling, rocuronium and perfect tracheal intubation, 90:175

survey, relative frequency of uncommon ambulatory surgery procedures, 90:1343

**Stents**, see Equipment

**Strabismus surgery**, see Surgery, eye

**Strain differences**, antinociceptive effect of N<sub>2</sub>O on tail flick test, rats, 90:195

**Streptococcus mitis**, see Complications, meningitis

**Stress**

hormones, cortisol, effect of clonidine pretreatment, patients undergoing total abdominal hysterectomy, 90:1441

surgical, effects of tramadol and morphine, cancer patients, 90:1411

**Stylets**, see Equipment

**Succinylcholine**, see Neuromuscular relaxants

**Sufentanil**, see Analgesics; Anesthetics, intravenous

**Supine position**, see Position

**Surgery**

**abdominal**

hysterectomy, ketamine and

preemptive analgesia, 90:1419

hysterectomy, total, patients

undergoing, effect of clonidine

pretreatment on perioperative

proinflammatory cytokines, cortisol, and ACTH responses, 90:1441

hysterectomy, total, PCA, analgesic

efficacy of intravenous tenoxicam as adjunct, 90:672

lower, epidural levobupivacaine 0.75%

vs racemic bupivacaine, 90:642

lower, metabolic and endocrine

responses, effect of propofol/

sufentanil anesthesia, 90:450

adenoidectomy, remifentanyl vs fentanyl,

pediatric ambulatory surgical

patients, 90:863

anorectal, recovery after, effect of

ketorolac, intravenous vs locally

administration, 90:1107

breast, thoracic paravertebral block,

90:1402

**cardiac**

anticoagulation for patients receiving

preoperative heparin, use of high-

dose thrombin time, 90:813

antiphospholipid syndrome,

anticoagulation management,

90:1098

blood loss and transfusion

requirements, postoperative, effects

of intraoperative hetastarch

administration, 90:801

cardiovascular surgery without CPB,

using anticoagulation with

recombinant hirudin, patients with

heparin-induced thrombocytopenia

type II, 90:292

catheterization, oral ketamine/

midazolam vs intramuscular

meperidine, promethazine, and

chlorpromazine, children, 90:299

CO<sub>2</sub> elimination after, and positive

end-expiratory pressure, 90:85

complex, allogeneic transfusion,

reduction, platelet-rich plasma

sequestration with therapeutic

platelet yields, 90:509

effect of TEE on ventilation, small

infants, 90:47

exposure to *Bacteroides fragilis*, 90:819

goal-oriented hemodynamic therapy,

90:1052

pediatric, neuraxial blockade, lessons

(editorial), 90:1011

pharmacokinetics of recombinant

transgenic antithrombin, volunteers, 90:531

preload assessment, use of TEE,

critically ill patients, 90:351

sevoflurane and postischemic

contractile dysfunction, 90:1089

cardiopulmonary bypass (CPB)

cardiovascular instability requiring

treatment after intravenous heparin, 90:42

coagulopathies after, rapid evaluation,

use of modified

thromboelastography, children,

90:1324

normothermic, epithelium-dependent

bronchodilatory activity,

preservation, pig bronchioles, 90:778

patients on heparin therapy, *in vitro*

effects of antithrombin III on

activated coagulation time, 90:1076

post-CPB macrophage functions,

90:1039

post-CPB pulmonary dysfunction,

90:1046

cesarean delivery

and severe labor pain, association

between, 90:881

elective, alfentanil given immediately

before induction of anesthesia,

90:1167

epidurals and (editorial), 90:775

intraoperative nausea during,

prevention, intrathecal fentanyl vs

intravenous ondansetron, 90:1162

small-dose spinal anesthesia,

prevention of hypotension during,

use of single 5-mg dose of

ephedrine, 90:324

spinal anesthesia, prevention of

hypotension, dose-response study of

prophylactic intravenous ephedrine,

90:1390

tension pneumothorax, 90:1173

cholecystectomy, laparoscopic

early recovery, remifentanyl infusion,

obese patients, 90:769

hepatic blood flow and function,

elderly patients, 90:1198

coronary artery bypass grafting (CABG)

atherosclerosis in ascending aorta,

echocardiographic and pathological

evaluation, 90:1262

intraoperative variables and morbidity

and mortality after (letter), 90:1247

minimally invasive, remifentanyl vs

alfentanil, use with propofol,

90:1269

thoracic epidurals (letter), 90:767

**Surgery—continued**

vasodilator requirement, decreased,  
effect of forced-air warming, 90:286

endoscopic thyroidectomy,  
subcutaneous CO<sub>2</sub> insufflation does  
not cause hypercarbia during,  
90:760

extracorporeal shock wave lithotripsy,  
under monitored anesthesia care,  
comparative effectiveness of  
fentanyl and its newer analogs,  
90:567

eye, strabismus surgery

comparison of incidence of  
oculocardiac and oculorespiratory  
reflexes during sevoflurane or  
halothane anesthesia, children,  
90:306

PONV, reduction, use of  
dimenhydrinate suppositories,  
children, 90:311

gynecological, PONV, preventing, use of  
ramosetron, 90:472

heart transplantation

anticholinesterases and transplanted  
heart (letter), 90:1001

pulmonary vascular resistance,  
reduction, inhaled NO vs  
prostaglandin E<sub>1</sub>, 90:523

hysterectomy

abdominal, ketamine and preemptive  
analgesia, 90:1419

abdominal, total, patients undergoing,  
effect of clonidine pretreatment on  
perioperative proinflammatory  
cytokines, cortisol, and ACTH  
responses, 90:1441

abdominal, total, PCA, analgesic  
efficacy of intravenous tenoxicam as  
adjunct, 90:672

radical, with acute normovolemic  
hemodilution despite low  
preoperative hematocrit values,  
90:852

knee

anterior cruciate ligament repair,  
postoperative pain, effect of  
intraoperative small-dose ketamine,  
90:129

arthroscopic, postoperative analgesia,  
intraarticular clonidine and  
morphine, 90:1102

laparoscopic

and specific hemodynamic changes  
(letter), 90:769

cholecystectomy, early recovery,  
remifentanyl infusion, obese  
patients, 90:769

cholecystectomy, hepatic blood flow  
and function, elderly patients,  
90:1198

inert gas exchange at incremental  
PEEP, 90:466

intraperitoneal, postoperative pain  
relief, local anesthetic infiltration,  
90:899

N<sub>2</sub>O in CO<sub>2</sub> pneumoperitoneum, pigs,  
90:951

liver transplantation, icterus, patients  
with, interference of cerebral near-  
infrared oximetry, 90:489

microlaryngeal, supraglottic combined  
frequency jet ventilation vs  
subglottic monofrequent jet  
ventilation, 90:460

Nissen fundoplication, intraoperative  
desaturation and unilateral breath  
sounds, 90:62

peripheral vascular, epidural lidocaine  
requirements, effect of small-dose  
dopamine, elderly patients, 90:388

pulmonary artery

thromboendarterectomy,  
comparison of two different  
postoperative treatment strategies,  
90:267

shoulder, arthroscopy,

electrocardiographic artifacts,  
pressure-controlled irrigation pump,  
90:856

third molar, tape-recorded hypnosis  
instructions as adjuvant, 90:64

thoracic, left-sided, right vs left double-  
lumen tubes, 90:535

tonsillectomy, remifentanyl vs fentanyl,  
pediatric ambulatory surgical  
patients, 90:863

total hip arthroplasty  
intrathecal analgesia, 90:918

postoperative pain, oral morphine vs  
intramuscular morphine, 90:427

tracheostomy, tracheo-innominate artery  
fistula (letter), 90:231

transcervical resection of endometrium,  
complication, air embolism, 90:763

transurethral resection of bladder,  
hypertensive crisis during,  
nondiagnosed bladder  
paraganglioma, 90:556

transurethral resection of prostate, acid  
base changes, 90:946

vascular, perioperative  
dexmedetomidine infusion,  
hemodynamic and adrenergic  
effects, 90:834

**Survey, see Statistics**

**Sympathetic nervous system**

catecholamines, plasma level, effect of  
addition of fentanyl to bupivacaine  
in caudal epidural block, children,  
90:1029

dopamine, small-dose, effect on epidural  
lidocaine requirements during  
peripheral vascular surgery, elderly  
patients, 90:388

ephedrine

acute vasospastic attack after  
extradural block, patient with  
Raynaud's disease, 90:1417  
effect on onset time of rocuronium,  
90:1217

prophylactic intravenous, for  
prevention of hypotension during  
spinal anesthesia for cesarean  
delivery, dose-response study,  
90:1390

single 5-mg dose, prevention of  
hypotension during small-dose  
spinal anesthesia, prehydrated  
cesarean delivery patients, 90:324

epinephrine

effect on coronary perfusion pressure,  
cardiopulmonary resuscitation  
during severe hypothermia, pigs,  
90:69

propofol/sufentanil and surgical  
stress response, 90:450

repeated doses, effects on ventricular  
fibrillation, prolonged  
cardiopulmonary resuscitation, pigs,  
90:1067

test dose criteria in children, 90:579

esmolol, effect on onset time of  
rocuronium, 90:1217

norepinephrine, propofol/sufentanil and  
surgical stress response, 90:450

vasodilators, requirement, after CABG,  
and forced-air warming, 90:286

vasopressin, repeated doses, effects on  
ventricular fibrillation, prolonged  
cardiopulmonary resuscitation, pigs,  
90:1067

**Syringes, see Equipment**

**Systolic cerebrospinal fluid peak  
velocity, see Measurement  
techniques**

**Tachycardia, see Complications**

**TEE, see Monitoring, transesophageal  
echocardiography**

**Temperature**

cooling, body, effect on sensitivity to  
heat in capsaicin-treated skin, 90:923  
cutaneous, changes, lumbar sympathetic  
block for sympathetically  
maintained pain, 90:1396

hypothermia



- predictive variables in early phase of general anesthesia, 90:456
- severe, cardiopulmonary resuscitation during, effects of epinephrine and vasopressin on coronary perfusion pressure, pigs, 90:69
- monitoring, methods, accuracy and precision, regional and general anesthesia, 90:938
- regulation, forced-air warming, and vasodilator requirement after CABG, 90:286
- Tenoxicam**, see Analgesics
- Tetracaine**, see Anesthetics, local
- Thermoregulation**
- age-related differences, warm OR environment, 90:694
  - shivering, postoperative, incidence, effect of ondansetron given before induction of anesthesia, 90:1423
- Thiopental**, see Anesthetics, intravenous
- Third molar surgery**, see Surgery
- Thoracic epidural anesthesia**, see Anesthetic techniques
- Thoracic paravertebral block**, see Anesthetic techniques
- Thoracic surgery**, see Surgery
- Three-in-one block**, see Anesthetic techniques
- Thrombocytopenia**, see Coagulation; Complications
- Thrombocytosis**, see Complications
- Thromboelastography**, see Measurement techniques
- Thrombosis**, see Coagulation
- Thromboxane A<sub>2</sub>**, see Eicosanoids
- Tizanidine**, see Pharmacology
- TOF-tube**, see Equipment
- Tolerance**, opioid substitution in chronic noncancer pain, 90:933
- Tonsillectomy**, see Surgery
- Torus mandibularis**, see Complications
- Total body fat**, predictive variables of hypothermia, early phase of general anesthesia, 90:456
- Total hip arthroplasty**, see Surgery
- Toxicity**
- cardiotoxicity, comparison of local anesthetics, anesthetized swine, 90:1308
  - nephrotoxicity
    - sevoflurane and renal function, 90:683
    - sevoflurane (editorial), 90:505
  - neurotoxicity
    - intrathecal drugs, preservative/excipient related, reduction, simple technique (letter), 90:767
    - spinal, ketamine (letter), 90:227
    - spinal, lidocaine, perineural concentration (letter), 90:766
    - spinal, lidocaine, subarachnoid anesthesia, transient neurological symptoms after subarachnoid anesthesia, 90:658
- Tracheal obstruction**, see Complications
- Tracheal stenosis**, see Complications
- Tracheo-innominate artery fistula**, see Complications
- Tracheostomy**, see Surgery
- Tramadol**, see Analgesics
- Transcervical resection of endometrium**, see Surgery
- Transcranial Doppler ultrasonography**, see Measurement techniques
- Transcutaneous electrical stimulation**, see Measurement techniques
- Transesophageal echocardiography**, see Measurement techniques; Monitoring
- Transfusions**, see Blood
- Transient neurologic symptoms**, see Complications
- Transurethral resection**, see Surgery
- Transvenous ventricular pacing**, emergency, via right supraclavicular route, safety and efficacy, 90:784
- Trauma**, maxillofacial injuries, submental endotracheal intubation, use of endotracheal tube exchanger, 90:222
- Triegeer Dot Test**, see Measurement techniques
- d-Tubocurarine**, see Neuromuscular relaxants
- Ultrafast solution exchange**, see Measurement techniques
- Urapidil**, see Pharmacology
- Uterus**, gravid, effect of nitroglycerin, sheep and rabbits, 90:337
- Vascular surgery**, see Surgery
- Vasoconstriction**,  $\alpha_2$  agonist and blood flow, 90:1060
- Vasodilation**
- internal mammary artery, interaction of L-arginine and phosphodiesterase inhibitors, pigs, 90:840
  - lung, NO and anesthesia machines, 90:482
- Vasodilators**, see Sympathetic nervous system
- Vasopressin**, see Pharmacology; Sympathetic nervous system
- Vecuronium**, see Neuromuscular relaxants
- Veins**
- femoral, cannulation, followed by femoral nerve palsy (letter), 90:1246
  - internal jugular
    - cannulation, two for one technique (letter), 90:501
    - catheter length (letter), 90:500
  - subclavian, catheters, misplaced, method for rapid clinical diagnosis (letter), 90:229
- Venipuncture**, aid, use of nitroglycerin tape (letter), 90:499
- Venous air infusion**, endothelin receptor antagonism during, hemodynamic effects, dogs, 90:102
- Ventilation**
- apnea
    - during morphine analgesia, effects of residual pain, 90:156
    - hypoxemia during, investigating, validation of set of physiological models, 90:614
    - modeling hypoxemia during apnea, 90:619
  - breathing pattern, during morphine analgesia, effects of residual pain, 90:156
  - effect of TEE, small infants undergoing cardiac surgery, 90:47
  - gas exchange, position and  $\text{FiO}_2$  during one-lung ventilation, 90:35
  - hypoventilation
    - modeling hypoxemia during apnea, 90:619
    - validating hypoxemia and apnea models, 90:614
  - jet
    - high frequency, in interventional fiberoptic bronchoscopy, 90:1436
    - techniques, comparison, supraglottic combined frequency jet ventilation vs subglottic monofrequent jet ventilation, patients undergoing microlaryngeal surgery, 90:460
  - mechanical, pulmonary artery thromboendarterectomy, comparison of two different postoperative treatment strategies, 90:267
  - NAD 6000 vs Servo 900C ventilators, infant lung model, 90:315
  - positive end-expiratory pressure (PEEP) and  $\text{CO}_2$  elimination after cardiac surgery, 90:85
  - inert gas exchange during pneumoperitoneum at incremental values, 90:466
- Ventilators**, see Equipment
- Ventricular fibrillation**, see Heart

**Visual analog scale**, see Measurement techniques

**Vomiting**, nausea and, perioperative, during cesarean delivery with spinal anesthesia, prevention, intrathecal fentanyl vs intravenous ondansetron, 90:1162

**Vomiting**, nausea and, postoperative (PONV) and preoperative anxiety, children, 90:571

antiemetic prophylaxis, ondansetron vs dolasetron, costs and efficacy, 90:1352

breast surgery, thoracic paravertebral block, 90:1402

cannabis, scientific evaluation (editorial), 90:237

epidural morphine dose response, 0:887  
granisetron and, reported data (letter), 90:1004

neuromuscular blockers inhibit 5-HT<sub>3A</sub> receptor, 90:477

ophthalmologic complication, propulsion of globe (letter), 90:1003  
prevention

dexamethasone, quantitative systematic review, 90:186

ramosetron, women undergoing gynecological surgery, 90:472

propofol-ketamine combination during monitored anesthesia care, 90:858  
reduction, use of dimenhydrinate suppositories, strabismus surgery, children, 90:311

**Warmers**, see Equipment

**Withdrawal movements**, see Complications

**World War II**, Danish resistance, activities of Ernst Trier Mørch, 90:218

**Yohimbine**, see Pharmacology

